



**NOAA
FISHERIES**

National Marine Fisheries Service, West Coast Region
7600 Sand Point Way NE, Seattle, WA 98115
www.westcoast.fisheries.noaa.gov/index.html



Pacific Coast Groundfish Trip Limits and RCA Boundaries

For Information Contact: Groundfish Branch (206) 526-6140
Fisheries Permit Office (206) 526-4353

December 30, 2015

[page intentionally left blank]

National Marine Fisheries Service, West Coast Region

Table 1 (North) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting North of 40°10' N. Lat.

| | | | | | | | |
|--|--|--|--------------------------------------|-----------------------------------|------------------------|--------------------------------------|--|
| <p>This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.</p> | | | | | | | |
| <p>Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table</p> | | | | | | 01012016 | |
| | | JAN-FEB | MAR-APR | MAY-JUN | JUL-AUG | SEP-OCT | NOV-DEC |
| Rockfish Conservation Area (RCA)1/: | | | | | | | |
| 1 | North of 48°10' N. lat. | shore - modified ^{2/} 200 fm line ^{1/} | shore - 200 fm line ^{1/} | shore - 150 fm line ^{1/} | | shore - 200 fm line ^{1/} | shore - modified ^{2/} 200 fm line ^{1/} |
| 2 | 48°10' N. lat. - 45°46' N. lat. | 100 fm line ^{1/} - 150 fm line ^{1/} | | | | | |
| 3 | 45°46' N. lat. - 40°10' N. lat. | 100 fm line ^{1/} - modified ^{2/} 200 fm line ^{1/} | | | | | |
| <p>Selective flatfish trawl gear is required shoreward of the RCA; all bottom trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope and small footrope trawl gears (except for selective flatfish trawl gear) are prohibited shoreward of the RCA. Midwater trawl gear is permitted only for vessels participating in the primary whiting season. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery landing allowances in this table, regardless of the type of fishing gear used. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry fixed gear non-trawl RCA, as described in Tables 2 (North) and 2 (South) to Part 660, Subpart E.</p> | | | | | | | |
| <p>See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p> | | | | | | | |
| <p>State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.</p> | | | | | | | |
| 4 | Minor Nearshore Rockfish & Black rockfish | 300 lb/ month | | | | | |
| 5 | Whiting^{3/} | | | | | | |
| 6 | midwater trawl | <p>Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See §660.131 for season and trip limit details. -- After the primary whiting season: CLOSED.</p> | | | | | |
| 7 | large & small footrope gear | <p>Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip.</p> | | | | | |
| 8 | Cabezon^{4/} | | | | | | |
| 9 | North of 46°16' N. lat. | Unlimited | | | | | |
| 10 | 46°16' N. lat. - 40°10' N. lat. | 50 lb/ month | | | | | |
| 11 | Shortbelly | Unlimited | | | | | |
| 12 | Spiny dogfish | 60,000 lb/ month | | | | | |
| 13 | Big skate | 5,000 lb/ 2 months | 25,000 lb/ 2 months | 30,000 lb/ 2 months | 35,000 lb/ 2 months | 10,000 lb/ 2 months | 5,000 lb/ 2 months |
| 14 | Longnose skate | Unlimited | | | | | |
| 15 | Other Fish^{4/} | Unlimited | | | | | |
| <p>1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.</p> | | | | | | | |
| <p>2/ The "modified" fathom lines are modified to exclude certain petrale sole areas from the RCA.</p> | | | | | | | |
| <p>3/ As specified at §660.131(d), when fishing in the Eureka Area, no more than 10,000 lb of whiting may be taken and retained, possessed, or landed by a vessel that, at any time during the fishing trip, fished in the fishery management area shoreward of 100 fm contour.</p> | | | | | | | |
| <p>4/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington</p> | | | | | | | |
| <p>To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.</p> | | | | | | | |

TABLE 1 (North)

National Marine Fisheries Service, West Coast Region

Table 1 (South) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting South of 40°10' N. Lat.

| This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species. | | | | | | | | 01012016 |
|---|--|---|---------------------|---------------------|---------------------|---------------------|--------------------|----------|
| Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table | | | | | | | | |
| | | JAN-FEB | MAR-APR | MAY-JUN | JUL-AUG | SEP-OCT | NOV-DEC | |
| Rockfish Conservation Area (RCA)1/: | | | | | | | | |
| 1 | South of 40°10' N. lat. | 100 fm line ^{1/} - 150 fm line ^{1/ 2/} | | | | | | |
| <p>Small footrope trawl gear is required shoreward of the RCA; all trawl gear (large footrope, selective flatfish trawl, midwater trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope trawl gear and midwater trawl gear are prohibited shoreward of the RCA. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery landing allowances in this table, regardless of the type of fishing gear used. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry fixed gear non-trawl RCA, as described in Tables 2 (North) and 2 (South) to Part 660, Subpart E.</p> | | | | | | | | |
| <p>See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p> | | | | | | | | |
| State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. | | | | | | | | |
| 2 | Longspine thornyhead | | | | | | | |
| 3 | South of 34°27' N. lat. | 24,000 lb/ 2 months | | | | | | |
| 4 | Minor Nearshore Rockfish & Black rockfish | 300 lb/ month | | | | | | |
| 5 | Whiting | | | | | | | |
| 6 | midwater trawl | Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See §660.131 for season and trip limit details. -- After the primary whiting season: CLOSED. | | | | | | |
| 7 | large & small footrope gear | Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip. | | | | | | |
| 8 | Cabezon | 50 lb/ month | | | | | | |
| 9 | Shortbelly | Unlimited | | | | | | |
| 10 | Spiny dogfish | 60,000 lb/ month | | | | | | |
| 11 | Big skate | 5,000 lb/ 2 months | 25,000 lb/ 2 months | 30,000 lb/ 2 months | 35,000 lb/ 2 months | 10,000 lb/ 2 months | 5,000 lb/ 2 months | |
| 12 | Longnose skate | Unlimited | | | | | | |
| 13 | California scorpionfish | Unlimited | | | | | | |
| 14 | Other Fish ^{3/} | Unlimited | | | | | | |
| <p>1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.</p> | | | | | | | | |
| <p>2/ South of 34°27' N. lat., the RCA is 100 fm line - 150 fm line along the mainland coast; shoreline - 150 fm line around islands.</p> | | | | | | | | |
| <p>3/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington</p> | | | | | | | | |
| <p>To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.</p> | | | | | | | | |

TABLE 1 (South)

National Marine Fisheries Service, West Coast Region

Table 2 (North) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear North of 40°10' N. lat.

| Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table | | 1012016 | | | | | |
|---|--|---|---------|----------------------|--------------------|--|---------------|
| | | JAN-FEB | MAR-APR | MAY-JUN | JUL-AUG | SEP-OCT | NOV-DEC |
| Rockfish Conservation Area (RCA)^{1/}: | | | | | | | |
| 1 | North of 46°16' N. lat. | shoreline - 100 fm line ^{1/} | | | | | |
| 2 | 46°16' N. lat. - 42°00' N. lat. | 30 fm line ^{1/} - 100 fm line ^{1/} | | | | | |
| 3 | 42°00' N. lat. - 40°10' N. lat. | 30 fm line ^{1/} - 100 fm line ^{1/} | | | | | |
| See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). | | | | | | | |
| State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California. | | | | | | | |
| 4 | Minor Slope Rockfish^{2/} & Darkblotched rockfish | 4,000 lb/ 2 months | | | | | |
| 5 | Pacific ocean perch | 1,800 lb/ 2 months | | | | | |
| 6 | Sablefish | 1,275 lb/week, not to exceed 3,375 lb/ 2 months | | | | | |
| 7 | Longspine thornyhead | 10,000 lb/ 2 months | | | | | |
| 8 | Shortspine thornyhead | 2,000 lb/ 2 months | | | 2,500 lb/ 2 months | | |
| 9 | Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish^{3/} | 5,000 lb/ month | | | | | |
| 10 | | South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line, are not subject to the RCAs. | | | | | |
| 11 | | | | | | | |
| 12 | | | | | | | |
| 13 | | | | | | | |
| 14 | Whiting | 10,000 lb/ trip | | | | | |
| 16 | Minor Shelf Rockfish^{2/}, Shortbelly, Widow & Yellowtail rockfish | 200 lb/ month | | | | | |
| 17 | Canary rockfish | CLOSED | | | | | |
| 18 | Yelloweye rockfish | CLOSED | | | | | |
| 19 | Minor Nearshore Rockfish & Black rockfish | | | | | | |
| 20 | North of 42°00' N. lat. | 5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish or blue rockfish ^{4/} | | | | | |
| 21 | 42°00' N. lat. - 40°10' N. lat. | 8,500 lb/ 2 months, of which no more than 1,200 lb of which may be species other than black rockfish | | | | 6,000 lb/ 2 months, of which no more than 1,200 lb of which may be species other than black rockfish | |
| 22 | Lingcod^{5/} | 200 lb/2 months | | 1,200 lb/ 2 months | | | 600 lb/ month |
| 23 | Pacific cod | 1,000 lb/ 2 months | | | | | |
| 24 | Spiny dogfish | 200,000 lb/ 2 months | | 150,000 lb/ 2 months | | 100,000 lb/ 2 months | |
| 25 | Longnose skate | Unlimited | | | | | |
| 26 | Other Fish^{6/} & Cabezon in Oregon and California | Unlimited | | | | | |

TABLE 2 (North)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ Bocaccio, chilipepper and cowcod are included in the trip limits for Minor Shelf Rockfish and splitnose rockfish is included in the trip limits for Minor Slope Rockfish.

3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.

6/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

National Marine Fisheries Service, West Coast Region

Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N. lat.

| Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table | | | | | | | | 1012016 |
|--|---|---|---------|--------------------|---|---------|---------|---------|
| | | JAN-FEB | MAR-APR | MAY-JUN | JUL-AUG | SEP-OCT | NOV-DEC | |
| Rockfish Conservation Area (RCA)^{1/}: | | | | | | | | |
| 1 | 40°10' N. lat. - 34°27' N. lat. | 30 fm line ^{1/} - 150 fm line ^{1/} | | | | | | |
| 2 | South of 34°27' N. lat. | 60 fm line ^{1/} - 150 fm line ^{1/} (also applies around islands) | | | | | | |
| <p style="text-align: center;">See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p> <p style="text-align: center;">State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.</p> | | | | | | | | |
| 3 | Minor Slope rockfish^{2/} & Darkblotched rockfish | 40,000 lb/ 2 months, of which no more than 1,375 lb may be blackgill rockfish | | | 40,000 lb/ 2 months, of which no more than 1,600 lb may be blackgill rockfish | | | |
| 4 | Splitnose rockfish | 40,000 lb/ 2 months | | | | | | |
| 5 | Sablefish | | | | | | | |
| 6 | 40°10' N. lat. - 36°00' N. lat. | 1,275 lb/week, not to exceed 3,375 lb/ 2 months | | | | | | |
| 7 | South of 36°00' N. lat. | 2,000 lb/ week | | | | | | |
| 8 | Longspine thornyhead | 10,000 lb/ 2 months | | | | | | |
| 9 | Shortspine thornyhead | | | | | | | |
| 10 | 40°10' N. lat. - 34°27' N. lat. | 2,000 lb/ 2 months | | | 2,500 lb/ 2 months | | | |
| 11 | South of 34°27' N. lat. | 3,000 lb/ 2 months | | | | | | |
| 12 | | | | | | | | |
| 13 | Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish^{3/} | 5,000 lb/ month | | | | | | |
| 14 | | South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line, are not subject to the RCAs. | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | Whiting | 10,000 lb/ trip | | | | | | |
| 19 | Minor Shelf Rockfish^{2/}, Shortbelly, Widow rockfish (including Bocaccio and Chilipepper between 40°10' - 34°27' N. lat.) | | | | | | | |
| 20 | 40°10' N. lat. - 34°27' N. lat. | Minor shelf rockfish, shortbelly, widow rockfish, bocaccio & chilipepper: 2,500 lb/ 2 months, of which no more than 500 lb may be any species other than chilipepper. | | | | | | |
| 21 | South of 34°27' N. lat. | 4,000 lb/ 2 months | CLOSED | 4,000 lb/ 2 months | | | | |
| 22 | Chilipepper | | | | | | | |
| 23 | 40°10' N. lat. - 34°27' N. lat. | Chilipepper included under minor shelf rockfish, shortbelly, widow rockfish and bocaccio limits - - See above | | | | | | |
| 24 | South of 34°27' N. lat. | 2,000 lb/ 2 months, this opportunity only available seaward of the non-trawl RCA | | | | | | |
| 25 | Canary rockfish | CLOSED | | | | | | |
| 26 | Yelloweye rockfish | CLOSED | | | | | | |
| 27 | Cowcod | CLOSED | | | | | | |
| 28 | Bronzespotted rockfish | CLOSED | | | | | | |
| 29 | Bocaccio | | | | | | | |
| 30 | 40°10' N. lat. - 34°27' N. lat. | Bocaccio included under Minor shelf rockfish, shortbelly, widow rockfish & chilipepper limits - - See above | | | | | | |
| 31 | South of 34°27' N. lat. | 750 lb/ 2 months | CLOSED | 750 lb/ 2 months | | | | |

TABLE 2 (South)

National Marine Fisheries Service, West Coast Region

| Table 2 (South). Continued | | JAN-FEB | MAR-APR | MAY-JUN | JUL-AUG | SEP-OCT | NOV-DEC | |
|----------------------------|--|----------------------|---------|----------------------|----------------------|------------------|--------------------|---------------|
| 32 | Minor Nearshore Rockfish & Black rockfish | | | | | | | |
| 33 | Shallow nearshore | 600 lb/ 2 months | CLOSED | 800 lb/ 2 months | 900 lb/ 2 months | 800 lb/ 2 months | 1,000 lb/ 2 months | |
| 34 | Deeper nearshore | | | | | | | |
| 35 | 40°10' N. lat. - 34°27' N. lat. | 700 lb/ 2 months | CLOSED | 700 lb/ 2 months | 900 lb/ 2 months | | 1,000 lb/ 2 months | |
| 36 | South of 34°27' N. lat. | 500 lb/ 2 months | | 600 lb/ 2 months | | | | |
| 37 | California scorpionfish | 1,200 lb/ 2 months | CLOSED | 1,200 lb/ 2 months | | | | |
| 38 | Lingcod^{4/} | 200 lb/ 2 months | CLOSED | 800 lb/ 2 months | | | 400 lb/ month | 200 lb/ month |
| 39 | Pacific cod | 1,000 lb/ 2 months | | | | | | |
| 40 | Spiny dogfish | 200,000 lb/ 2 months | | 150,000 lb/ 2 months | 100,000 lb/ 2 months | | | |
| 41 | Longnose skate | Unlimited | | | | | | |
| 42 | Other Fish^{5/} & Cabezon | Unlimited | | | | | | |

TABLE 2 (South)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ POP is included in the trip limits for Minor Slope Rockfish. Blackgill rockfish have a species specific trip sub-limit within the Minor Slope Rockfish cumulative limit. Yellowtail rockfish are included in the trip limits for Minor Shelf Rockfish. Bronzespotted rockfish have a species specific trip limit.

3/ "Other Flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

5/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

National Marine Fisheries Service, West Coast Region

Table 3 (North) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40° 10' N. lat.

| Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table | | 01012016 | | | | | | |
|--|--|--|---------|--|----------------------|--|---------|---------------|
| | | JAN-FEB | MAR-APR | MAY-JUN | JUL-AUG | SEP-OCT | NOV-DEC | |
| Rockfish Conservation Area (RCA)^{1/}: | | | | | | | | |
| 1 | North of 46° 16' N. lat. | | | shoreline - 100 fm line ^{1/} | | | | |
| 2 | 46° 16' N. lat. - 42° 00' N. lat. | | | 30 fm line ^{1/} - 100 fm line ^{1/} | | | | |
| 3 | 42° 00' N. lat. - 40° 10' N. lat. | | | 30 fm line ^{1/} - 100 fm line ^{1/} | | | | |
| <p>See §§660.60, 660.330 and 660.333 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p> <p style="text-align: center;">State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.</p> | | | | | | | | |
| 4 | Minor Slope Rockfish^{2/} & Darkblotched rockfish | Per trip, no more than 25% of weight of the sablefish landed | | | | | | |
| 5 | Pacific ocean perch | 100 lb/ month | | | | | | |
| 6 | Sablefish | 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 2,000 lb/ 2 months | | | | | | |
| 7 | Shortpine thornyheads and longspine thornyheads | CLOSED | | | | | | |
| 8 | Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish^{3/} | 3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs. | | | | | | |
| 9 | | South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | Whiting | 300 lb/ month | | | | | | |
| 15 | Minor Shelf Rockfish^{2/}, Shortbelly, Widow & Yellowtail rockfish | 200 lb/ month | | | | | | |
| 16 | Canary rockfish | CLOSED | | | | | | |
| 17 | Yelloweye rockfish | CLOSED | | | | | | |
| 18 | Minor Nearshore Rockfish & Black rockfish | 5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish | | | | | | |
| 19 | North of 42° 00' N. lat. | | | | | | | |
| 20 | 42° 00' N. lat. - 40° 10' N. lat. | 8,500 lb/ 2 months, of which no more than 1,200 lb of which may be species other than black rockfish | | | | 6,000 lb/ 2 months, of which no more than 1,200 lb of which may be species other than black rockfish | | |
| 21 | Lingcod^{5/} | 100 lb/ month | | | 600 lb/ month | | | 100 lb/ month |
| 22 | Pacific cod | 1,000 lb/ 2 months | | | | | | |
| 23 | Spiny dogfish | 200,000 lb/ 2 months | | | 150,000 lb/ 2 months | 100,000 lb/ 2 months | | |
| 24 | Longnose skate | Unlimited | | | | | | |
| 25 | Other Fish^{6/} & Cabezon in Oregon and California | Unlimited | | | | | | |

TABLE 3 (North)

National Marine Fisheries Service, West Coast Region

Table 3 (North). Continued

| | | JAN-FEB | MAR-APR | MAY-JUN | JUL-AUG | SEP-OCT | NOV-DEC |
|--|--|--|---------|---------|---------|---------|---------|
| 26 | SALMON TROLL (subject to RCAs when retaining all species of groundfish, except for yellowtail rockfish and lingcod, as described below) | | | | | | |
| 27 | North | <p>Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. Salmon trollers may retain and land up to 1 lingcod per 15 Chinook per trip, plus 1 lingcod per trip, up to a trip limit of 10 lingcod, on a trip where any fishing occurs within the RCA. This limit only applies during times when lingcod retention is allowed, and is not "CLOSED." This limit is within the per month limit for lingcod described in the table above, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.</p> | | | | | |
| 28 | PINK SHRIMP NON-GROUNDFISH TRAWL (not subject to RCAs) | | | | | | |
| 29 | North | <p>Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.</p> | | | | | |
| <p>1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.</p> | | | | | | | |
| <p>2/ Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for Minor Shelf Rockfish. Splitnose rockfish is included in the trip limits for minor slope rockfish.</p> | | | | | | | |
| <p>3/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.</p> | | | | | | | |
| <p>4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.</p> | | | | | | | |
| <p>5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.</p> | | | | | | | |
| <p>6/ "Other fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.</p> | | | | | | | |
| <p>To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.</p> | | | | | | | |

TABLE 3 (North) cont'd

National Marine Fisheries Service, West Coast Region

Table 3 (South) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of 40°10' N. lat.

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

01012016

| | | JAN-FEB | MAR-APR | MAY-JUN | JUL-AUG | SEP-OCT | NOV-DEC |
|--|--|--|---------|-------------------|---|------------------|---------|
| Rockfish Conservation Area (RCA)^{1/}: | | | | | | | |
| 1 | 40°10' N. lat. - 34°27' N. lat. | 30 fm line ^{1/} - 150 fm line ^{1/} | | | | | |
| 2 | South of 34°27' N. lat. | 60 fm line ^{1/} - 150 fm line ^{1/} (also applies around islands) | | | | | |
| <p>See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p> <p style="text-align: center;">State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.</p> | | | | | | | |
| 3 | Minor Slope Rockfish^{2/} & Darkblotched rockfish | 10,000 lb/ 2 months, of which no more than 475 lb may be blackgill rockfish | | | 10,000 lb/ 2 months, of which no more than 550 lb may be blackgill rockfish | | |
| 4 | Splitnose rockfish | 200 lb/ month | | | | | |
| 5 | Sablefish | | | | | | |
| 6 | 40° 10' N. lat. - 36°00' N. lat. | 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 2,000 lb/ 2 months | | | | | |
| 7 | South of 36°00' N. lat. | 300 lb/ day, or 1 landing per week of up to 1,600 lb, not to exceed 3,200 lb/ 2 months | | | | | |
| 8 | Shortpine thornyheads and longspine thornyheads | | | | | | |
| 9 | 40° 10' N. lat. - 34°27' N. lat. | CLOSED | | | | | |
| 10 | South of 34°27' N. lat. | 50 lb/ day, no more than 1,000 lb/ 2 months | | | | | |
| 11 | Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish^{3/} | 3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs. | | | | | |
| 12 | | South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. | | | | | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | 300 lb/ month | | | | | |
| 17 | Whiting | | | | | | |
| 18 | Minor Shelf Rockfish^{2/}, Shortbelly, Widow rockfish and Chilipepper | | | | | | |
| 19 | 40° 10' N. lat. - 34°27' N. lat. | 300 lb/ 2 months | CLOSED | 200 lb/ 2 months | | 300 lb/ 2 months | |
| 20 | South of 34°27' N. lat. | 1500 lb/ 2 months | | 1500 lb/ 2 months | | | |
| 21 | Canary rockfish | CLOSED | | | | | |
| 22 | Yelloweye rockfish | CLOSED | | | | | |
| 23 | Cowcod | CLOSED | | | | | |
| 24 | Bronzespotted rockfish | CLOSED | | | | | |
| 25 | Bocaccio | | | | | | |
| 26 | 40° 10' N. lat. - 34°27' N. lat. | 200 lb/ 2 months | CLOSED | 100 lb/ 2 months | | 200 lb/ 2 months | |
| 27 | South of 34°27' N. lat. | 250 lb/ 2 months | | 250 lb/ 2 months | | | |

TABLE 3 (South)

National Marine Fisheries Service, West Coast Region

| Table 3 (South). Continued | | JAN-FEB | MAR-APR | MAY-JUN | JUL-AUG | SEP-OCT | NOV-DEC | |
|----------------------------|--|--|---|----------------------|----------------------|------------------|---|---------------|
| 28 | Minor Nearshore Rockfish & Black rockfish | | | | | | | |
| 29 | Shallow nearshore | 600 lb/ 2 months | CLOSED | 800 lb/ 2 months | 900 lb/ 2 months | 800 lb/ 2 months | 1,000 lb/ 2 months | |
| 30 | Deeper nearshore | | | | | | | |
| 31 | 40° 10' N. lat. - 34° 27' N. lat. | 700 lb/ 2 months | CLOSED | 700 lb/ 2 months | 900 lb/ 2 months | | 1,000 lb/ 2 months | |
| 32 | South of 34° 27' N. lat. | 500 lb/ 2 months | | 600 lb/ 2 months | | | | |
| 33 | California scorpionfish | 1,200 lb/ 2 months | CLOSED | 1,200 lb/ 2 months | | | | |
| 34 | Lingcod^{4/} | 100 lb/ month | CLOSED | 400 lb/ month | | | | 100 lb/ month |
| 35 | Pacific cod | 1,000 lb/ 2 months | | | | | | |
| 36 | Spiny dogfish | 200,000 lb/ 2 months | | 150,000 lb/ 2 months | 100,000 lb/ 2 months | | | |
| 37 | Longnose skate | Unlimited | | | | | | |
| 38 | Other Fish^{5/} & Cabezon | Unlimited | | | | | | |
| 39 | RIDGEBACK PRAWN AND, SOUTH OF 38° 57.50' N. LAT., CA HALIBUT AND SEA CUCUMBER NON-GROUNDFISH TRAWL | | | | | | | |
| 40 | NON-GROUNDFISH TRAWL Rockfish Conservation Area (RCA) for CA Halibut, Sea Cucumber & Ridgeback Prawn: | | | | | | | |
| 41 | 40° 10' N. lat. - 38° 00' N. lat. | 100 fm line ^{1/} - 200 fm line ^{1/} | 100 fm line ^{1/} - 150 fm line ^{1/} | | | | 100 fm line ^{1/} - 200 fm line ^{1/} | |
| 42 | 38° 00' N. lat. - 34° 27' N. lat. | 100 fm line ^{1/} - 150 fm line ^{1/} | | | | | | |
| 43 | South of 34° 27' N. lat. | 100 fm line ^{1/} - 150 fm line ^{1/} along the mainland coast; shoreline - 150 fm line ^{1/} around islands | | | | | | |
| 44 | | Groundfish: 300 lb/trip. Species-specific limits described in the table above also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57.50' N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, stary flounder, rock sole, curffin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 31). | | | | | | |
| 45 | PINK SHRIMP NON-GROUNDFISH TRAWL GEAR (not subject to RCAs) | | | | | | | |
| 46 | South | Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/ month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of all groundfish species count toward the per day, per trip or other species-specific sublimits described here and the species-specific limits described in the table above do not apply. The amount of groundfish landed may not exceed the amount of pink shrimp landed. | | | | | | |

TABLE 3 (South) cont'd

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ POP is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limits. Yellowtail rockfish is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

3/ "Other flatfish" are defined at § 660.11 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

5/ "Other fish" are defined at § 660.11 and includes kelp greenling, leopard shark, and cabezon in Washington.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.