

Literature Cited for Chapters 7 to 46

- Ackerman, N.K. and S. Cramer. 2006. Simulating fall redistribution and overwinter survival of Klamath River coho - Review Draft. Technical Memorandum #2 of 8. Klamath Coho Integrated Modeling Framework Technical Memorandum Series. Submitted to the Bureau of Reclamation Klamath Basin Area Office November 22.
- Ackerman, N.K., B. Pyper, I. Couter and S. Cramer. 2006. Estimation of returns of naturally produced coho to the Klamath River - Review Draft. Technical Memorandum #1 of 8. Klamath Coho Integrated Modeling Framework Technical Memorandum Series. Submitted to the Bureau of Reclamation Klamath Basin Area Office on November 2.
- Adams, C. 2013. Scott River/French Creek field note 8-23-13. California Department of Fish and Wildlife. August 23.
- Albro, P., and S. Gray. 2002. Juvenile outmigrant monitoring program. 2000 report for the West Branch and East Fork of Mill Creek. Prepared for Stimson Lumber Company, Crescent City, California.
- Anderson, D.G. 1988. Juvenile salmonid habitat of the Redwood Creek basin, Humboldt County, California. Master of Science Thesis, Humboldt State University, Arcata, California. 99 p.
- Anderson, D.G. 1995. Biological Supplement to Redwood National and State Parks, U.S. Army Corps of Engineers application: coho salmon utilization of the Redwood Creek estuary. Redwood National and State Parks. December 7. 13 p.
- Anderson, D. G. 2010. Personal Communication. Fisheries Biologist. Redwood National and State Parks. Orick, California.
- Anderson, D.G., and R.A. Brown. 1982. Anadromous salmonid nursery habitat in the Redwood Creek watershed. Pages 225-229 in Proceedings of the Biennial Conference of Research in California's National Parks. Davis, California.
- Andersson, J. 2003. Life history, status, and distribution of Klamath River Chinook salmon. University of California, Davis. 21 p.
- Annear, T., I. Chisholm, H. Beecher, A. Locke, P. Aarrestad, N. Burkhart, C. Coomer, C. Estes, J. Hunt, R. Jacobson, G. Jobsis, J. Kauffman, J. Marshall, K. Mayes, C. Stalnaker, and R. Wentworth. 2002. Instream flows for riverine resource stewardship. Instream Flow Council, Cheyenne, Wyoming.
- Applegate River Watershed Council (ARWC). 2007. Applegate basin monitoring. Prepared for the Oregon Watershed Enhancement Board. Jacksonville, Oregon. 72 p.
- Araki, H., B. Cooper, and M.S. Blouin. 2007. Genetic effects of captive breeding cause a rapid, cumulative fitness decline in the wild. *Science* 318(5847):100.

- Arthington, A.H., S.E. Bunn, N.L. Poff, R.J. Naiman. 2004. The challenge of providing environmental flow rules to sustain river ecosystems. *Ecological Applications* 16:1311-1318.
- Asarian, E. and J. Kann. 2013. Synthesis of continuous water quality data for the Lower and Middle Klamath River, 2001-2011. Klamath Basin Tribal Water Quality Work Group. May. Available from:
http://www.klamathwaterquality.com/documents/Klamath_2001_2011_sonde_rpt_20130502_final.pdf
- Azuma, D.L., J. Donnegan and D. Gedney. 2004. Southwest Oregon biscuit fire: an analysis of forest resources and fire severity. USFS Pacific Northwest Forest Experiment Station, Research Paper PNW-RP-560. 38 p.
- Bailey, B. and M. Lappe. 2002. Smith River flood plain pesticide aquatic ecological exposure assessment. Part II: generic estimated environmental concentration Tier 1 screening. The Center for Ethics and Toxics.
- Baldwin, C. 2002. Personal communication. Natural Resource Management Specialist. National Marine Fisheries Service. Yreka, California. July.
- Barnhart, R.A., M.J. Boyd, and J.E. Pequegnat. 1992. The ecology of Humboldt Bay, California: an estuarine profile. U.S. Fish and Wildlife Service Biological Report 1. 121 p.
- Bartholomew, J.L. 2008. *Ceratomyxa shasta* 2008 preliminary results. Department of Microbiology, Oregon State University. September 12.
- Bartholomew, J.L. 2012. Long-term fish disease monitoring program in the lower Klamath River. Annual Report, Fiscal year 2012-2011 supplement. Oregon State University.
- Bartholomew, J.L. and I.I. Courter. 2007. Disease effects on coho salmon survival in the Klamath River - Review Draft. Technical Memorandum 6 of 8. Prepared by Cramer Fish Sciences, Gresham, Oregon, for the Bureau of Reclamation, Klamath Basin Area Office. April 20.
- Bartholow, J.M. 2005. Recent water temperature trends in the Lower Klamath River, California. *North American Journal of Fisheries Management* 25(1):152-162.
- Bartson, A.P. 1997. Restoration strategy for the fisheries of the Smith River. Draft. Institute for River Ecosystems, Humboldt State University, Arcata, California. 96 p.
- Battin, J., M.W. Wiley, M.H. Ruckelshaus, R.N. Palmer, E. Korb, K.K. Bartz, and H. Imaki. 2007. Projected impacts of climate change on salmon habitat restoration. *Proceedings of the National Academy of Sciences* 104:6720-6725.
- Bauer, S. 2012. Assessment of water use based on aerial imagery of greenhouses and outdoor grows in Outlet Creek. California Department of Fish and Wildlife. Eureka, California.

- Bauer, S. 2013a. Personal communication. Environmental scientist. California Department of Fish and Wildlife. Eureka, California. January 17.
- Bauer, S. 2013b. Personal communication. Environmental scientist. California Department of Fish and Wildlife. Eureka, California. February 5.
- Bauer, S.B. and S.C. Ralph. 1999. Aquatic habitat indicators and their application to water quality objectives within the Clean Water Act. EPA-910-R-99-014. U.S. Environmental Protection Agency, Region 10, Seattle Washington.
- Beaman J. and S. Juhnke. 2012. Effects of Iron Gate Dam discharge and other factors on the survival and migration of juvenile coho salmon in the lower Klamath River, Northern California, 2006-09. USGS Open-File Report 2012-1067. May. Available from: <http://pubs.usgs.gov/of/2012/1067/>
- Bear Creek Watershed Council (BCWC). 2007. Ashland Watershed Management & Action Plan. Bear Creek Watershed Council. Medford, Oregon. 228 p.
- Beechie, T., E. Buhl, M. Ruckelshaus, A. Fullerton, and L. Holsinger. 2006. Hydrologic regime and the conservation of salmon life history diversity. *Biological Conservation* 130:560-572.
- Beechie, T.J., E.A. Steel, P. Roni, and E. Quimby (editors). 2003. Ecosystem recovery planning for listed salmon: an integrated assessment approach for salmon habitat. U.S. Department of Commerce NOAA Technical memorandum NMFS-NWFSC-58. 183p.
- Beeman, J.W., H. Hansel, S. Juhnke, and G. Stutzer. 2009. Summary of migration and survival data from radio-tagged juvenile coho salmon in the Trinity River, northern California, 2008. U.S. Geological Survey Open-File Report 2009-1092. 26 p.
- Beeman, J., S. Juhnke, G. Stutzer and K. Wright. 2012. Effects of Iron Gate Dam discharge and other factors on the survival and migration of juvenile coho salmon in the lower Klamath River, northern California, 2006-09. U.S. Geological Survey Open-File Report 2012-1067. 96 p.
- Beesley, S. 2010. Personal communication. Biologist. Yurok Tribal Fisheries Program, Yurok Tribe. Klamath, California.
- Beesley, S. and R. Fiori. 2004. Habitat assessment and restoration planning in the Salt Creek watershed, Lower Klamath River sub-Basin, California. Yurok Tribal Fisheries program, Klamath, California.
- Beesley, S. and R. Fiori. 2007a. Geomorphic and hydrologic assessment and restoration planning in the Salt Creek watershed, Lower Klamath River Sub-Basin, California. Yurok Tribal Fisheries Program, Klamath, California.

- Beesley, S. and R. Fiori. 2007b. Lower Klamath River tributary delta and subsurface flow study, Lower Klamath River sub-basin, California. Yurok Tribal Fisheries Program, Klamath, California.
- Beesley, S. and R. Fiori. 2008a. Restoration planning in Lower Blue Creek, Lower Klamath River: Phase I. Final Technical Report. Yurok Tribal Fisheries Program, Klamath, California.
- Beesley, S. and R. Fiori. 2008b. Cooperative restoration of tribal trust fish and wildlife habitat in Lower Klamath River tributaries. Yurok Tribal Fisheries Program, Klamath, California.
- Beesley, S. and R.A. Fiori. 2009. Instream habitat enhancement of Tectah Creek, Lower Klamath River: Year 1. Yurok Tribal Fisheries Program, Klamath, California.
- Belchik, M., Hillemeier, D., and Pierce, R.M. 2004. The Klamath River fish kill of 2002: analysis of contributing factors. Yurok Tribal Fisheries Program.
- Belchik, M.R. and S.M. Turo. 2002. Summer use of cold-water refugia areas by juvenile and adult salmonids in the Klamath River, California in August, 2002. Technical Report. Yurok Tribal Fisheries Program, Water Management and Rights Protection Division, Klamath, California.
- Bell, E. and W.G. Duffy. 2007. Previously undocumented two-year freshwater residency of juvenile coho salmon in Prairie Creek, California. Transactions of the American Fisheries Society 136:966-970.
- Bell, M. 1991. Fisheries Handbook of Engineering Requirements and Biological Criteria. U.S. Army corps of Engineers, North Pacific Division, Portland, Oregon.
- Berejikian, B.A., S.B. Matthews, and T.P. Quinn. 1996. Effects of hatchery and wild ancestry and rearing environments on the development of agonistic behaviour in steelhead trout (*Oncorhynchus mykiss*) fry. Canadian Journal of Fisheries and Aquatic Sciences 53:2004-
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W.R. Meehan, Ed. Influences of forest and rangeland management of salmonid fishes and their habitats. American Fisheries Society, Bethesda, Maryland.
- Blair, T., D. Maxey, M. Teubert, K. Sullivan, and M. Miles. 2006. Bear River Watershed Analysis. Riparian Function Assessment. Appendix C. HCP Signatory Review Team Draft. June 21. 91p.
- Bliesner, A.D. Halligan, M. Miles, and K. Sullivan. 2006. Bear River Watershed Analysis. Fish habitat assessment. Appendix E. HCP Signatory Review Team Draft. June 21. 106p.
- Boberg, J. 2008. Personal Communication. Biologist. U.S. Forest Service. Six Rivers National Forest, Eureka, California.

- Bodin, P., W. Brock, P. Buttolph, H. Kelsey, T. Lisle, B. Marcot, N. Reichard, and R. Wunner. 1982. Are California's north coast rivers really "wasting away to the sea"? a compendium of information on the impacts of river diversion. Northcoast Environmental Center. Arcata, California.
- Boles, G.L. 1980. Macroinvertebrate abundance and diversity as influenced by substrate size in the Trinity River. Department of Water Resources Northern District. January.
- Booth, D.B and C.R. Jackson. 1997. Urbanization of aquatic systems - degradation thresholds, stormwater detention, and the limits of mitigation. *Journal of the American Water Resources Association* 22(5). 20 p.
- Booth, D.B., B. Visitacion and A.C. Steinemann. 2006. Damages and costs of stormwater runoff in the Puget Sound region. Project sponsored by the Puget Sound Action Team and the WA Governor's Office. The Water Center, Department of Civil and Environmental Engineering, University of Washington. 42 p.
- Borok, S.L. and H.W. Jong. 1997. Evaluation of salmon and steelhead spawning habitat quality in the South Fork Trinity River Basin, 1997. Administrative Report No. 97-8. California Department of Fish and Game Region 1 Inland Fisheries,
- Bourque, R. 2011. Personal communication. Aquatic Monitoring Supervisor. Green Diamond Resource Company. Korb, California.
- Bourque, R. 2013. Personal communication. Aquatic Monitoring Supervisor. Green Diamond Resource Company. Korb, California.
- Bourque, R. 2014. Personal communication. Adult coho salmon spawning survey data. Aquatic Monitoring Supervisor. Green Diamond Resource Company. Korb, California.
- Bowman, C. 2010. 2007-2009 summer steelhead, spring Chinook and Pacific lamprey dive surveys, Scott River, California. Quartz Valley Indian Reservation.
- Boyd, M.J., T.J. Mulligan, and F.J. Shaughnessy. 2002. Non-indigenous marine species of Humboldt Bay, California. California Department of Fish and Game report. 118 p.
- Bredensteiner, K., J. Strittholt and D. DellaSala. 2001. Comments supporting the proposed mineral withdrawal for National Forest and Bureau of Land Management lands in the Siskiyou Wild Rivers area of Oregon and California. Conservation Biology Institute, Corvallis, Oregon and World Wildlife Fund, Ashland, Oregon. 101 p.
- Bredensteiner, K., K. Palacios, and J. Strittholt. 2003. Assessment of aquatic habitat monitoring data in the Rogue River basin and Southern Oregon coastal streams. Performed for the Conservation Biology Institute, Corvallis, Oregon. 42 p.
- Brown, L.R. and P.B. Moyle. 1990. Eel River Survey: Final Report. Contract F-46-R-2 for the California Department of Fish and Game. Department of Fish and Wildlife, University of California at Davis.

- Brown, L.R. and P.B. Moyle. 1991. Status of coho salmon in California. Report to the National Marine Fisheries Service. Department of Wildlife and Fisheries Biology, University of California at Davis.
- Brown, L.R. and P.B. Moyle. 1997. Invading species in the Eel River, California: successes, failures, and relationships with resident species. *Environmental Biology of Fishes* 49:271-291.
- Brown, L.R., P.B. Moyle, and R.M. Yoshiyama. 1994. Historical decline and current status of coho salmon in California. *North American Journal of Fisheries Management* 14(2):237-261.
- Brown, R. A. 1988. Physical rearing habitat for anadromous salmonids in the Redwood Creek basin, Humboldt County, California. Master of Science Thesis. Humboldt State University, Arcata, California. November.
- Brown, R.A. and G.B. Pasternack. 2008. Engineered channel controls limiting spawning habitat rehabilitation success on regulated gravel-bed rivers. *Geomorphology* 97:631-654.
- Brown, S. D. Halligan, M. Miles, and K. Sullivan. 2007. Yager-Lawrence Watershed Analysis and Fish Habitat Assessment Appendix E. Signatory Review Team Draft. November.
- Brown, W.M., III, and J.R. Ritter. 1971. Sediment transport and turbidity in the Eel river basin. U.S. Geological Survey Water Supply Paper. 70 p.
- Brownell, N.F., W.M. Kier and M.L. Reber. 1999. Historical and current presence and absence of coho salmon, *Oncorhynchus kisutch*, In the Northern California portion of the Southern Oregon-Northern California Evolutionary Significant Unit. Prepared for the U.S. Department of Commerce, NOAA National Marine Fisheries Service, Southwest Fisheries Science Center Pursuant To Service Order 40-ABNF-7-01479.
- Buffleben, M. 2009. Assessment of soil creep sediment generation for Total Maximum Daily Load development in a Northern Coastal California watershed. Doctoral dissertation. University of California, Los Angeles. 158 p.
- Buhle, E. R., K. K. Holsman, M. D. Scheuerell, and A. Albaugh. 2009. Using an unplanned experiment to evaluate the effects of hatcheries and environmental variation on threatened populations of wild salmon. *Biological Conservation* 142:2449-2455.
- Bunn, S.E. and A.H. Arthington. 2002. Basic principles and ecological consequences of altered flow regimes for aquatic biodiversity. *Environmental Management* 30(4):492-507.
- Burgess, D. 2008. Personal communication. Natural Resource Program Manager, Rural Human Services, Crescent City, California.
- Cafferata, P.H. 2013. Field notes and office calculations for the Maple Creek and Little River watersheds related to rate of harvest and cumulative watershed effects issues.

- Memorandum to Duane Shintaku, Deputy Director, California Department of Forestry & Fire Protection. 12 p.
- CalFish. 2009. California Fish Passage Assessment Database: state-wide inventory of known and potential barriers to fish passage. Accessed in 2009 from: <http://www.calfish.org>.
- CalFish. 2013. California Fish Passage Assessment Database: state-wide inventory of known and potential barriers to fish passage. Accessed in 2013 from: <http://www.calfish.org>.
- CalFire. 2009. Forest practice watershed mapper: statewide inventory of timber harvesting activities at the planning watershed level to provide information on past and present timber harvesting activities. Available from:
<http://frap.cdf.ca.gov/watersheds/mapper.html>
- California Assembly Interim Committee on Fish and Game. 1961. Status of salmon and steelhead on the north coast. Crescent City, California. October 10, 1961. 169 p.
- California Department of Fish and Game (CDFG) and U.S. Fish and Wildlife Service (USFWS). 1956. A plan for the protection of fish and wildlife resources affected by the Trinity River Division, Central Valley Project. 76 p.
- California Department of Fish and Game (CDFG). 1959. Preliminary report on fish and wildlife in relation to plans for water development in Shasta Valley. California.
- California Department of Fish and Game (CDFG). 1965. California fish and wildlife plan. State of California Resources Agency, Department of Fish and Game. Vols. I, II and III B.
- California Department of Fish and Game (CDFG). 1968. Salmon and steelhead counts Mad River (Sweasey Dam). WPB Administrative Report. Eureka, California.
- California Department of Fish and Game (CDFG). 1972. Reas Creek stream survey.
- California Department of Fish and Game (CDFG). 1974. Stream flow needs for anadromous salmonids in the Scott River Basin, Siskiyou County - a summarized report, including a map of silver salmon spawning areas.
- California Department of Fish and Game (CDFG). 1977. The Eel River estuary - observations on morphometry, fishes, water quality and invertebrates. Memorandum Report. Humboldt County Resource Conservation District, Eureka. 26 p.
- California Department of Fish and Game (CDFG). 1979. The status of salmon populations in California coastal rivers. Rancho Cordova. Anadromous Fisheries Branch.
- California Department of Fish and Game (CDFG). 1980. Stream survey for West Mill Branch Creek, Smith River, California.
- California Department of Fish and Game (CDFG). 1982. Guthrie Creek stream survey. February 8.

- California Department of Fish and Game (CDFG). 1984. Coastal cutthroat trout survey, Centerville Slough.
- California Department of Fish and Game (CDFG). 1992. Klamath River Project Annual Report. Yreka, California.
- California Department of Fish and Game (CDFG). 1993. Comments on the draft action plan for restoration of the South Fork Trinity River watershed and its fisheries. Inland Fisheries Division, Sacramento. 45 p.
- California Department of Fish and Game (CDFG). 1994. Petition to the California Board of Forestry to list coho salmon (*Oncorhynchus kisutch*) as a sensitive species. California Department of Fish and Game Report. Parts 1 and 2 of 2. 35 p. plus appendices.
- California Department of Fish and Game (CDFG). 1997a. A biological needs assessment for anadromous fish in the Shasta River, Siskiyou County, California. Northern California-North Coast Region. Redding. 29 p.
- California Department of Fish and Game (CDFG). 1997b. Eel River Salmon and Steelhead Restoration Action Plan. California Department of Fish and Game, Inland Fisheries Division. 66 p. plus appendices.
- California Department of Fish and Game (CDFG). 1999. Unpublished data of spawning surveys from 1999 in Elk Creek, Del Norte County. Provided by Michelle Gilroy, District Watershed Biologist, Northern Region, Eureka, CA.
- California Department of Fish and Game (CDFG). 2000. Mad River spawner survey data - Cañon Creek and North Fork Mad River. Eureka, California.
- California Department of Fish and Game (CDFG). 2002. Status review of California coho salmon north of San Francisco. Report to the California Fish and Game Commission.
- California Department of Fish and Game (CDFG). 2004a. Unpublished data of presence-absence salmonid surveys from 2000-2004 in Elk Creek, Del Norte County. Provided by Michelle Gilroy, District Watershed Biologist, Northern Region, Eureka.
- California Department of Fish and Game (CDFG). 2004b. Recovery strategy for California coho salmon. Report to the California Fish and Game Commission. 594 p. Available from: http://www.dfg.ca.gov/fish/Resources/Coho/SAL_CohoRecoveryRpt.asp.
- California Department of Fish and Game (CDFG). 2004c. September 2002 Klamath River fish-kill: final analysis of contributing factors and impacts. July.
- California Department of Fish and Game (CDFG). 2006. Juvenile steelhead population monitoring in the French Creek watershed, 1992-2005. Prepared for the French Creek Watershed Advisory Group, May 2006.

- California Department of Fish and Game (CDFG). 2008a. Stream Inventory Report, East Fork Scott River, California Department of Fish and Game. Yreka, California.
- California Department of Fish and Game (CDFG). 2008b. Shasta River coho salmon radio telemetry investigation.
- California Department of Fish and Game (CDFG). 2008c. Trinity River Basin Salmon and Steelhead Monitoring Project 2005-2006 Season. Northern California - North Coast Region. Redding.
- California Department of Fish and Game (CDFG). 2009a. Scott River Watershed Wide Permitting Program, Volume 1: Final Environmental Impact Statement: Revisions to the text of the draft.
- California Department of Fish and Game (CDFG). 2009b. Trinity River Basin Salmon and Steelhead Monitoring Project 2006-2007 Season. Northern California - North Coast Region. Redding.
- California Department of Fish and Game (CDFG). 2010a. On the ground salmonid restoration projects (2000-2009). Smith, Chetco, and Illinois River HUC8 Watersheds (CA Portion). California Department of Fish and Game Fisheries Restoration Grants Program.
- California Department of Fish and Game (CDFG). 2010b. Lower Eel River Watershed Assessment. Coastal Watershed Planning and Assessment Program
- California Department of Fish and Game (CDFG). 2012a. California coho distribution layer. July 10. Redding. Available from:
<http://www.calfish.org/DataampMaps/CalFishDataDownloads/tabid/93/Default.aspx>
- California Department of Fish and Game (CDFG). 2012b. Van Duzen River Watershed Assessment: Public Review Draft. May. Coastal Watershed Planning and Assessment Program.
- California Department of Fish and Wildlife (CDFW). 2013a. Hatchery and Genetic Management Plan for Iron Gate Hatchery Coho Salmon. Prepared for the National Marine Fisheries Service. Northern Region. January 23.
- California Department of Fish and Wildlife (CDFW). 2013b. Marijuana growing maps produced for Salmon Creek and Redwood Creek, tributaries of the South Fork Eel. Fortuna.
- California Department of Fish and Wildlife (CDFW). 2013c. Trinity River Basin Salmon and Steelhead Monitoring Project 2011-2012 Season. Northern California-North Coast Region, Redding, California.
- California Department of Water Resources (DWR). 1965. North Coastal Area Investigation, Appendix C. Bulletin No.136, California Department of Fish and Game Water Projects Branch, Sacramento.

- California Department of Water Resources (DWR). 1979. South Fork Trinity River watershed erosion investigation. Northern District, Red Bluff. 81 p.
- California Department of Water Resources (DWR). 1982. Middle Fork Eel River Watershed Erosion Investigation. Northern District, Red Bluff..
- California, Department of Water Resources. 2003. Scott River valley groundwater basin. North Coast Hydrologic Region. California's Groundwater Bulletin 118. Sacramento.
Available from:
http://www.water.ca.gov/pubs/groundwater/bulletin_118/basindescriptions/1-5.pdf
- California Department of Water Resources (DWR). 2010. Data for Station EVA. California Data Exchange Center. February 5. <http://cdec.water.ca.gov/>
- California Department of Water Resources (DWR). 2014. Shasta River near Yreka flow data between June 17 and August 6, 2014. California Data Exchange Center. Accessed August 6.
- California Natural Resources Agency (CNRA). 2009. 2009 California climate adaptation strategy. A report to the Governor of the state of California in response to Executive Orders-13-2008. 200p. Available from:
<http://www.climatechange.ca.gov/adaptation/index.html>
- California State Water Resources Control Board. 1980. Scott River adjudication. Decree Number 30662. Superior Court for Siskiyou County
- Cannata, S., R. Henly, J. Erler, J. Falls, D. McGuire and J. Sunahara. 2006. Redwood Creek watershed Assessment Report. Coastal Watershed Planning and Assessment Program and North Coast Watershed Assessment Program. California Resources Agency and California Environmental Protection Agency, Sacramento.
- Carter, K. 2005. The effects of temperature on steelhead trout, coho salmon, and Chinook salmon biology and function by life stage: Implications for Klamath Basin TMDLs. California Regional Water Quality Control Board. North Coast Region.
- Cederholm, C.J., R.E. Bilby, P.A. Bisson, T.W. Bumstead, B.R. Fransen, W.J. Scarlett and J.W. Ward. 1997. Response of juvenile coho salmon and steelhead to placement of large woody debris in a coastal Washington stream. *North American Journal of Fisheries Management* 17:947-963.
- Cederholm, C.J., L.M. Reid and E.O. Salo. 1981. Cumulative effects of logging road sediment on salmonid populations of the Clearwater River, Jefferson County, Washington. Pages 38-74 in *Proceedings of conference on salmon spawning gravel: a renewable resource in the Pacific Northwest?* Report 19. Washington State University Water Research Center, Pullman, Washington.

- Center for Environmental Economic Development. 2002. A river in the balance: benefits and costs of restoring natural water flows to the Eel River. Arcata, California. <http://www.eelriver.org/pdf/EelEconReport1.pdf>
- CH2M HILL. 1985. Klamath River Basin Fisheries Resource Plan. Prepared for the U.S. Department of the Interior, Redding, California. 300 p.
- CH2M HILL. 2006. Green Diamond Resource Company, Del Norte and Humboldt Counties, California. Final Environmental Impact Statement for authorization for incidental take and implementation of a Multiple Species Aquatic Habitat Conservation Plan and Candidate Conservation Agreement with Assurances. Prepared for the U.S. Fish and Wildlife Service and National Marine Fisheries Service. October.
- Chesney, D. and M. Knechtle. 2013. Shasta River Chinook and coho salmon observations in 2012. Siskiyou County, California. California Department of Fish and Wildlife, Yreka.
- Chesney, W.R. and E.M. Yokel. 2003. Shasta and Scott River juvenile salmonid outmigration study, 2001-2002. Annual Report. Project 2a1. California Department of Fish and Game. Steelhead Research and Monitoring Program. Northern California, North Coast Region. Redding.
- Chilcote, M. 2003. Relationship between natural productivity and the frequency of wild fish in mixed spawning populations of wild and hatchery steelhead (*Oncorhynchus mykiss*). Canadian Journal of Fisheries and Aquatic Sciences 60:1057-1067.
- Chilcote, Mark M.W., K.W. Goodson, and M.R. Falcu. 2010. Reduced recruitment performance in natural populations of anadromous salmonids associated with hatchery-reared fish. Canadian Journal of Fisheries and Aquatic Sciences 68:511-522.
- Collins, B. 2008. Personal communication. Fisheries Biologist. California Department of Fish and Game, Fortuna, California.
- Collins, B. 2012. Personal communication. Fisheries Biologist. California Department of Fish and Game, Fortuna, California.
- Collins, B. and T. Dunne. 1990. Fluvial geomorphology and river-sediment mining: a guide for planners, case studies included. Calif. Department of Conservation Division of Mines and Geology. Special Publication 98. 29 p. Available from: <https://archive.org/details/fluvialgeomorpho98coll>
- Confer, T. 2007. Number of juvenile coho salmon observed during trapping operations on Jack Creek in 2007. Oregon Department of Fish and Wildlife, Gold Beach, Oregon. E-mail to Chuck Wheeler, National Marine Fisheries Service, July 26, 2007.
- Confer, T. 2013. Escapement numbers for adult coho salmon in the coastal basins. Oregon Department of Fish and Wildlife, Gold Beach, Oregon. E-mail to Chuck Wheeler, National Marine Fisheries Service, June 10, 2013.

- Corum, A. 2010. Draft Middle Klamath Tributary Coho Spawning Survey Report 2007/2008. Draft report for the Bureau of Reclamation, Klamath River Basin Area Office, Klamath Falls, Oregon. 6 p.
- Corum, R.A. 2012. Middle Klamath Tributary Coho Spawning Survey Report. Karuk Tribe Department of Natural Resources. Orleans, California.
- Corum, A. 2014. Electronic mail with Microsoft Excel spreadsheets of coho salmon spawning data for the mid-Klamath for years 2007-11, 2013, and 2014. Karuk Tribe. Orleans, CA. August 18th.
- Cover, M. R. C. L. May, W. E. Dietrich, and V. H. Resh. 2008. Quantitative linkages among sediment supply, streambed fine sediment, and benthic macroinvertebrates in northern California streams. *Journal of North American Benthological Society* 27(1):135-149.
- Cramer Fish Sciences, P. Williams & Associates, and Siskiyou Resources Conservation District. 2010. Scott River spawning gravel evaluation and enhancement plan. Submitted to the Pacific States Marine Fisheries Commission and the California Department of Fish and Game. <http://www.fishsciences.net/reports/2010/ScottRiverFinal10Dec2010.pdf>
- Crone, R.A. and C.E. Bond. 1976. Life history of coho salmon, *Oncorhynchus kisutch*, in Sashin Creek, southeastern Alaska. *Fish Bulletin* 74:897-923.
- Crowser, H. 2005. Lower Eel River and Eel River Delta Watershed Analysis. Prepared for Pacific Lumber Company, Scotia, California.
- Cummins, K., J. Matousek, and A. Shackelford. 2005. Using macroinvertebrate community functional organization to predict prey base and ecosystem attributes favorable to juvenile salmonid growth and survival in Freshwater Creek. Invertebrate functional group analysis for the Freshwater Creek watershed. Institute for River Ecosystems, Humboldt State University, Arcata, California. 42p.
- Cyr, L. 2008. Personal communication. District Fish Biologist. U.S. Forest Service, Six Rivers National Forest, Orleans Ranger District, Orleans, California.
- Cyr, L. 2010. Personal communication. District Fish Biologist. U.S. Forest Service, Six Rivers National Forest, Orleans Ranger District, Orleans, California.
- Cyr, L. 2011. Personal communication. District Fish Biologist. U.S. Forest Service, Six Rivers National Forest, Orleans Ranger District, Orleans, California.
- Dale, R. 1990. Lower South Fork Trinity River habitat typing including Ammon, Mingo, Hell's Half Acre, and Underwood Creeks. U.S. Forest Service, Six Rivers National Forest, Lower Trinity Ranger District, Willow Creek, California.
- Dambacher, J., R. Frick, and E. Dittmer. 1992. Bear Creek habitat and temperature study 1990-1991: a cooperative study. Oregon Department of Fish and Wildlife. 125 p.

- De la Fuente. 1994. Salmon subbasin sediment analysis. U.S. Forest Service, Klamath National Forest. Yreka, California.
- De la Fuente, J. and D. Elder. 1998. The flood of 1997. Phase I Final Report. U.S. Forest Service, Klamath National Forest, Yreka, California. November 24. 76 p. plus appendices.
- De la Fuente, J., T. Lluent, D. Elder, R. VendeWater, A. Olsen. 2000. Watershed condition assessment beta-test results of northern province forests. U.S. Forest Service, Pacific Southwest Region.
- DeVries, P., F. Goetz, K. Fresh, D. Seiler, C. Simenstad. 2003. Salmon smolt outmigration timing through a restored tidal barrier and moon phase. Poster at Estuarine Research Federation Conference. Estuaries on the edge: convergence of ocean, land and culture. September 14-18, 2003. Seattle, Washington.
- DeWald, L. and M.A. Wilzbach. 1992. Interactions between native brook trout and hatchery brown trout: effects on habitat use, feeding, and growth. *Transactions of the American Fisheries Society* 121(3):287-296.
- Doughty, K. 2003. Appendix D. Freshwater Creek watershed analysis. Riparian function assessment. Prepared for Pacific Lumber Company. 70p.
- Downie, S. 2010. Personal communication. Senior Biologist Supervisor. California Department of Fish and Game. Coastal Watershed Planning and Assessment Program. Fortuna, CA. March 16.
- Downie, S.T., C.W. Davenport, E. Dudik, F. Yee, and J. Clements. 2003. Mattole River Watershed Assessment Report. North Coast Watershed Assessment Program, California Resources Agency, and California Environmental Protection Agency, Sacramento.
- Downie, S.T., and E.C. Gleason. 2007. Lower Eel River Watershed Assessment. Coastal Watershed Planning and Assessment Program. California Department of Fish and Game.
- Dresser, A.T, C. Cook, and M. Smith. 2001. Long Term Trend Monitoring Project for the South Fork Trinity River Watershed. U.S. Forest Service, Six Rivers National Forest, Eureka, California. 89 p.
- Duffy, W. 2010. Adult coho salmon escapements in Prairie Creek from 1998-2010 and abundance of juvenile coho salmon in Prairie Creek, California from 1998-2009. Unpublished data. United States Geological Survey, California Cooperative Research Unit, Humboldt State University, Arcata, California.
- Duffy, W.G. 2011. Prairie Creek Life Cycle Monitoring Project, March 1, 2011. Humboldt State University Sponsored Programs Foundation, Agreement No. 08103515. Prepared for California Department of Fish and Game Fisheries Restoration Grants Program. 12 p.

- Dunne, T., J. Agee, S. Beissinger, W. Dietrich, D. Gray, M. Power, V. Resh, and K. Rodrigues. 2001. A scientific basis for the prediction of cumulative watershed effects. The University of California Committee on Cumulative Watershed Effects. University of California Wildland Resource Center Report No. 46. June 2001. 107 p.
- Dutra, B.L. and S.A. Thomas. 1999. 1998-99 Chinook and coho spawning report. Lower Trinity Six Rivers National Forest, Lower Trinity Ranger District, Willow Creek, California. April. Available from: http://www.krisweb.com/biblio/trinity_usdafs_dutraetal_1999.pdf
- EA Engineering, Science, and Technology. 1998. Hunter Creek Watershed Analysis. Prepared for U.S. Forest Service, Siskiyou National Forest, Gold Beach Ranger District, Gold Beach, Oregon. 114 p.
- Elder, D., B. Olson, A. Olson, J. Villeponteaux, and P. Brucker. 2002. Salmon River subbasin restoration strategy: Steps to recovery and conservation of aquatic resources. Report prepared for the Klamath River Basin Fisheries Restoration Task Force and U.S. Fish and Wildlife Service, Yreka, California. 53 p.
- Elfgren, M. 2013. Personal communication. California Department of Fish and Wildlife (CDFW) habitat restoration program. August.
- Essington, T.E., J.R. Hodgson, and J.F. Kitchell. 2000. Role of satiation in the functional response of a piscivore, largemouth bass (*Micropterus salmoides*). Canadian Journal of Fisheries and Aquatic Sciences 57:548-556.
- Everest, L. 2008. Personal Communication. Fish Biologist. U.S. Forest Service, Weaverville, California.
- Ewing, R.D. 1999. Diminishing returns: salmon decline and pesticides. Funded by the Oregon Pesticide Education Network, Biotech Research and Consulting Inc., Corvallis. 55 p.
- Farber, S. and B. Nicolls. 2012. The 2012 V-star Monitoring in the French Creek Watershed, Klamath Mountains, interior Northern California. W.M. Beaty & Associates, Redding. Prepared for the USFWS. 17 p
- Farber, S. and J. Whitaker. 2010. Monitoring results of alternative watercourse and lake protection zones in the Etna Creek Watershed in interior northern California. Draft. July. Timber Products Company. Available from: http://bofdata.fire.ca.gov/board_committees/monitoring_study_group/msg_archived_documents/msg_archived_documents_/farber_and_whitaker_2010_etna_creek_alternative_wlpz_report.pdf
- FERC (Federal Energy Regulatory Commission). 2000. Proposed changes in minimum flow requirements at the Potter Valley Project (FERC Project Number 77-110), Final Environmental Impact Statement. Federal Energy Regulatory Commission, Washington, D.C.

- Federal Energy Regulatory Commission (FERC). 2007. Final Environmental Impact Statement for Relicensing of the Klamath Hydroelectric Project No. 2082-027. November 16.
- Feely, R.A., C.L. Sabine, J.M. Hernandez-Ayon, D. Ianson, and B. Hales. 2008. Evidence for the upwelling of corrosive “acidified” water onto the Continental Shelf. *Science* 320(5882):1490-1492.
- Fiori, R.A., M. Hiner, S. Beesley, S. Silloway, S. Nova, and R. Grubbs. 2011a. Preliminary evaluation of off-channel habitats constructed in tributaries of the Lower Klamath River. Salmonid Restoration Federation Conference. March 23-26, 2011. San Luis Obispo, California. Available from: <http://www.calsalmon.org/pdf/proceedings2011.pdf>
- Fiori, R.A., M. Hiner, S. Beesley, S. Silloway, A. Antonetti, R. Grubbs, W. Harling, C. Wickman. 2011b. Why up and down matters in the design of off-channel habitats. Salmonid Restoration Federation Conference. March 23-26, 2011. San Luis Obispo, California. Online at <http://www.calsalmon.org/pdf/proceedings2011.pdf>
- Five Counties Salmonid Conservation Program. 2008. Website for the 5C Program. Available from <http://www.5counties.org/>
- Flagg, T.A., B.A. Berejikian, J.E. Colt, W.W. Dickhoff, L.W. Harrell, D.J. Maynard, C.E. Nash, M.E. Strom, R.N. Iwamoto, and C.V.W. Mahnken. 2000. Ecological and behavioral impacts of artificial production strategies on the abundance of wild salmon populations. NOAA Technical Memorandum NMFS-NWFSC-41. Northwest Fisheries Science Center, Seattle Washington. 92 p.
- Foglia, L., A. McNally, C. Hall, L. Ledesma, R. Hines, and T. Harter. 2013. Scott Valley integrated hydrologic model: data collection, analysis, and water budget. Final Report. U.C. Davis Department of Land, Air, and Water Resources. Prepared for the North Coast Regional Water Board. April. Available from: <http://groundwater.ucdavis.edu/files/165395.pdf>
- Forest Ecosystem Management Assessment Team (FEMAT). 1993. Forest ecosystem management: an ecological, economic, and social assessment. U.S. Forest Service, National Marine Fisheries Service, Bureau of Land Management, U.S. Fish and Wildlife Service, National Park Service, and U.S. Environmental Protection Agency. Portland, Oregon, and Washington, DC. 843 p. plus appendices.
- Fredricksen, Kamine, and Associates. 1980. Proposed Trinity River basin fish and wildlife management program, Appendix B - sediment and related analysis. Report prepared for Bureau of Reclamation by Trinity River Basin Fish and Wildlife Task Force, Sacramento, California.
- Franklin, T. 2012. Scott River Adult Coho Spawning Ground Surveys 2011 Season. Prepared for United States Fish and Wildlife Service; Agreement # 813339G030, 2009-FISHERIES-FP-07. Siskiyou Resource Conservation District, Etna, California.

- Freeman, M. 2010. Gold Ray Dam removal backed. February 26, 2010. Mail Tribune, Medford, Oregon.
- French Creek Watershed Advisory Group. 1992. French Creek watershed monitoring plan. Etna, California. 13 p.
- Frissell, C.A. 1992. Cumulative effects of land use on salmon habitat in southwest Oregon coastal streams. Doctoral thesis, Oregon State University, Corvallis.
- Frost, E.J. and Sweeney, R. 2000. Fire regimes, fire history and forest conditions in the Klamath-Siskiyou region: an overview and synthesis of knowledge. Prepared for the World Wildlife Fund, Klamath-Siskiyou Ecoregion Program, Ashland, Oregon. December 2000. 59 p.
- Fuller, D. 2010. Personal communication. Fisheries Biologist. USDI Bureau of Land Management, Arcata Field Office. Arcata, CA.
- Galbraith, H., R. Jones, P. Park, , J. Clough, S. Herrod-Julius, B. Harrington, and G. Page. 2002. Global climate change and sea level rise: potential losses of intertidal habitat for shorebirds. *Waterbirds* **25**:173-183.
- Gale, D.B. 2009a. Instream and riparian enhancement of mainstem McGarvey Creek (Phase I). Yurok Tribal Fisheries Program, Klamath, California.
- Gale, D.B. 2009b. Lower Terwer Creek Riparian Restoration Project (Phase IV). Yurok Tribal Fisheries Program, Klamath, California.
- Gale, D.B. 2009c. Assessment of anadromous salmonid spawning in Blue Creek, Lower Klamath River, California, Fall 1999-2008. Yurok Tribal Fisheries Program, Klamath, California.
- Gale, D.B., T.R. Hayden, L.S. Harris, and H.N. Voight. 1998. Assessment of anadromous fish stocks in Blue Creek, Lower Klamath River, California, 1994-1996. Yurok Tribal Fisheries Program, Klamath, California.
- Gale, D.B. and D.B. Randolph. 2000. Lower Klamath River Sub-Basin Watershed Restoration Plan. Yurok Tribal Fisheries Program and Watershed Restoration Program. Klamath, California.
- Garwood, J. 2012. Historic and recent occurrence of coho salmon (*Oncorhynchus kisutch*) in California streams within the Southern Oregon/Northern California Evolutionarily Significant Unit, California Department of Fish and Game Fisheries Branch Administrative Report 2012-034, including maps: Mouth of Scott River, Scott Valley, Mouth of Shasta River, and Shasta Valley. August.
- Garwood, J.M., C.W. Anderson, and S.J. Ricker. 2010. Bullfrog predation on a juvenile coho salmon in Humboldt County, California. *Northwest Naturalist*. 91:99-101.

- Garza, J.C. 2012. Population genetic structure of coho salmon in the Klamath River. Upper Klamath River coho salmon workshop; Considerations for genetic conservation and artificial propagation. February 15 and 16, 2012. Yreka, California.
- Garza, J.C. 2014. Iron Gate Hatchery SONCC coho salmon genetics and threats to extinction in the upper Klamath River and Shasta River. E-mail to National Marine Fisheries Service, Southwest Fisheries Science Center, April 16.
- Gibbons, D.R. and E.O. Salo. 1973. An annotated bibliography of the effects of logging on fish of the Western United States and Canada. General Technical Report PNW-GTR-010. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 145 p.
- Gibbs, E.D. and J.B. Kimsey. 1955. The 1951 creel census on the boat fishery of the Klamath River estuary, Del Norte County. CDFG Inland Fisheries Administrative Report 55-16.
- Gilroy, M.M., M.K. Arey and G. Tanaka. 1992. Trinity River basin restoration program, South Fork of the Trinity River habitat typing report 1991. Prepared for USDI Bureau of Reclamation, Interagency Agreement No. 9-AA-20-08530, USDA Forest Service, Shasta-Trinity National Forest, Hayfork, California.
- International Union for the Conservation of Nature (IUCN). 2010. Global Invasive Species Database. Invasive Species Specialist Group, IUCN Species Survival Commission, Global Invasive Species Programme. Available from: <http://www.issg.org/database/welcome/>
- Glova, G.J. and M.S. Field-Dodgson. 1995. Behavioral interactions between Chinook salmon and brown trout juveniles in a simulated stream. Transactions of the American Fisheries Society 124:194-206.
- Godfrey, H. 1965. Coho salmon in offshore waters. Pages 1-39 in Salmon of the North Pacific Ocean, Part IX: Coho, Chinook, and masu salmon in offshore waters. International North Pacific Fisheries Commission Bulletin 16.
- Goin, J.J. 2009. Spawning migration dynamics of ocean-returning salmonids (*Oncorhynchus* spp.) in Freshwater Creek, California. Masters of Science Thesis, Humboldt State University, Arcata, California. 100p.
- Good, T.P., R.S. Waples, and P. Adams (editors). 2005. Updated status of federally listed ESUs of West Coast salmon and steelhead. U.S. Dept. Commerce, NOAA Technical Memorandum NMFS-NWFSC-661. 598 p.
- Gossard, Paula. 1986. Nitrate, nitrite, and ammonia in the Eel River estuary. Oceanography Department, Humboldt State University (Arcata, California) and California Department of Fish and Game (Fortuna).
- Graham Matthews and Associates (GMA). 2001. Trinity River sediment source analysis for the Trinity River, Trinity County, CA. Prepared for Tetra Tech, Inc.

- Grant, G., S. Lewis, F. Swanson, J. Cissel, and J. McDonnell. 2008. Effects of forest practices on peak flows and consequent channel response: a state-of-science report for western Oregon and Washington. General Technical Report PNW-GTR-760. USDA Forest Service, Corvallis, Oregon. 76 p.
- Green Diamond Resource Company (GDRC). 2006. Aquatic habitat conservation plan and candidate conservation agreement with assurances. Final. Volume 1-2 plus appendices. Prepared for National Marine Fisheries Service and U.S. Fish and Wildlife Service, October. 568 p.
- Green Diamond Resource Company (GDRC). 2009. First Biennial Report submitted to National Marine Fisheries Service and United States Fish and Wildlife Service in fulfillment of requirements pursuant to NMFS permit No. 1613 and USFWS Permit No. TE 156839-0. May 11. 242 p.
- Green Diamond Resource Company (GDRC). 2011a. Juvenile Salmonid Population Sampling Program for 2010. Annual Report to National Marine Fisheries Service for Permit 1060 - Mod 1. Korb, California. 17p.
- Green Diamond Resource Company (GDRC). 2011b. Large woody debris and habitat survey from 2005, water temperatures from 1994 and 2009-2011, and map of monitoring sites from 2010. Data provided by Ryan Bourque, GDRC.
- Green Diamond Resource Company (GDRC). 2013a. Juvenile Salmonid Population Sampling Program for 2012. Annual Report to National Marine Fisheries Service for Permit 1060 - Mod 1. Korb, California. 32p.
- Green Diamond Resource Company (GDRC). 2013b. Large woody debris and habitat survey data. Data provided by Ryan Bourque, GDRC.
- Green Diamond Resource Company (GDRC). 2013c. Summary of Green Diamond Resource Company spawner survey results for the Little River watershed, Humboldt County. September 2013. 4 p.
- Grunbaum, J., W. Harling, T. Soto, D. Flickinger. 2013. Middle Klamath Watershed Restoration Implementation Plan. Draft. March 31.
- Groot, C. and L. Margolis (eds). 1991. Pacific salmon life histories. University of British Columbia Press. Vancouver, British Columbia.
- Gucinski, H., M.J. Furniss, R.R. Ziemer, and M.H. Brookes. 2001. Forest roads: a synthesis of scientific information. General Technical Report PNW-GTR-509. U.S. Department of Agriculture, U.S. Forest Service, Portland, Oregon. 103 p.
- Guillen, G. 2003. Klamath River fish die-off, September 2002: causative factors of mortality. AFWO-F-02-03. U.S. Fish and Wildlife Service, Arcata Fish and Wildlife Office. Arcata, California. 128 p.

- Gwynne, B. A. 1993. Investigation of water quality conditions in the Shasta River, Siskiyou County, Interim Report to the California Regional Water Quality Control Board. September 20.
- Hagans, D.K., W.E. Weaver and M.A. Madej. 1986. Long term on-site and off-site effects of logging and erosion in the Redwood Creek basin, Northern California. Pages 38-66 in Papers presented at the American Geophysical Union meeting on cumulative effects (1985 December). National Council on Air and Streams Technical Bulletin No. 490. 29 p.
- Hall, R.O., M.F. Dybdahl, and M.C. Vanderloop. 2006. Extremely high secondary production of introduced snails in rivers. *Ecological Applications* 16(3):1121-1131.
- Hallett, S. L., R. A. Ray, C. N. Hurst, R. A. Holt, G. R. Buckles, S. D. Atkinson and J. L. Bartholomew. 2012. Density of the waterborne parasite, *Ceratomyxa shasta*, and biological effects on salmon. *Applied and Environmental Microbiology* 78:3724-3731.
- Halligan, D. 2003. Humboldt County Gravel Monitoring Report, 2002. Natural Resources Management Corporation, 1434 Third Street, Eureka, California 95501. January 17.
- Halligan, D. 2007. Humboldt County Gravel Monitoring Report, 2006. Natural Resources Management Corporation, 1434 Third Street, Eureka, California 95501.
- Halligan, D. 2008. Personal communication. Fish Biologist, Stillwater Sciences, 850 G Street, Suite K, Arcata, California 95521.
- Hallock, R.J., G.H. Warner, and D.H. Fry, Jr. 1952. California's part in a three-state salmon fingerling marking program. *California Department of Fish and Game* 38:301-332.
- Hamilton, J. B., G. L. Curtis, S.M. Snedaker, D. K. White. 2005. Distribution of anadromous fishes in the Upper Klamath River watershed prior to hydropower dams- A synthesis of the historical evidence. *Fisheries* 30: 10-20.
- Hamlet, A.F., P.W. Mote, M.P. Clark, and D.P. Lettermaier. 2005. Effects of temperature and precipitation variability on snowpack trends in the western United States. *Journal of Climate* 18:4545-4561.
- Hampton, M. 2009. Personal communication, Fisheries Biologist, California Department of Fish and Game, Yreka, California.
- Hampton, M. 2009. Bogus Creek Coho Restoration Project Summer Reconnaissance Survey. California Department of Fish and Game.
- Hampton, M. 2010. Bogus Creek coho restoration project summer reconnaissance survey.
- Handley, J. and M. Coots. 1953. The removal of abandoned dams in the upper Klamath River drainage, California. *California Fish and Game* 39(3):365-374.

- Hankin, D.G. and G.H Reeves. 1988. Estimating total fish abundance and total habitat area in small streams based on visual estimation methods. *Canadian Journal of Fisheries and Aquatic Sciences* 45:834-844.
- Harden, D. R., R. J. Janda, and K. A. Nolan. 1978. Mass movement and storms in the drainage basin of Redwood Creek, Humboldt County, California - a progress report. Open file report 78-486. U.S. Geological Survey. 101 p.
- Harling, W. 2009. Personal communication. Director. Mid-Klamath Watershed Council, Orleans, California.
- Harris, A., and E. Tuttle. 1984. *Geology of National Parks* (third edition). Kendall/Hunt Publishing, Dubuque, Iowa.
- Harris, S. 2010. Personal Communication. Associate Fisheries Biologist. California Department of Fish and Game, Salmon and Steelhead Resource Assessment, Willits, California.
- Harris, S. and S. Thompson. 2011. North Central District Salmon and Steelhead Management. Annual Project Performance Report Project 56. California Department of Fish and Game.
- Harter, T. and R. Hines. 2008. Scott Valley Community Groundwater Study Plan. Prepared for the NCRWQCB, Siskiyou RCD, and Siskiyou Co. Board of Supervisors. Final Report, Version H. February.
- Hassler, T.J., C.M. Sullivan, and G.R. Stem. 1988. Distribution of coho salmon in California. Annual Report to California Department of Fish and Game, Contract No. FG7292. Arcata, California. 24 p.
- Hatchery Scientific Review Group (HSRG). 2004. Hatchery Reform: Principles and Recommendations of the HSRG. Long Live the Kings, 1305 Fourth Avenue, Suite 810, Seattle, WA 98101. Available from: www.hatcheryreform.org.
- Heberger, M., H. Cooley, P. Herrera, P. H. Gleick, and E. Moore. 2009. The Impacts of sea level rise on the California coast. California Climate Change Center. CEC-500-2009-024-F.
- Hecht, B. and G.R. Kamman. 1996. Initial assessment of pre- and post- Klamath Project hydrology on the Klamath River and impacts of the project on instream flows and fishery habitat.
- Heizer, R. F. 1972. George Gibbs' journal of Redick McKee's expedition through northwestern California in 1851. Archaeological Research Facility. Department of Anthropology, University of California at Berkeley.
- Hicks, D. 2005. The Lower Rogue Watershed Assessment. Lower Rogue River Watershed Council. August, 2005. Gold Beach, OR. <http://currywatersheds.org/?p=10>
- Hicks, D., J. Castro, T. Confer, E.F. Schnitzer, T. Freeman, Jr. and W. Yokum. 2008. Rogue River estuary creation through sand and gravel extraction: a salmon habitat restoration

- feasibility study, Biological and Project Design Considerations. Lower Rogue Watershed Council, Gold Beach, Oregon. 21 p.
- Hicks, J. 2013. Comments to NMFS on the SONCC Coho Salmon Recovery Plan public draft. U.S. Bureau of Reclamation, Klamath Falls, Oregon. March 19.
- Hill, A. 2008. Personal Communication. Fish Biologist. California Department of Fish and Game, Weaverville, California.
- Hillemeier, D., T. Soto, S. Silloway, A. Corum, M. Kleeman, and L. Lestelle. 2009. The Role of the Klamath River mainstem corridor in the life history and performance of juvenile coho salmon (*Oncorhynchus kisutch*). Period Covered: May 2007-May 2008. Report submitted to the U.S. Bureau of Reclamation, Klamath Falls, Oregon. Available from: <http://www.yuroktribe.org/departments/fisheries/documents/YTFPKlamathCohoEcologyReport2009FINAL.pdf>
- Hillman, L. *et al.* v. CA Department of Fish and Game *et al.* 2009. Ban on Suction Dredge Mining. Superior Court, Alameda County, California, No. RG09-43444. Order issued July 9, 2009.
- Hiner, M. 2006. Seasonal water quality in the Klamath River estuary and surrounding sloughs, 2001-2003. Yurok Tribal Fisheries Program. Klamath, California
- Hiner, M. and A. Brown. 2004. Monitoring and evaluation of current and historical physical habitat conditions, water quality, and juvenile salmonid use of the Klamath River estuary. Yurok Tribal Fisheries Program. Klamath, California.
- Hiner, M., S. Silloway, A. Antonetti, and S. Beesley. 2011. Lower Klamath tributaries riparian restoration projects and Yurok tribal native plant nursery. Yurok Tribal Fisheries Program, Klamath, California.
- Homer, C., C. Huang, L. Yang, B. Wylie and M. Coan. 2004. Development of a 2001 National Land-Cover Database for the United States. Multi-Resolution Land Characteristics (MRLC) Consortium. 829 p.
- Hoopa Valley Tribe (HVT). 2012. Abundance of juvenile salmonids in tributaries on the Hoopa Valley Reservation. Hoopa Valley Tribal Fisheries Department. Hoopa, California. 32 p..
- House, M. 2010. Personal Communication. Aquatic Biologist. Green Diamond Resource Company. Korb, CA.
- Howat, I. M., S. Tulaczyk, P. Rhodes, K. Israel, M. Snyder. 2007. A precipitation-dominated, mid-latitude glacier system: Mount Shasta, California. *Climate Dynamics* 28:85-98.
- Hull, D., J. Ellinwood, C. Toole, and T. Flannigan. 1989. Humboldt Fish Action Council, Final Report. Project number C-1538, October 1986 through August 1988. Report to Harvey Reading, California Department of Fish and Game. 27 p.

- Humboldt Bay Harbor, Conservation and Recreation District (HBHCRD). 2007. Humboldt Bay management plan. Volume 1. 222 p. plus appendices. Available from: <http://www.humboldtbay.org/harbordistrict/documents/>
- Humboldt Bay Municipal Water District (HBMWD) and Trinity Associates. 2004. Habitat conservation plan for Mad River operations. Eureka, California
- Humboldt Bay Watershed Advisory Committee (HBWAC). 2005. Humboldt Bay watershed salmon and steelhead conservation plan. Final. 213 p. plus appendices.
- Humboldt County. 1992. Final program EIR on gravel removal from the lower Eel River. Natural Resources Division. Eureka, California.
- Humboldt County. 2005. Community of McKinleyville Storm Water Management Program. Department of Public Works. Eureka, CA.
- Humboldt County Department of Public Works. 2010. Freshwater Park Fish Ladder. Juvenile fish movement monitoring annual report. December 6, 2010. 37p.
- Humboldt County Department of Public Works. 2011. Freshwater Park Fish Ladder. Juvenile fish movement monitoring. 2nd annual report. November 2, 2011. 12p.
- Humboldt County General Plan. 2008. Planning Commission hearing draft. November 20. 331 p.
- Humboldt County Resource Conservation District (HCRCD). 1998. Eel River water quality monitoring report. Submitted to the California State Water Quality Control Board. Final Report. 205(J) Contract #5-029-250-2. May 15.
- Humboldt Growers Association (HGA). 2010. Humboldt County Outdoor Medical Cannabis Ordinance. Presented to Humboldt County December 13, 2010. 11 p.
- Humboldt Redwood Company (HRC). 2008. Bear River Watershed Analysis: Cumulative Watershed Effects. Public Review Draft. December.
- Humboldt Redwood Company (HRC). 2013. 2012 Fisheries Monitoring Report. 60 p.
- Humboldt State University (HSU). 1997. Smith River fisheries and ecosystem report. Institute for River Ecosystems. Arcata, California.
- Hurt, T.H. 1969. A stream survey of Little River and an analysis of its anadromous fishery. Humboldt State University, Arcata, California. 32 p.
- Independent Multidisciplinary Science Team (IMST). 1999. Recovery of wild salmonids in Western Oregon forests: Oregon Forest Practices Act rules and the measures in the Oregon Plan for Salmon and Watersheds. Technical Report 1999-1 to the Oregon Plan for Salmon and Watersheds, Governor's Natural Resources Office, Salem, Oregon. 94 p.

- Independent Science Advisory Board (ISAB). 2007. Climate change impacts on Columbia River basin fish and wildlife. Northwest Power and Conservation Council, Portland, Oregon.
- Jacobs, S., J. Firman, G. Susac, D. Stewart, and J. Weybright. 2002. Status of coastal stocks of anadromous salmonids, 2000-2001 and 2001-2002. Oregon Plan for Salmon and Watersheds. Oregon Department of Fish and Wildlife OPSW-ODFW-2002-3. September. 99 p.
- Jahn, J. 2011. Personal Communication. Fisheries Biologist. National Marine Fisheries Service. North Central California Office. Santa Rosa, California.
- Janda, R.J., K.M. Nolan, D.R. Harden, and S.M. Coleman. 1975. Watershed conditions in the drainage basin of Redwood Creek, Humboldt County, California, as of 1973. U.S. Geological Survey Open-File Report 75-568. 266 p.
- Jeffres, C. A., E. M. Buckland, M. L. Deas, B. G. Hammock, J. D. Kiernan, A. M. King, N. Y. Krigbaum, J. F. Mount, P. B. Moyle, D. L. Nichols, and S. E. Null. 2008. Baseline assessment of salmonid habitat and aquatic ecology of the Nelson Ranch, Shasta River, California water year 2007. Report prepared for: United States Bureau of Reclamation, Klamath Area Office.
- Jeffres, C. A., A. L. Nichols, A. D. Willis, M. L. Deas, J. F. Mount, and P. B. Moyle. 2010. Assessment of restoration actions on Big Springs Creek, Shasta River, California 2009-2010. Center for Watershed Sciences. University of California, Davis.
- Jensen, A. 2000. Fisheries monitoring program for gravel extraction operations on the Mad, Van Duzen, and Trinity rivers. Final Report, 1999. Natural Resources Management Corporation, 1434 Third Street, Eureka, California 95501. January 13. 42 p. plus appendices.
- Jepsen, D.B., and J.D. Rodgers. 2004. Abundance monitoring of juvenile salmonids in Oregon coastal streams, 2002-2003. Oregon Plan for Salmon and Watershed Monitoring Report No. OPSW-ODFW-2003-1, Oregon Department of Fish and Wildlife, Portland.
- Jepsen, D.B. 2006. Abundance monitoring of juvenile salmonids in Oregon coastal streams, 2004. Oregon Plan for Salmon and Watershed Monitoring Report No. OPSW-ODFW-2006-1, Oregon Department of Fish and Wildlife, Portland.
- Jones and Stokes. 2003. Headwaters Forest Reserve proposed resource management plan and final EIS/EIR. Volume I. September. (J&S 00090.) Sacramento, California. Prepared for USDI Bureau of Land Management and California Department of Fish and Game.
- Jones, M., J. Eilers and J. Kann. 2008. Water quality effects of blue-green algal blooms in Diamond Lake, Oregon. Umpqua National Forest, Roseburg, Oregon. 9 p.

- Jones, K.L., J.R. Wallick, J.E. O'Connor, M.K. Keith, J.F. Mangano, and J.C. Risley. 2011. Preliminary assessment of channel stability and bed-material transport along Hunter Creek, Southwestern Oregon. U.S. Geological Survey Open-File Report 2011-1160, 41 p.
- Jong, B., L. Preston, and M. Gilroy. 2008. Status of coho salmon (*Oncorhynchus kisutch*) in California as measured by changes in temporal and spatial historic occurrence. Part 1: California coastal watersheds north of Punta Gorda. Draft Report. California Department of Fish and Game, Sacramento, California. 387 p.
- Jong, W.H. and T. Mills. 1992. Anadromous salmonid escapement studies, South Fork Trinity River, 1984 through 1990. Klamath-Trinity Program Inland Fisheries Division. Unpublished Administrative Report. 26 p.
- Karuk Tribe. 2009. Unpublished data on coho distribution and abundance in mid-Klamath tributaries between 2000 and 2009. Provided by Toz Soto, Biologist, Karuk Fisheries Program, Orleans, California.
- Karuk Tribe. 2011. Water quality assessment report. Department of Natural Resources. Orleans, California. January. Available from:
<http://www.karuk.us/images/docs/wqdocuments/2011WQAR.pdf>
- Karuk Tribe. 2012. 2002-2011 Presence/absence surveys for juvenile coho, Chinook, and steelhead in mid-Klamath tributaries. Microsoft Excel spreadsheet. Provided by Toz Soto, Biologist, Karuk Fisheries Program, Orleans, California.
- Katelman, T. 2005. Del Norte fire safe plan: community wildfire protection plan. Appendix A. Del Norte County description. September. Report prepared for the Del Norte Fire Safe Council. Crescent City, California. 162 p.
- Kauffman, J.B., R.L. Beschta, N. Otting, and D. Lytjen. 1997. An ecological perspective of riparian and stream restoration in the Western United States. *Fisheries* 22(5):12-24.
- Kelsey, H.M. 1980. A sediment budget and an analysis of geomorphic process in the Van Duzen River Basin, North Coastal California, 1941-1975. *Geological Society of America Bulletin* 91(4):1119-1216.
- Keter, T. 1995. Environmental history and cultural ecology of the North Fork of the Eel Basin, California. USDA Forest Service, Pacific Southwest Region, R5-EM-TP-002. 116 p.
- Klamath Resource Information System (KRIS). 2006. Humboldt Bay version 1.0. Compact disc. Available from: <http://www.krisweb.com/krishumboldtбай/krisdb/krisweb/index.htm>
- Klamath River Basin Fisheries Task Force. 1991. The long range plan for the Klamath River basin conservation area fishery restoration program. U.S. Fish and Wildlife Service, Klamath River Fishery Resource Office, Yreka, California.

- Klein, R.D. 2009. Hydrologic assessment of low flows in the Mattole River Basin. Sanctuary Forest, Mattole Flow Program, September. 22 p.
- Klein, R.D., G. Gibbs, C. Heppe, M. Sanders, and N. Youngblood. 2006. Erosion and turbidity monitoring in Lost Man Creek, Redwood National and State Parks annual report for water year 2005 and retrospective on water years 2003-2005. February.
- Knechtle, M. 2008. Scott River salmon studies 2008. California Department of Fish and Game, Northern Region, Klamath River Project, 1625 South Main Street, Yreka, California. 15 p.
- Knechtle, M. 2010. Personal Communication. Biologist. California Department of Fish and Game. Yreka, California.
- Knechtle, M. 2011. Personal Communication. Biologist. California Department of Fish and Game. Yreka, California. August.
- Knechtle, M. 2014. Electronic mail with spreadsheet of the final 2013 season Klamath River Project video summary. April 8.
- Knechtle, M. and D. Chesney. 2011. 2009 Scott River salmon studies - final report. California Department of Fish and Game, Northern Region, Klamath River Project, 1625 South Main Street, Yreka, CA. March. 18 p.
- Knechtle, M. and D. Chesney. 2011. 2010 Scott River salmon studies - final report. California Department of Fish and Game Northern Region, Klamath River Project, Yreka, California. September. 21 p.
- Knechtle, M. and D. Chesney. 2013. 2012 Scott River salmon studies - final report. June. California Department of Fish and Wildlife, Region 1 - Northern Region, Klamath River Project, 1625 South Main Street, Yreka, California. 22 p.
- Knechtle, M. and D. Chesney. 2014. Bogus Creek salmon studies. California Department of Fish and Wildlife, Northern Region, Klamath River Project. Yreka, California. May 28.
- Knowles, N. and D.R. Cayan. 2004. Elevational dependence of projected hydrologic changes in the San Francisco estuary and watershed. *Climatic Change* 62(1):319-336.
- Koehler, M. and B. Miller. 2003. South Slough Coho Smolt Ultrasonic Telemetry Project .Preliminary report. South Slough National Estuarine Research Reserve. 13 p.
- Kondolf, G.M. 1994. Geomorphic and environmental effects of instream sediment mining. *Landscape Urban Planning* 28:225-243.
- Kondolf, G.M., and M.G. Wolman. 1993. The sizes of salmonid spawning gravels. *Water Resources Research* 29:2275-2285.

- Koski, K.V. 2009. The fate of coho salmon nomads: the story of an estuarine-rearing strategy promoting resilience. *Ecology and Society* 14(1):4. Available from: <http://www.ecologyandsociety.org/vol14/iss1/art4/>.
- Kraus, N., Militello, A., and G. Todoroff. 2002. Barrier breaching processes and barrier spit breach, Stone Lagoon, California. *Shore & Beach* 70(4). 20 p.
- Kubicek, P. 2013. Personal communication. Senior Consulting Scientist, Pacific Gas & Electric Company San Ramon, California.
- La Marche, J.L. 2001. Water imports and exports between the Rogue and upper Klamath Basins: Unpublished report prepared for the Klamath Alternative Dispute Resolution Hydrology Steering Committee, 7 p. Available from: <http://www1.wrd.state.or.us/files/studies/Klamath-adr/hydrology%20model%20output/Klamath%20Basin%20Water%20Imports%20and%20Exports.doc>
- Laetz, C.A., D.H. Baldwin, T.K. Collier, V. Herbert, J.D. Stark and N. L. Scholz. 2009. The synergistic toxicity of pesticide mixtures: implications for risk assessment and the conservation of endangered pacific salmon. *Environmental Health Perspectives* 117:3:348-353.
- Lang, M., 2005. District 1 Pilot fish passage assessment study. Volume 1 - Overall results. Final technical report submitted to California Department of Transportation for the project: F2001 EN 10 - Researching state highway culverts to determine impacts on threatened and endangered salmonids. Humboldt State University, Arcata, California. 198 p.
- Lanse, R. 1971. An estimate of the 1970-1971 angler pressure and sport fish harvest - Scott River, Siskiyou County, California. California Department of Fish and Game. Anadromous Fisheries Branch Administrative Report No. 72-7. Sacramento.
- Larson, M., J. D. Rosati, and N.C. Kraus. 2002. Overview of regional coastal processes and controls. Coastal and Hydraulics Engineering Technical Note CHETN-XIV-4. U.S. Army Engineer Research and Development Center. Vicksburg, Mississippi. 22 p.
- LeDoux-Bloom, C.M. and S.T. Downie. 2007. Outlet Creek Basin Assessment Report. Draft. Coast Watershed Planning and Assessment Program. California Department of Fish and Game, Fortuna. 33 p.
- Lee, D.P. and P.H. Baker. 1975. Eel-Russian rivers streamflow augmentation study: reconnaissance fisheries evaluation. California Department of Fish and Game. Mimeograph. 59 p.
- Leidy, R.A. and G.R. Leidy. 1984. Life stage periodicities of anadromous salmonids in the Klamath River Basin, northwestern California. U.S. Fish and Wildlife Service, Division of Ecological Services, Sacramento, California. 21 p.

- Leitritz, E. 1970. A history of California's fish hatcheries, 1870-1960. California Department of Fish and Game. Fish Bulletin 150. Sacramento, California. 13 p.
- Lestelle, L. 2007. A review of coho salmon (*Oncorhynchus kisutch*) life history patterns in the Pacific Northwest and California. Prepared for the U.S. Bureau of Reclamation, Klamath Basin Area Office. Prepared by Biostream Environmental, Poulsbo, Washington. 122 p.
- Lewis, M., E. Brown, B. Sounheim, M. Weeber, E. Suring, and H. Truemper. 2009. Status of Oregon stocks of coho salmon, 2004 through 2008. Oregon Plan for Salmonids and Watersheds. Monitoring Report No. OPSW-ODFW-2009-3. Oregon Department of Fish and Wildlife, Corvallis. 60 p.
- Liermann, M. and R. Hilborn. 2001. Depensation: evidence, models, and implications. Fish and Fisheries 2:33-58.
- Ligon, F. K., W.E. Dietrich, and W.J. Trush. 1995. Downstream ecological effects of dams, a geomorphic perspective. BioScience 45:183-192.
- Lisle, T.E. 1981. The recovery of stream channels in north coastal California from recent large floods. Pages 153-160 in K. Hashagen (ed.). Habitat disturbance and recovery proceedings.
- Lisle, T.E. 1989. Using residual depths to monitor pool depths independently of discharge. Research Note PSW-394. USDA Forest Service, PSW Station, Berkeley, California. 4 p.
- Lisle, T.E. and S. Hilton. 1999. Fine bed material in pools of natural gravel bed channels. Water Resources Research 35(4):1291-1304.
- Longcore, T. and C. Rich. 2004. Ecological light pollution. Frontiers of Ecology and the Environment 2(4):191-198.
- Love, M. 2008. Lower Strawberry Creek restoration planning report. Prepared for: Pacific Coast Fish, Wildlife and Wetlands Restoration Association, Redwood National and State Parks and US Fish and Wildlife Service. Michael Love & Associates, Eureka California.
Available from:
http://www.h2odesigns.com/wpcontent/uploads/2010/03/Strawberry_Ck_Report_2008.pdf.
- Lower Rogue Watershed Council (LRWC). 2010. Curry County coho spawning survey results 2003-2009. Gold Beach, Oregon. 20 p.
- Lyons, K.E. 1998. Element stewardship abstract for *Phalaris arundinacea* L. Reed Canarygrass. The Nature Conservancy Wildland Invasive Species Team, University of California, Davis.
- MacCleery, D.W. 1974. Logging on South Fork Mountain: a look at past activities and implications for future management of the area. U.S. Forest Service, Shasta-Trinity National Forest, Hayfork Ranger District, Hayfork, California. 25 p.

- Mack, S. 1958. Geology and ground-water features of Scott Valley, Siskiyou County, California. Geological Survey Water-Supply Paper 1462, U.S. Geological Survey. Washington, D.C. 98 p.
- Stillwater Sciences. 2010. Mad River watershed assessment. Prepared for Redwood Community Action Agency, Eureka, California. Prepared by Stillwater Sciences, Arcata, California in association with Redwood Community Action Agency and Natural Resources Management Corporation, Eureka, California.
- Madej, M. A., C. Currens, V. Ozaki, J. Yee, and D. G. Anderson. 2006. Assessing possible thermal rearing restrictions for juvenile coho salmon (*Oncorhynchus kisutch*) through thermal infrared imaging and in-stream monitoring, Redwood Creek, California. Canadian Journal of Fisheries and Aquatic Sciences 63:1384-1396.
- Magneson, M.D., and S.A. Gough. 2006. Mainstem Klamath River coho salmon redd surveys 2001 to 2005. Fisheries Data Series Report DS 2006-07. U.S. Fish and Wildlife Service, Arcata Fish and Wildlife Office, Arcata, California. 17 p.
- Maguire, M. 2001a. Elk River Watershed Assessment. Performed under contract to the Elk River Watershed Council. Produced with support from and in cooperation with the South Coast Watershed Council, Gold Beach, Oregon. 113 p.
- Maguire, M. 2001b. Port Orford Watershed Assessment. Performed under contract to the Port Orford Watershed Council with assistance from the South Coast Watershed Council, Gold Beach, Oregon. 106 p.
- Maguire, M. 2001d. Hunter Creek Watershed Assessment. Performed under contract to the Hunter Creek Watershed Council with assistance from the South Coast Watershed Council, Gold Beach, Oregon. 122 p.
- Maguire, M. 2001e. Pistol River Watershed Assessment. Performed under contract to the Pistol River Watershed Council by Mainstream Contracting, Gold Beach, Oregon. 132 p.
- Maguire, M. 2001f. Chetco River Watershed Assessment. Performed under contract to the Chetco River Watershed Council. Produced with support from and in cooperation with the South Coast Watershed Council, Gold Beach, Oregon. 113 p.
- Maguire, M. 2001g. Winchuck River Watershed Assessment. Performed under contract to the Winchuck River Watershed Council by Mainstream Contracting, Gold Beach, Oregon. 132 p.
- Maria, D. 2002. French Creek Watershed Advisory Group Monitoring Program - steelhead monitoring results, 1990-2002. California Department of Fish and Game, Yreka, California.
- Marshall, L. 2008. Personal Communication. Hatchery Manager. California Department of Fish and Game, Lewiston, California.

- Martin, A. 2009. Personal Communication. Biologist. Yurok Tribal Fisheries Program, Weitchpec, California.
- Massingill, C. 2001a. Elk River Watershed Action Plan. Performed under contract to the Elk River Watershed Council. Produced with support from and in cooperation with the South Coast Watershed Council, Gold Beach, Oregon. 12 p.
- Massingill, C. 2001b. Port Orford Watershed Action Plan. Performed under contract to the Port Orford Watershed Council with assistance from the South Coast Watershed Council, Gold Beach, Oregon. 12 p.
- Massingill, C. 2001d. Hunter Creek Watershed Action Plan. Performed under contract to the Hunter Creek Watershed Council by Mainstream Contracting, Gold Beach, Oregon. 12 p.
- Massingill, C. 2001e. Pistol River Watershed Action Plan. Performed under contract to the Pistol River Creek Watershed Council by Mainstream Contracting, Gold Beach, Oregon. 11 p.
- Massingill, C. 2001f. Chetco River Watershed Action Plan. Performed under contract to the Chetco River Watershed Council. Produced with support from and in cooperation with the South Coast Watershed Council, Gold Beach, Oregon. 12 p.
- Massingill, C. 2001g. Winchuck River Watershed Action Plan. Performed under contract to the Winchuck River Creek Watershed Council by Mainstream Contracting, Gold Beach, Oregon. 11 p.
- Mattole Restoration Council (MRC). 1995. Dynamics of recovery: a plan to enhance the Mattole River estuary. Petrolia, CA.
- Mattole Restoration Council (MRC). 2008. Stream channel monitoring using CDFG “Core Attributes” protocols: Mattole River watershed, 2005 and 2007. Petrolia, California.
- Mattole River and Range Partnership (MRRP). 2009. Fisheries. Number 5 in the 2009 State of the Mattole Watershed Series. Companion to the Mattole Integrated Watershed Management Plan: Mattole Restoration Council, Mattole Salmon Group, and Sanctuary Forest, August 31. 36 p.
- Mattole Salmon Group (MSG). 2004. Mattole River watershed channel monitoring, 2002-2004. Final Report. Petrolia, California.
- Mattole Salmon Group (MSG). 2010. Mattole salmon chronicle. Executive views...the year ahead. Keytra Meyer. February 2010 edition.
- Mattole Salmon Group (MSG). 2013. Spawner and snorkel survey Data, 2010-2013. Petrolia, California.
- Maurer, S. 2002. Scott River watershed adult coho salmon spawning survey, 2001-2002. Report submitted in fulfillment of contract with USDA, Forest Service, Klamath National Forest,

- Scott River Ranger District. Fort Jones, California. 121 p. Available from:
http://www.krisweb.com/biblio/scott_usdafs_maurer_2002_ukcoho.pdf
- Maurer, S. 2005. Habitat utilization and juvenile coho salmon in selected tributaries of the Scott River. Agreement # 05-PA01105055-020. Northern California Resource Center for the Klamath National Forest.
- May, C.L. and R.E. Greswell. 2003. Large wood recruitment and redistribution in headwater streams of the southern Oregon Coast Range. *Canadian Journal of Forest Research* 33:1352-1362.
- Mazur, S. 2010. Number of juvenile coho salmon observed during trapping operations on Jack Creek in 2008. Email to Chuck Wheeler, National Marine Fisheries Service, from Oregon Department of Fish and Wildlife, Gold Beach, Oregon. June 9.
- McBain and Trush. 2002. Trinity River Restoration Program: Summary of Record of Decision by Secretary of Interior, December 19, 2000. Funded by U.S. U.S. Bureau of Reclamation. McBain and Trush, Arcata, CA. 11p.
- McBain and Trush. 2010. Spawning gravel evaluation and enhancement plan for the Shasta River, California. November 30.
- McBride, D.P. 1990. Final hydraulic analysis - Gravel extraction in Klamath River Basin. California Department of Transportation, Eureka, California.
- McCain, M., B. Devlin-Craig, and C. Black, editors. 1995. Smith River ecosystem analysis: basin and subbasin analyses and late successional reserve assessment. Version 1.0. U.S. Department of Agriculture, Six Rivers National Forest, Eureka, California. 212 p. plus appendices.
- McCarthy, S.G., J.J. Duda, J.M. Emlen, G.R. Hodgson, and D.A. Beauchamp. 2009. Linking Habitat Quality with Trophic Performance of Steelhead Along Forest Gradients in the South Fork Trinity River Watershed. *Transactions of the American Fisheries Society* 138(3):506-521.
- McCormick, R.B. 1958. Observations of the sport fishery for salmon in tidewater of the Klamath River, 1954. CDFG In. Fish. Admin. Rept. 58-25.
- McCullough, D. 1999. A Review and Synthesis of Effects of Alterations to the Water Temperature Regime on Freshwater Life Stages of Salmonids, with Special Reference to Chinook Salmon. Columbia Intertribal Fisheries Commission, Portland, OR. Prepared for the U.S. Environmental Protection Agency Region 10. Published as EPA 910-R-99-010.
- McElhany, P., M. Ruckelshaus, M. Ford, T. Wainwright, and E. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U.S. Dept. Commerce NOAA Technical Memorandum NMFS-NWFSC-42. 158p.

- McGlashan, H.D. and R. C. Briggs. 1939. Floods of December 1937 in northern California. U.S. Geological Survey Water-Supply Paper 843. 497 p.
- McHugh, P. and P. Budy. 2006. Experimental effects of nonnative brown trout on the individual- and population-level performance of native Bonneville cutthroat trout. *Transactions of the American Fisheries Society* 135:1441-1455.
- McKinleyville Community Services District (MCSD). 2010. 2010 Urban Water Management Plan. McKinleyville Community Services District, McKinleyville, California. 62 p.
- Mclean, J. E., P. Bentzen and T. P. Quinn. 2003. Differential reproductive success of sympatric, naturally spawning hatchery and wild steelhead trout, (*Oncorhynchus Mykiss*) through the adult stage. *Canadian Journal of Fisheries and Aquatic Sciences* 66:443-440.
- McLeod, R.F. and C.F. Howard. 2010. January 7, 2010 Mill Creek Fisheries Monitoring Program Final Report. Mill Creek Fisheries Monitoring Program Funded by California Department of Fish and Game Fisheries Restoration Grants Program. Grantee Agreement No. P0610530.
- Meengs, C.C and R.T. Lackey. 2005. Estimating the size of historical Oregon salmon runs. *Reviews in Fisheries Science*. 13(1):51-66.
- Meffe, G. K. 1986. Conservation genetics and the management of endangered fishes. *Fisheries* 11(1):14-23.
- Mendocino Redwood Company (MRC). 2002. Outmigration of Juvenile Salmonids from Hollow Tree Creek, 2000-2002.
- Mid Klamath Restoration Partnership. 2010. Unpublished data from collaborative planning effort in the mid-Klamath area. Provided by Will Harling, Director, Mid-Klamath Watershed Council, Orleans, California.
- Mid Klamath Watershed Council (MKWC). 2006. Unpublished data on mainstem and tributary temperature in the mid-Klamath during the summer of 2006. Provided by Will Harling, Director, Mid-Klamath Watershed Council, Orleans, California.
- Mikus, Isaac. 2014. Personal communication. Cañon Creek coho salmon spawner data. California Department of Fish and Wildlife.
- Miller, B. and S. Sadro. 2003. Residence Time and Seasonal Movements of Juvenile Coho Salmon in the Ecotone and Lower Estuary of Winchester Creek, South Slough, Oregon. *Transactions of the American Fisheries Society* 132:546-559.
- Mintier & Associates, Jones and Stokes Associates, S. Lowens, and City of Crescent City Planning Department. 2001. City of Crescent City General Plan Final Environmental Impact Report. May 21.

- Moffet, J.W. and S.H. Smith. 1950. Biological investigations of the fishery resources of the Trinity River, California. Special Scientific Report No. 12. U.S. Fish and Wildlife Service. 71 p.
- Mohr, M.S., and D.G. Hankin. 2005. Two-phase survey designs for estimation of fish abundance in small streams. NOAA Technical Memorandum NMFS-SWFSC.
- Monroe, G.M., B.J. Mapes, and P.L. McLaughlin. 1975. Natural resources of Lake Earl and the Smith River delta, Coastal wetland series #10. California Department of Fish and Game, Sacramento. 130 p.
- Montgomery, D.R. and J.M. Buffington. 1993. Channel classification, prediction of channel response, and assessment of channel condition. TFW-SH10-93-002. Prepared for the SHAMW committee of the Washington State Timber/Fish/Wildlife Agreement. Seattle, WA. 110 p.
- Moore, T. 2013. Personal communication. Environmental Scientist. California Department of Fish and Wildlife. September 27.
- Moore, T.L. and S.J. Ricker. 2012. Escapement, spawning distribution and migration patterns of adult salmonids in Freshwater Creek, 2011-2012. California Department of Fish and Game, Anadromous Fisheries Resource Assessment and Monitoring Program, Northern California-North Coast Region. 22 p.
- Mosser, K.M. and D. Graham. 2004. Chapter 10 - Fisheries. In Seven Basins Watershed Assessment. By Environmental Management Services, Inc. with funding from the Oregon Watershed Enhancement Board (OWEB). Seven Basins Watershed Council. Gold Hill, OR.
- Mote, P.W. 2006. Climate-Driven Variability and Trends in Mountain Snowpack in Western North America. *Journal of Climate* 19(23):6209-6220.
- Mote, P.W., A.F. Hamlet, M.P. Clark, and D.P. Lettenmaier. 2005. Declining Snowpack in Western North America. *Bulletin of the American Meteorological Society* 86(1):39-49.
- Mote, P.W. and E.P. Salathe. 2010. Future Climate in the Pacific Northwest. *Climate Change* 102:29-50.
- Mount, J., P. Moyle, and M. Deas. 2008. Baseline assessment of salmonid habitat and aquatic ecology for the Nelson Ranch, Shasta River, California Water Year 2007. UC Davis Center for Watershed Science, Davis, CA.
- Mount, J., P. Moyle, and M. Deas. 2009. Baseline assessment of physical and biological conditions within waterways on Big Springs Ranch, Siskiyou County, California. U. C. Davis Center for Watershed Sciences.
- Moyle, P.B. 2002. *Inland fishes of California: revised and expanded*. University of California Press, Berkeley.

- Moyle, P. B., Israel, J. A., and S. E. Purdy. 2008. Salmon, steelhead, and trout in California, status of an emblematic fauna, a report commissioned by California Trout. Center for Watershed Sciences, Davis, CA.
- Moyle, P. B., and J. E. Williams. 1990. Biodiversity loss in the temperate zone: decline of the native fish fauna of California. *Conservation Biology* 4:275-284.
- Murphy, M.L. 1995. Forestry Impacts on Freshwater Habitat of Anadromous Salmonids in the Pacific Northwest and Alaska - Requirements for Protection and Restoration. NOAA Fisheries, AK Fisheries Science Center. 178 p.
- Myers, C. 2001. Curry County, Oregon, 2000-2001 Project Effectiveness Monitoring Report on Road Stormproofing Projects. Performed under contract to the South Coast and Lower Rogue Watershed Councils. 27 p
- Naman, S.W. 2008. Predation by hatchery steelhead on natural salmon fry in the Upper Trinity River, California. Master of Science Thesis, Humboldt State University, December 2008. 74 p. Available from: <http://hdl.handle.net/2148/449>.
- Naman, S.W., L. Preston, N. Hemphill, W. Sinnen, and J. Polos. 2009. Recommendations to the Trinity River Hatchery Ad Hoc Review Committee for management of coho salmon. 16 p. National Marine Fisheries Service, Arcata, CA.
- National Marine Fisheries Service (NMFS). 1995. Endangered Species Act Section 7 Biological Opinion on the Land and Resource Management Plans for the Boise, Challis, Nez Perce, Payette, Salmon, Sawtooth, Umatilla, and Wallowa-Whitman National Forests. NMFS Northwest Region, Seattle, WA. 138 p.
- National Marine Fisheries Service (NMFS). 1996. Coastal salmon conservation: working guidance for comprehensive salmon restoration initiatives on the Pacific Coast. September 1996. 5 p..
- National Marine Fisheries Service (NMFS). 1998. A Draft Proposal Concerning Oregon Forest Practices. Submitted by NMFS to the Oregon Board of Forestry and the Office of the Governor. NMFS, Portland, OR. 110 p plus appendices.
- National Marine Fisheries Service (NMFS). 1999. Supplemental Biological Opinion and Incidental Take Statement. Pacific Coast Salmon Plan and Amendment 13 to the Plan. National Marine Fisheries Service. Southwest Region. Protected Resources Division.
- National Marine Fisheries Service (NMFS). 2002. Biological Opinion for proposed license amendment for the Potter Valley Project (Federal Energy Regulatory Commission Project Number 77-110). Prepared by the National Marine Fisheries Service, Southwest Region. Protected Resources Division.
- National Marine Fisheries Service (NMFS). 2003. Hatchery broodstock summaries and assessments for chum, coho, and Chinook salmon and steelhead stocks within

- Evolutionarily Significant Units listed under the Endangered Species Act. Northwest Fisheries Science Center, Seattle, Washington. 326 p.
- National Marine Fisheries Service (NMFS). 2004. Review of the effects of gravel mining on the Mad River. Draft. Arcata Field Office, Arcata, California.
- National Marine Fisheries Service. 2005a. Endangered Species Act-Section 7 Consultation Biological Opinion & Magnuson-Stevens Fishery Conservation and Management Act Essential Fish Habitat Consultation, Reinitiation of Oregon Department of Transportation Brush Creek Culvert Project, Curry County, Oregon. National Marine Fisheries Service, Northwest Region, Seattle, Washington. 53 p.
- National Marine Fisheries Service (NMFS). 2005b. Updated status of federally listed ESUs of west coast salmon and steelhead. Prepared by the Northwest Fisheries Science Center Seattle, Washington, June 2005. NOAA Technical Memorandum NMFS-NWFSC-66.
- National Marine Fisheries Service (NMFS). 2005c. Investigation of Mad River stage fluctuations below Humboldt Bay Municipal Water District Pumping Facilities. Memorandum for Arcata Area Office. Arcata, California
- National Marine Fisheries Service (NMFS). 2006. Historical Population Structure of Coho Salmon in the Sothern Oregon / Northern California Coasts Evolutionarily Significant Unit. NOAA-TM-NMFS-SWFSC-390.
- National Marine Fisheries Service (NMFS). 2007a. Biological and Conference Opinion on the Green Diamond Habitat Conservation Plan. National Marine Fisheries Service, Southwest Region.
- National Marine Fisheries Service (NMFS). 2007b. Magnuson-Stevens Reauthorization Act Klamath River Coho Salmon Recovery Plan. Prepared by Rogers, F. R., I. V. Lagomarsino and J. A. Simondet for the National Marine Fisheries Service, Long Beach, California. 48 p.
- National Marine Fisheries Service (NMFS). 2007c. Klamath Hydroelectric Project License (FERC No. 2082-027). Final Biological Opinion. December 21, 2007.
- National Marine Fisheries Service (NMFS). 2008. Environmental Protection Agency Registration of Pesticides Containing Chlorpyrifos, Diazinon, and Malathion. National Marine Fisheries Service Endangered Species Act Section 7 Consultation Biological Opinion. NMFS, Silver Spring, Maryland. 478 p.
- National Marine Fisheries Service. 2009a. Forecast of Adult Returns for Coho in 2010 and Chinook Salmon in 2011. NOAA NMFS, NW Science Center, Seattle, WA. Available from: <http://www.nwfsc.noaa.gov/research/divisions/fed/oeip/g-forecast.cfm#Table1> Accessed 03/07/10.
- National Marine Fisheries Service (NMFS). 2009b. Final Biological Opinion. Action agency: U.S. Army Corps of Engineers. Action: Humboldt LOP 2009 and Hoopa Valley Tribe

- Gravel Mining. Consultation conducted by: National Marine Fisheries Service, Southwest Region. File Number: 151422SWR2009AR00048. September.
- National Marine Fisheries Service (NMFS). 2010. Letter of Concurrence on the Klamath National Forest's Oak Knoll Grazing Project. PCTS 2010/06078. December 16.
- National Marine Fisheries Service (NMFS). 2011a. 5-Year review: summary and evaluation of Southern Oregon/Northern California Coast Coho Salmon ESU. National Marine Fisheries Service, Southwest Region.
- National Marine Fisheries Service (NMFS). 2011b. Endangered Species Act Biological Opinion and Magnuson-Stevens Fishery Conservation and Management Act Essential Fish Habitat Response for the Leith and Curry County Roads Gravel Removal from Hunter Creek Projects (6th field HUC# 171003120502), Curry County, Oregon (NWP 1996-1035/2 and 1997-200/3). File Numbers NWR/2010/04503 and NWR/2011/00195. October 5.
- National Marine Fisheries Service (NMFS). 2012. Biological Opinion on the Proposed Issuance of an Incidental Take Permit to PacifiCorp Energy for Implementation of the PacifiCorp Klamath Hydroelectric Project Interim Operations Habitat Conservation Plan for Coho Salmon. Southwest Region. Long Beach, California. February 22.
- National Marine Fisheries Service (NMFS) and U.S. Fish and Wildlife Service (USFWS). 1994. Notice of Interagency Cooperative Policy for the Ecosystem Approach to the Endangered Species Act. July 1. 59 FR 34274.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service. 2012. Preliminary biological opinion on the removal of four Klamath River dams.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service. 2013. Biological Opinions on the Effects of Proposed Klamath Project Operations from May 31, 2013, through March 31, 2023, on Five Federally Listed Threatened and Endangered Species. 590 p.
- National Research Council (NRC). 1996. Upstream: salmon and society in the Pacific Northwest. National Research Council Committee on Protection and Management of Pacific Northwest Anadromous Salmonids. National Academy Press. Washington, D.C..
- National Research Council (NRC). 2004. Endangered and threatened fishes in the Klamath River basin: causes of decline and strategies for recovery. Prepared for the National Academy of Science by the NRC, Division on Earth and Life Studies, Board on Environmental Studies and Toxicology, Committee on Endangered and Threatened Fishes in the Klamath River Basin. Washington, D.C. 358 p.
- National Research Council (NRC). 2008. Hydrology, ecology, and fishes of the Klamath River basin. Committee on Hydrology, Ecology, and Fishes of the Klamath River Basin. National Academies Press, Washington, D.C. 240 p.

- National Riparian Service Team (NRST). 2013. Situation Assessment Report. Salmon/Scott River District, Klamath National Forest. 12 p. Available from: https://www.co.siskiyou.ca.us/sites/default/files/natural-resources/KNF_Situation_Assessment_Report%282%29.pdf
- Nawa, R.K. 1999. Decreased summer rearing populations of juvenile coho salmon and steelhead in Trail Creek, Oregon. Siskiyou Education Project, Cave Junction, Oregon. 8 p.
- Neave, F. 1949. Game fish populations of the Cowichan River. Fisheries Research Board of Canada 84:1-32.
- Neillands, G.W. 1990. Natural hybridization between coastal cutthroat trout (*Oncorhynchus clarki*) and steelhead trout (*Oncorhynchus mykiss*) within Redwood Creek, California. Humboldt State University, Arcata, California.
- Newcombe, C.P. and J.O.T. Jensen. 1996. Channel suspended sediment and fisheries: A synthesis for quantitative assessment of risk and impact. North American Journal of Fisheries Management 16:693-727.
- Nichols, K, D. Therry, and J. S. Foott. 2003. FY2002 Investigational report: Trinity River fall Chinook smolt health following passage through the lower Klamath River. June - August 2002. U.S. Fish & Wildlife Service California - Nevada Fish Health Center, Anderson, California.
- Nichols, K. and K. True. 2007. Monitoring incidence and severity of *Ceratomyxa shasta* and *Parvicapsula minibicornis* infections in juvenile Chinook salmon (*Oncorhynchus tshawytscha*) and coho salmon (*Oncorhynchus kisutch*) in the Klamath River, 2006. USFWS California-Nevada Fish Health Center, Anderson, California. 23 p.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2004. Aerial surveys using thermal infrared and color videography: Scott River and Shasta River Sub-Basins. Report to California North Coast Regional Water Quality Control Board and University of California at Davis, Environmental Science and Policy. Prepared by Watershed Sciences, LLC, Corvallis, Oregon.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2005a. Watershed planning Chapter. February 2005. 202 p. plus appendices.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2005b. Total Maximum Daily Load for Temperature and Implementation Plan. Salmon River, Siskiyou County, California. June 22. 51 p.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2006a. Action plan for the Scott River watershed sediment and temperature total maximum daily loads. September. 14 p. Available from: http://www.waterboards.ca.gov/northcoast/water_issues/programs/tmdls/scott_river/060307/bpl/Basin_Plan_Language.pdf

- North Coast Regional Water Quality Control Board (NCRWQCB). 2009. Scott River riparian restoration analysis.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2010. Final staff report for the Klamath River total maximum daily loads (TMDLs) addressing temperature, dissolved oxygen, nutrient, and microcystin impairments in California, with the proposed site specific dissolved oxygen objectives for the Klamath River in California and the Klamath River and Lost River Implementation plans.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2011. Action plan for the Shasta River watershed temperature and dissolved oxygen total maximum daily loads. Pp. 4-69 to 4-93 in Water Quality Control Plan for the North Coast Region. 274 p.
- Olson, A.D. and O.J. Dix. 1992. Salmon, Scott, and Mid-Klamath subbasin spawning ground utilization surveys, 1989/1990 and 1990/1991. USDA Forest Service, Klamath National Forest. Yreka, California.
- Oregon Department of Agriculture. 2008. *Phytophthora ramorum* quarantine boundary. Map produced January 14, 2008. Salem, Oregon. 1 p.
- Oregon Department of Agriculture. 2010. Occurrence of Japanese knotweed in Curry County and Josephine County, Oregon. Available from:
http://www.weedmapper.org.weed_maps/2011/pocu6_curry2.png
- Oregon Department of Environmental Quality (ODEQ). 1996. Oregon water quality index report for Rogue basin: Water years 1986-1995. Available from:
<http://www.deq.state.or.us/lab/wqm/wqindex/rogue4.htm>
- Oregon Department of Environmental Quality (ODEQ). 1999. Water Quality Management Plan. Rogue River Basin, Illinois River Sub Basin, Sucker Creek. Portland, Oregon. March 1. 51 p. Available from:
<http://www.deq.state.or.us/WQ/TMDLs/docs/roguebasin/illinois/upper sucker/tmdl.pdf>
- Oregon Department of Environmental Quality (ODEQ). 2002a. Oregon 303d Impaired Waterbodies List. Pursuant to Section 303d Clean Water Act. Portland, Oregon. Available from: www.deq.state.or.us/wq/assessment/rpt02/view303dlist.asp
- Oregon Department of Environmental Quality (ODEQ). 2002b. Lobster Creek TMDL and Watershed Water Quality Management Plan (WQMP). ODEQ, Portland, Oregon. 103 p. Available from:
<http://www.deq.state.or.us/WQ/TMDLs/docs/roguebasin/lowerrogue/tmdl.pdf>
- Oregon Department of Environmental Quality (ODEQ). 2002c. Total Maximum Daily Load and Water Quality Management Plan: Lower Sucker Creek, Illinois River Subbasin. Portland, Oregon. 122 p. Available from:
<http://www.deq.state.or.us/WQ/TMDLs/docs/roguebasin/illinois/lowersucker/tmdl.pdf>

- Oregon Department of Environmental Quality (ODEQ). 2003. Applegate Subbasin Total Maximum Daily Load (TMDL) (includes Beaver Creek). Medford, Oregon. 93 p. Available from:
<http://www.deq.state.or.us/WQ/TMDLs/docs/roguebasin/applegate/tmdl.pdf>
- Oregon Department of Environmental Quality (ODEQ). 2007. Bear Creek Watershed Total Maximum Daily Load (TMDL). October 2..Medford, Oregon. Available from:
<http://www.deq.state.or.us/WQ/TMDLs/docs/roguebasin/middlerogue/bearcreek/tmdlchp1sec12.pdf> AND
<http://www.deq.state.or.us/WQ/TMDLs/docs/roguebasin/middlerogue/bearcreek/tmdlchp1sec345.pdf>
- Oregon Department of Environmental Quality (ODEQ). 2008. Rogue River Total Maximum Daily Load (TMDL). Accepted by U.S. EPA on December 28, 2008. ODEQ, Medford. Available from: <http://www.deq.state.or.us/WQ/TMDLs/rogue.htm#is>
- Oregon Department of Environmental Quality (ODEQ). 2010. Oregon water quality index report for Rogue basin: water years 1986-1995. Available from:
www.deq.state.or.us/lab/wqm/wqindex/rogue4.htm
- Oregon Department of Fish and Wildlife (ODFW). 1989. Rogue basin fisheries evaluation. Effects of Lost Creek Dam on coho salmon in the Rogue River. Phase 11 Completion Report. Rogue Basin Fisheries Evaluation Project. U.S. Army Corps of Engineers Contract DACWS7-77-0033. Available from: <http://soda.sou.edu/awdata/031217e1.pdf>
- Oregon Department of Fish and Wildlife (ODFW). 2005a. Database of coho salmon juvenile presence and absence and density for the north and south coastal Oregon, including the Rogue River. Excel database. Portland.
- Oregon Department of Fish and Wildlife (ODFW). 2005b. The importance of beaver (*Castor canadensis*) to coho habitat and trend in beaver abundance in the Oregon Coast Coho ESU. Portland, Oregon. 11 p. Available from:
<http://nativefishsociety.org/conservation/misc/documents/Beavers/ODFWBeaverFinalReport5-6-05.pdf>
- Oregon Department of Fish and Wildlife (ODFW). 2005c. Oregon Native Fish Report: Volume II. ODFW, Portland.
- Oregon Department of Fish and Wildlife (ODFW). 2008a. Database of adult coho salmon, Chinook salmon and steelhead spawner surveys for Elk River and Euchre Creek, 1989-2008. Excel database. Corvallis.
- Oregon Department of Fish and Wildlife (ODFW). 2008b. Draft limiting factors and threats to the recovery of Oregon coho populations in the Southern Oregon-Northern California Coast (SONCC) Evolutionarily Significant Unit: results of expert panel deliberations. Draft circulated beginning September 13, 2008. 38 p.

- Oregon Department of Fish and Wildlife (ODFW). 2008c. Elk River Hatchery Operations Plan 2008. Port Orford, Oregon. 17 p.
- Oregon Department of Fish and Wildlife (ODFW). 2008d. Cole Rivers Hatchery Management Plan. Cole Rivers Hatchery. 28 p.
- Oregon Department of Fish and Wildlife (ODFW). 2008e. Oregon fish passage barriers database. State-wide inventory of known barriers to fish passage. Accessed online on 12/1/2008 from: <http://nrimp.dfw.state.or.us/OregonPlan/default.aspx?p=134&XMLname=44.xml>
- Oregon Department of Fish and Wildlife (ODFW). 2009a. ODFW comments on co-manager review draft recovery plan for the Evolutionarily Significant Unit of Southern Oregon Northern California Coast Coho Salmon. Memo from Steven Williams, ODFW Deputy Fisheries Administration Director, to Irma Lagomarsino, NMFS, Arcata, CA. 12 p.
- Oregon Department of Fish and Wildlife (ODFW). 2009b. Number wild coho salmon observed at Gold Ray Dam counting station, Rogue River. Available from: http://www.dfw.state.or.us/fish/local_fisheries/rogue_river/goldray/2009/december_2.pdf
- Oregon Department of Fish and Wildlife (ODFW). 2010a. Number wild coho salmon observed at Gold Ray Dam Counting Station, 1987-2009. Obtained from Tom Satterthwaite, ODFW, 7/15/10.
- Oregon Department of Fish and Wildlife (ODFW). 2010b. Gold Ray Dam counting station - Rogue River. Available from: http://www.dfw.state.or.us/fish/local_fisheries/rogue_river/goldray/2010/january.pdf
- Oregon Department of Fish and Wildlife (ODFW). 2011a. Southern Oregon/Northern California Coasts ESU estimated adult coho spawner abundance (Oregon Only). 2 p. Available from: <http://oregonstate.edu/dept/ODFW/spawn/pdf%20files/coho/2002-10FinalSONCCEstimates.pdf>. Accessed 11/21/11.
- Oregon Department of Fish and Wildlife (ODFW). 2013a. Oregon fish habitat distribution. Electronic map dataset published 3/9/2010.
- Oregon Department of Fish and Wildlife (ODFW). 2013b. Estimates of the run size of Rogue basin adult coho salmon past Huntley Park, 1980-2012. Available from: <http://oregonstate.edu/dept/ODFW/spawn/pdf%20files/coho/RogueCoho%20-%202012.pdf>. Accessed 9/30/13.
- Oregon Department of Fish and Wildlife (ODFW). 2013c. Oregon Department of Fish and Wildlife Comments on Pre-Application Document, Comments on Scoping Document 1, and Study Requests, Prospect 3 Hydroelectric Project, FERC Project 2337-076. Oregon Department of Fish and Wildlife, Roseburg, Oregon. 30 p. Available from: http://elibrary.ferc.gov/idmws/file_list.asp?accession_num=20131114-5090
- Oregon Water Resources Research Institute (OWRRI). 1995. Sediment disturbance impacts on salmon habitat and stream health. A report for the Oregon Division of State Lands. 277 p.

- Ozaki, V. and Anderson D. 2005. Evaluation of stream temperature regimes for juvenile coho salmon in Redwood Creek using thermal infrared. National Park Service, Water Resources Division, Ft. Collins, Colorado. Technical Report NPS/NRWRD/NRTR-2005/331.
- Pacific Coast Fish, Wildlife, and Wetlands Restoration Association. 1995. Prairie Creek salmon project progress report. Pacific Coast Fish, Wildlife, and Wetlands Restoration Association, Arcata, California. 15 p.
- Pacific Lumber Company (PALCO). 1999a. Implementation agreement with regard to habitat conservation plan for the properties of the Pacific Lumber Company, LLC, and Salmon Creek Corporation by and among the United States Fish and Wildlife Service, The National Marine Fisheries Service, the California Department of Fish and Game, the California Department of Forestry and Fire Protection, and the Pacific Lumber Company, Scotia Pacific, LLC, and Salmon Creek Corporation. February, 1999. 55p.
- Pacific Lumber Company (PALCO). 1999b. Habitat conservation plan and associated documents for PALCO lands. Section 3. Habitat conservation plan for the properties of the Pacific Lumber Company, Scotia Pacific Holding Company, and Salmon Creek Corporation. 138 p.
- Pacific Lumber Company (PALCO). 2005. Prescriptions based on watershed analysis for Elk River and Salmon Creek (ERSC), California. 30p. Pacific Lumber Company, Scotia, California.
- Pacific Lumber Company (PALCO). 2006a. Upper Eel River Watershed Analysis. Pacific Lumber Company, Scotia, California.
- Pacific Lumber Company (PALCO). 2006b. Mattole Watershed Analysis. Signatory Review Team draft. Pacific Lumber Company, Scotia, California. September 20.
- Pacific Lumber Company (PALCO). 2007. Hillslope management /riparian management prescriptions based on watershed analysis for HCP ownership in the Bear River watershed, California. April 19, 2007. 7p. Scotia, California.
- Pacific Watershed Associates (PWA). 1994. Action Plan for Restoration of the South Fork Trinity River Watershed and Its Fisheries (Part Two). U.S. Bureau of Reclamation, Trinity River Task Force.
- Pacific Watershed Associates (PWA). 1998. Sediment source investigation and sediment reduction plan for the Bear Creek Watershed, Humboldt County, California. Prepared for The Pacific Lumber Company, Scotia, California. 57 p.
<http://www.krisweb.com/biblio/bearsed/bearsed.htm>
- Pacific Watershed Associates (PWA). 2000. Results of stream channel survey and sampling, Grass Valley Creek watershed, Trinity County, California. Final Report prepared for the County of Trinity and the Trinity River Restoration Program.

- Pacific Watershed Associates (PWA). 2004. Watershed Assessment and Erosion Prevention Planning Project for the Wilson Creek Watershed, Del Norte County, California. Summary Report 2003 S.B. 271 for California Department of Fish and Game, PCFWWRA, and Simpson Resource Company.
- Pacific Watershed Associates (PWA). 2005. 2003 - 2005 S.B. 271 Maple Creek/Big Lagoon Watershed Inventory and Restoration Planning Project, Humboldt County, California. Contract # P0210435. Prepared for California Department of Fish and Game, PCFWWRA, and Green Diamond Resource Company. Arcata, California.
- Pacific Watershed Associates (PWA). 2006. Freshwater Creek TMDL sediment source assessment Phase I. Prepared for North Coast Regional Water Quality Control Board. 80 p.
- Pacific Watershed Associates (PWA). 2011. Salmon River Private Roads Sediment Reduction Project, Klamath Watershed Restoration Program, Siskiyou County, California. PWA Report No. 10087801. Prepared for Salmon River Restoration Council.
- PacifiCorp. 2012. Interim Operations Habitat Conservation Plan for Coho Salmon. PacifiCorp Klamath Hydroelectric Project. February.
http://www.nfwf.org/klamathriver/Documents/PacifiCorpHCP_Feb162012Final.pdf
- Parker, J. 1988. Geomorphology and sedimentology of Maple Creek deltaic marsh in Big Lagoon, Humboldt County, California.
- Patterson, W. D. 2009. Klamath River estuary wetlands prioritization plan. Version 1.0. Yurok Tribe Environmental Program, Klamath, California. October. 105 p. Available from:
http://www.yuroktribe.org/departments/ytep/documents/FinalKREWetlandRestorationPrioritizationPlan102009_000.pdf
- Pauley, G.B., G.L. Thomas, D.A. Marino, and D.C. Weigand. 1989. Evaluation of the effects of sediment bar scalping on juvenile salmonids in the Puyallup River drainage. Final Report to the Washington Department of Fisheries, Service Contract No. 1620. Cooperative Fisheries Research Unit, University of Washington, Seattle. 150 p.
- Payne, T.R. and Associates. 1989. Lower Klamath River tributary delta study. Report to the Bureau of Indian Affairs, Redding, California. Thomas R. Payne and Associates. Arcata, California.
- Pennington, N. 2008. Personal communication. Fish Biologist. Salmon River Restoration Council, Sawyers Bar, California.
- Pennington, N. 2009. Personal communication. Fish Biologist. Salmon River Restoration Council, Sawyers Bar, California.
- Perrochet, J. 2011. Personal communication. Klamath National Forest Fisheries Program Coordinator. Yreka, California.

- Perry, D. 2009. Personal communication. Biologist. Green Diamond Resource Company, Korb, California.
- Pinnix, W. 2008. Personal communication. Biologist. U.S. Fish and Wildlife Service. Arcata, California.
- Pinnix, W., J. Polos, A. Scheiff, S. Quinn, and T. Hayden. 2007. Juvenile salmonid monitoring on the mainstem Trinity River at Willow Creek, California, 2001-2005. Available from: <http://www.fws.gov/arcata/fisheries/reportsDisplay.html>.
- Pinnix, W.D., T.A. Shaw, K.C. Acker and N.J. Hetrick. 2005. Fish communities in eelgrass, oyster culture, and mudflat habitats of North Humboldt Bay, California Final Report. U.S. Fish and Wildlife Service, Arcata Fish and Wildlife Office, Arcata Fisheries Technical Report Number TR2005-02, Arcata, California.
- Poff, N.L., J.D. Allan, M.B. Bain, J.R. Karr, K.L. Prestegard, B.D. Richter, R.E. Sparks, and J.C. Stromberg. 1997. The natural flow regime: a paradigm for river conservation and restoration. *BioScience* 47:769-784.
- Pollock, M. M., J. M. Wheaton, N. Bouwes, C. Volk, N. Weber, and C. E. Jordan. 2012. Working with beaver to restore salmon habitat in the Bridge Creek intensively monitored watershed: Design rationale and hypotheses. NOAA Technical Memorandum, NMFS-NWFSC-120. Available from: <http://www.nwfsc.noaa.gov/research/divisions/fe/wpg/beaver-assist-stld.cfm>
- Poole, G.C., and C.H. Berman. 2001. An ecological perspective on in-stream temperature: natural heat dynamics and mechanisms of human-caused thermal degradation. *Environmental Management* 27(6):787-802.
- Popadopolous, S. S. 2012. Groundwater conditions in the Scott Valley. Research supported by the Karuk Tribe. June.
- Portland State University (PSU). 2011. New Zealand mudsnails in Oregon. Center for Lakes and Reservoirs. Available from: <http://www.clr.pdx.edu/projects/ans/nzms.php>
- Portner, H. O. and R. Knust. 2007. Climate change affects marine fishes through the oxygen limitation of thermal tolerance. *Science* 315(5808):95-97. DOI: 10.1126/science.1135471
- Power, J. 2001. V-Star fine sediment monitoring results, 1992- 2001. French Creek watershed advisory group monitoring program. Klamath National Forest, Ft. Jones, California.
- Power, J. H. and S. Hilton. 2003. French Creek Rod's Reach V* 1992 -2001. U.S. Forest Service, Scott River Ranger District, 11263 N. Hwy 3, Fort Jones, California 96032-9702. 7 p
- Prevost, M., R. Horton, J. MacLeod, and R.M. Davis. 1997. Southwest Oregon salmon restoration initiative phase 1: a plan to stabilize the native coho population from further decline. Prepared for the Rogue Basin Steering Committee, South Coast Coordinating

- Watershed Council and the Rogue Valley Council of Governments. Central Point, Oregon. 65 p.
- Puckett, L.K. 1977. The Eel River estuary - observations on morphometry, fishes, water quality, and invertebrates. CDFG Memorandum Report. 52 p.
- Puckridge, J.T., F. Sheldon, K.F. Walker, and A.J. Boulton. 1998. Flow variability and the ecology of large rivers. *Marine and Freshwater Research* 49:55-72.
- Quartz Valley Indian Reservation. 2011. Water quality assessment report. December. Available from:
http://www.qvir.com/uploads/2/8/6/9/2869254/2011_water_quality_assessment_report_final.pdf
- Quartz Valley Indian Reservation (QVIR). 2012. 2012 Investigations of bacterial concentrations in streams associated with cattle grazing in Wilderness Areas in the Klamath National Forest in Northern California. November 29. Available from:
https://mail.google.com/mail/?shva=1#label/KNF%2FLevel1_KNF%26NMFS_elevation_s%2FGrazing_Allotments_Research/13b5372bf10af3b8?projector=1
- Queener, N. Mattole Salmon Group. Personal Communication. October 1, 2013.
- Quigley, D. 2005. Scott river watershed adult coho spawning ground surveys, November 2004 - January 2005 season. Siskiyou Resource Conservation District. Etna, California. Available from: <http://www.scottriver.org/plans-and-reports/>
- Quigley, D. 2006. Scott River adult coho spawning ground surveys, November 2005 - January 2006. Siskiyou Resource Conservation District, Etna, California. 32 p. Available from: <http://www.scottriver.org/plans-and-reports/>
- Quigley, D. 2007. Scott River watershed adult coho spawning ground surveys - 2006/2007 season. Siskiyou Resource Conservation District. Etna, California. Available from: <http://www.scottriver.org/plans-and-reports/>
- Quigley, D., S. Farber, K. Conner, J. Power, and L. Bundy. 2001. Water temperatures in the Scott River watershed in Northern California. Siskiyou Resource Conservation District. Etna, California. 67 p.
- Quinones, R.M. and T.J. Mulligan. 2005. Habitat use by juvenile salmonids in the Smith River estuary, California. *Transactions of the American Fisheries Society* 134(5):1147-1158.
- Raines, M. 1999. South Fork Trinity River sediment source analysis. Final report prepared for Tetra Tech, Inc.
- Redwood National Park. 1988. Memo on electrofishing of three coho juveniles upstream from Coastal Drive culvert on Richardson Creek. National Park Service. July.

- Redwood National and State Parks (RNSP). 2001. Evaluate setback levee restoration alternatives at Redwood Creek estuary. Internal memorandum.
- Redwood National and State Parks (RNSP). 2005. Biological Assessment of impacts to Southern Oregon/Northern California coho salmon for the Aubell Maintenance Facility in Redwood National and State Parks. June 22.
- Redwood National and State Parks (RNSP). 2006. A Biological Assessment of impacts to aquatic threatened species from Lost Man Creek erosion control and disturbed land restoration plan. April.
- Reeves, G. 2003. Personal communication. Research fish biologist. U.S. Forest Service, Pacific Northwest Research Center, Corvallis, Oregon.
- Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson, and J.R. Sedell. 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of Evolutionarily Significant Units of anadromous salmonids in the Pacific Northwest. American Fisheries Society Symposium 17:334-349.
- Reeves, G.H., F.H. Everest, and J.R. Sedell. 1993. Diversity of juvenile anadromous salmonid assemblages in coastal Oregon basins with different levels of timber harvest. Transactions of the American Fisheries Society 122(3):309-317.
- Regonda, S.K., B. Rajagopalan, M. Clark, and J. Pitlick. 2005. Seasonal cycle shifts in hydroclimatology over the Western United States. Journal of Climate 18(2):372-384.
- Reid, I. 2011. Applegate River gravel augmentation feasibility study. U.S. Forest Service, Rogue River-Siskiyou National Forest, Jacksonville, Oregon. 58 p.
- Reid, L.M. 1998. Review of the Sustained Yield Plan / Habitat Conservation Plan for the properties of The Pacific Lumber Company, Scotia Pacific Holding Company, and Salmon Creek Corporation. USDA Forest Service Pacific Southwest Research Station. Redwood Sciences Lab, Arcata, California. 57 p. plus appendices.
- Reisenbichler, R.R. and S.P. Rubin. 1999. Genetic changes from artificial propagation of Pacific salmon affect the productivity and viability of supplemented populations. ICES Journal of Marine Sciences 56:459-466.
- Rellim Redwood Company. 1994. Mill Creek monitoring program: juvenile salmonid monitoring on the East and West Branches of Mill Creek. Crescent City, California. 25 p.
- Renger, A. 2013. Personal communication. Fisheries Biologist, California Department of Fish and Wildlife. December 7.
- Ricker, S. 2002. Bear River juvenile salmonid emigration run-size estimates, 2000-2001. Annual Report. Project 2a4. California Department of Fish and Game, Northern California, North Coast Region. Steelhead Research and Monitoring Program, Arcata, California. 16 p.

- Ricker, S. 2008. Escapement and spawning distribution of adult salmonids in Freshwater Creek, 2007-08. Scientific report prepared in partial fulfillment of fisheries Restoration Grant Grantee Agreement No. P0510533. Anadromous Fisheries Resource Assessment and Monitoring Program, California Department of Fish and Game, Northern California-North Coast Region, Arcata, California. 12p.
- Ricker, S. 2011a. Results of regional spawning ground surveys in Redwood Creek and Humboldt Bay Tributaries, Humboldt County California, 2010-2011. California Department of Fish and Game, Anadromous Fisheries Resource Assessment and Monitoring Program. Arcata.
- Ricker, S. 2011b. Personal communication. Associate Biologist. California Department of Fish and Game, Northern California, Anadromous Fisheries Resource Assessment and Monitoring Program, Arcata.
- Ricker, S.J. and C.W. Anderson. 2011. Freshwater Creek salmonid life cycle monitoring station. Annual Report. California Department of Fish and Game, Anadromous Fisheries Resource Assessment and Monitoring Program, Arcata 59 p. plus appendices.
- Ricketts, E.F., J. Calvin, J.W. Hedgpeth, and D.W. Phillips. 1985. Between Pacific tides. 5th edition. Stanford University Press, Stanford, California.
- Rieman, B., D. Lee, J. McIntyre, K. Overton, and R. Thurow. 1993. Consideration of extinction risks for salmonids. As FHR Currents # 14. U.S. Department of Agriculture, Forest Service, Region 5, Eureka, California. 12 p.
- Riley, S. 2009. Personal Communication. Water Issues and Registration Specialist, Oregon Department of Agriculture, Pesticides Division, Salem, Oregon.
- Rogers, D.W. 1973. A steelhead spawning survey of the tributaries of the upper Trinity River and upper Hayfork Creek drainage, 1972. California Department of Fish and Game, Anadromous Fisheries Administrative Report No. 73-5A. 8p.
- Rogue Basin Coordinating Council (RBCC). 2006. Watershed Health Factors Assessment. Prepared for the Rogue Basin Coordinating Council in performance of OWEB grant #204-939. Grants Pass, Oregon. 99 p.
- Ruiz, G.M., P.W. Fofonoff, J.T. Carlton, M.J. Wonham, and A.H. Hines. 2000. Invasion of coastal marine communities in North America: apparent patterns, processes, and biases. Annual Review of Ecology and Systematics 31:481-531.
- Salmon River Restoration Council (SRRC). 2006. Salmon River Community Weak Stocks Assessment Program Report. Available from <http://www.srrc.org>.
- Salmon River Restoration Council (SRRC). 2007. Salmon River Weak Stocks Assessment Program Report 2006. Final report #P0510314 to California Fish and Game.

- Salmon River Restoration Council (SRRC). 2008a. Salmon River Weak Stocks Assessment. Program Report 2008. Sawyers Bar, California.
- Salmon River Restoration Council (SRRC). 2008b. Salmon River spring Chinook limiting factors analysis. Draft analysis by the Salmon River Voluntary Spring Chinook Recovery Work Group.
- Salmon River Restoration Council (SRRC) . 2010a. Salmon River weak stocks assessment program, August 27, 2008 through March 31, 2010. Sawyers Bar, California.
- Salmon River Restoration Council (SRRC). 2010b. Fire planning and fuels reduction program. Available from: <http://www.srrc.org/programs/firefuels.php>
- Salmon River Restoration Council (SRRC). 2011. Salmon River Community Restoration Program. Annual Work plan. Sawyers Bar, California.
- Sanders, M. 2008. Personal communication. Geologist. Redwood National and State Parks. Crescent City, California.
- Sartori, J.C. 2006. Identification of migratory juvenile spring Chinook salmon via rotary screw trap on the Salmon River, California. Report to the US Fish and Wildlife Service, Arcata, CA. 26 p.
- Scott River Watershed Council (SRWC). 1997. Scott River Watershed Fish Population and Habitat Plan. 1997 working plan. Siskiyou Resource Conservation District. Etna California.
- Scott River Watershed Council (SRWC). 1999. Scott River Watershed Strategic Action Plan (update in 2005). Etna, California. http://www.scottriver.org/SWRC_SAP2005.pdf
- Scott River Watershed Council (SRWC). 2005. Scott River Strategic Action Plan, October 2005 Update. Etna, California.
- Scott River Watershed Council (SRWC). 2006. Limiting factors analysis for coho and other anadromous fish. Scott River Subbasin. Draft. 81 p.
- Scott Valley Groundwater Advisory Committee (SVGAC). 2012. Voluntary groundwater management and enhancement plan for Scott Valley. October 22.
- Scriven, Joseph D. 2001. Snorkel surveys for juvenile coho salmon in tributaries to the Smith River, California. M.S. Thesis. Humboldt State University, Arcata, California.
- Shapiro and Associates, Inc. 1980. Humboldt Bay wetlands review and baylands analysis. Final report. U.S. Army Corps of Engineers, San Francisco, San Francisco District, California. 668 p. plus appendices.
- Shapovalov, L. 1941. Fish rescue work in the North Coast district in 1940. CDFG Bureau of Fish Conservation Admin. Report.

- Shapovalov, L., and A.C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California, and recommendations regarding their management. California Department of Fish and Game, Fish Bulletin No. 98. 375 p.
- Shasta Scott Recovery Team (SSRT). 2003. Shasta Scott Recovery Plan, Final Report. December.
- Shasta Valley Resource Conservation District. 2005. Incidental take permit application for coho salmon, submitted to the California Department of Fish and Game, March 29, 2005.
- Shasta Valley Resource Conservation District and McBain & Trush. 2013. Study plan to assess Shasta River salmon and steelhead recovery needs. September 19.
- Sigler, J.W., T.C. Bjornn, and F.H. Everest. 1984. Effects of chronic turbidity on density and growth of steelhead and coho salmon. Transactions of the American Fisheries Society. 113:142-150.
- Silloway, S. 2010. Fish surveys related to the proposed Del Norte Highway 101 Klamath Grade Raise Project. Yurok Tribal Fisheries Program, Klamath, California.
- Silloway, S. and S. Beesley. 2011. Fish surveys related to the proposed Del Norte Highway 101 Klamath Grade Raise Project: Addendum Report 2010-2011. Yurok Tribal Fisheries Program, Klamath, California.
- Siskiyou County Historical Society. 1978. The Siskiyou Pioneer. Diary of Homesteader L. Kidder. Yreka, California.
- Siskiyou Research Group. 2003. Briggs Creek level II stream survey. Cave Junction, Oregon. August. 38 p.
- Siskiyou Resources Conservation District (RCD). 2009. Assessment of riparian planting projects. Etna, California.
- Smith, G. 1975. Anadromous salmonid escapement in the upper Trinity River, California, 1969. California Department of Fish and Game Anadromous Fisheries Branch Administrative Report 75-7.
- Snyder, J.O. 1931. Salmon of the Klamath River, California. Division of Fish and Game of California Fish Bulletin No. 34.
- Soil Conservation Service. 1972. Inventory and evaluation of the natural resources, Scott River Watershed, Siskiyou County, California, including map of fish habitat and spawning streams-Scott River Watershed, Siskiyou County, California. M7-L-22401. May.
- Sommarstrom, S. 2001. Scott River Monitoring Plan sediment sampling and analysis – 2000. Prepared for the Siskiyou County Resource Conservation District and the Scott River Watershed Council.

- Sommarstrom, S. 2007. Channel and riparian assessment for specific reaches of Etna Creek. http://bofdata.fire.ca.gov/board_committees/monitoring_study_group/msg_archived_documents/msg_archived_documents_/etna_creek_2007_channel__riparian_assessment.pdf
- Sommarstrom, S. 2009. Scott River riparian restoration analysis. Prepared for the U.S. Fish and Wildlife Service. September.
- Sommarstrom, S. 2011. V Star monitoring in the French Creek watershed, Klamath Mountains, interior Northern California. November.
- Sommarstrom, S., E. Kellogg, and J. Kellogg. 1990. Scott River Basin granitic sediment study. Prepared for the Siskiyou County Resource Conservation District, Etna, California. November. 180 p. Available from: http://www.krisweb.com/biblio/klamath_srcd_sommarstrometal_1990.pdf
- Hillemeier, D. T.A. Soto, S. Silloway, A. Corum, M. Kleeman, and L. Lestelle. 2008a. The role of the Klamath River mainstem corridor in the life history and performance of juvenile coho salmon (*Oncorhynchus kisutch*). Period covered: May 2007-May 2008. Submitted to U.S. Bureau of Reclamation, Klamath Falls, Oregon. December 2008. 105 p. Available from: <http://www.yuroktribe.org>.
- Soto, T. and M. Hentz. 2003. Final Draft Mid-Klamath Subbasin Fisheries Resource Recovery Plan. Report to U.S. Fish and Wildlife Service, Yreka Office, August 25, 2003. 55 p.
- Soto, T., M. Hentz, and W. Harling. 2008. Final Draft Mid-Klamath Subbasin Fisheries Resource Recovery Plan. Report to U.S. Fish and Wildlife Service, Yreka Office. November 20.
- South Coast Watershed Council. 2012. Smolt trap surveys - 2012. Gold Beach, Oregon. 9 p.
- South Fork Trinity River Coordinated Resource Management and Planning Group. 2008. Hayfork Creek Watershed Description. Available from: <http://www.tcrd.net/haywshed.htm>. Accessed October 2008.
- Southwest Oregon Resource Conservation and Development Council (SO RC&D). 2003. Long Term Plan. Southwest Oregon Resource Conservation and Development Council, Grants Pass, Oregon. 15 p.
- Sparkman, M.D. 2004. Redwood Creek juvenile salmonid downstream migration study. Study year 2004. California Department of Fish and Game. Anadromous Fisheries Resource Assessment Monitoring Program. Annual Report 2i3. 61p.
- Sparkman, M.D. 2006. Lower Redwood Creek juvenile salmonid (smolt) downstream migration study. Study year 2005. California Department of Fish and Game, Anadromous Fisheries Resource Assessment Monitoring Program, Project 2a7, 2005 Annual Report, 105 p.

- Sparkman, M.D. 2007. Upper Redwood Creek juvenile salmonid (smolt) abundance project. Study year 2006. a report to the Fisheries Restoration Grants Program. CDFG AFRAMP, study 2a5. 131 p.
- Sparkman M.D. 2008a. Lower Redwood Creek juvenile salmonid (smolt) downstream migration study. Study year 2007. CDFG AFRAMP, 2007 Annual Report 2a7. 134 p.
- Sparkman M.D. 2008b. Upper Redwood Creek juvenile salmonid (smolt) downstream migration study. Study year 2007. CDFG AFRAMP, 2007 Annual Report 2a5, 136 p.
- Sparkman M.D. 2010. Upper Redwood Creek juvenile salmonid (smolt) downstream migration study. Study year 2008. CDFG AFRAMP, 2008 Annual Report 2a5. 131 p.
- Sparkman M.D. 2011a. Upper Redwood Creek juvenile salmonid (smolt) abundance project. Study year 2010. A report to the Fisheries Restoration Grants Program. CDFG AFRAMP, Annual Report study 2a5. 51 p.
- Sparkman M.D. 2011b. Lower Redwood Creek juvenile salmonid (smolt) abundance project. Study year 2010. A report to the Fisheries Restoration Grants Program. CDFG AFRAMP, study 2a7. 79 p.
- Sparkman M.D. 2011c. Smolt abundance in Redwood Creek and Prairie Creek in YR 2011 and trends in abundance in upper and lower Redwood Creek. Presentation to the Redwood Creek Watershed Group, November 9, 2011. 60 p.
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Funded jointly by the U.S. EPA, U.S. Fish and Wildlife Service and National Marine Fisheries Service. TR-4501-96-6057. Man Tech Environmental Research Services Corp., Corvallis, Oregon.
- Spencer Engineering. 2004. Application for wastewater discharge dilution reduction, City of Ferndale (Revision 1). McKinleyville, California. California Regional Water Quality Control Board. 46 p. plus appendices.
- State of Oregon, J.W. Nichols, principal writer. 1997. The Oregon Plan (Oregon Coastal Salmon Restoration Initiative). Oregon Governor's Office. Salem, Oregon. 134 p.
- Stewardship Council. 2007. Eel River watershed: existing conditions and uses, and supporting analysis for recommendations. Eel River Planning Unit. LCP Volume II. Final .November.
- Stewart, I.T., D.R. Cayan, and M.D. Dettinger. 2005. Changes toward earlier streamflow timing across Western North America. *Journal of Climate* 18(8):1136-1155.
- Stillwater Sciences. 2006. Mill Creek fisheries monitoring program: ten year report. Final report. Prepared by Stillwater Sciences, Arcata, California for Department of Fish and Game and Save the Redwoods League, San Francisco, California.

- Stocking, R.W. and J.L. Bartholomew. 2007. Distribution and habitat characteristics of *Manayunkia speciosa* and infection prevalence with the parasite *Ceratomyxa shasta* in the Klamath River, Oregon-California. *Journal of Parasitology* 93(1):78-88.
- Stocking, R.W., R.A. Holt, J.S. Foott, and J.L. Bartholomew. 2006. Spatial and temporal occurrence of the salmonid parasite *Ceratomyxa shasta* (Myxozoa) in the Oregon-California Klamath River basin. *Journal of Aquatic Animal Health* 18:194-202.
- Strange, J. 2008. Personal Communication. Biologist. Yurok Tribal Fisheries Program, Weitchpec, CA.
- Sullivan, K., D.J. Martin, R.D. Cardwell, J. E. Toll, and S. Duke. 2000. An analysis of the effects of temperature on salmonids of the Pacific Northwest with implications for selecting temperature criteria. Sustainable Ecosystems Institute, Portland Oregon.
- Suttle, K.B, Power, M.E., Levine, J.M., McNeely, C. 2004. How fine sediment in riverbeds impairs growth and survival of juvenile salmonids. *Ecological Applications* 14(4): 969-974.
- Sutton, R. 2007. Bear Creek thermal refugia study, 2007. Technical Memorandum No. 86-682900-04-07. U.S. Department of the Interior, Bureau of Reclamation. Lower Columbia Area Office, Portland, Oregon. 19 p.
- Sutton, R., T. Maret, S. Hiebert. 2007. Rogue River Basin Project Coho Salmon Instream Flow Assessment. Technical Memorandum No. 86-68290-02-07. U.S. Department of Interior, Bureau of Reclamation. Technical Service Center, Fisheries and Wildlife Resources Group, Denver, Colorado. 280 p.
- Sutton R., and T. Soto. 2010. Juvenile coho salmon behavioural characteristics in Klamath River summer thermal refugia. October.
- Swanson, M. 2005. Pistol River Package Monitoring Report. OWEB Grant # 98-025. Performed by South Coast Watershed Council, Gold Beach, OR. 18 p.
- Swanson, M. 2013. Personal communication. South Coast Watershed Council, Gold Beach, Oregon. Email to Chuck Wheeler, NMFS, June 6, 2013, Reporting the results of monitoring in Swamp Creek in 2011.
- Taft, A. C. and L. Shapovalov. 1935. A biological survey of streams and lakes in the Klamath and Shasta National Forests of California. Department of Commerce, Bureau of Fisheries, Washington D.C.
- Taylor, A. H. and C. N. Skinner. 1998. Fire history and landscape dynamics in a late-successional reserve, Klamath Mountains, California, USA.
- Taylor, R.N. 2000. Final Report: Humboldt County Culvert Inventory and Fish Passage Evaluation. CDFG Contract #FG-7068 IF. 37 p.

- Taylor, R.N. 2001. Catalog of Del Norte County culverts located on fish-bearing stream reaches. Del Norte County.
- Taylor, R.N. 2007. Fish passage evaluations of culverts at selected Lower Klamath River tributaries. Final Report: December 2007. Prepared for the Yurok Tribal Fisheries Program, Klamath California, 54 p.
- Taylor, R.N. and Associates. 2009. Summary of Morrison Gulch spawner surveys for 2008-2009. 2p.
- Taylor, R.N., M. Love, T.D. Grey, and A.L. Knoche. 2002. Final Report: Siskiyou County culvert inventory and fish passage evaluation. Ross Taylor and Associates, McKinleyville, California. 59 p.
- Taylor, S. N. 1978. The status of salmon populations in California coastal rivers. California Department of Fish and Game. Anadromous Fisheries Branch. April.
- Tetra Tech Inc. 2000. Watershed Analysis for the South Fork Trinity River. Prepared for the U.S. Forest Service, Shasta-Trinity National Forest, Redding, California. 102 p.
- Thieler, E.R. and E.S. Hammer-Klose. 2000. National assessment of coastal vulnerability to sea-level rise: preliminary results for the U.S. Pacific Coast. Map of coastal vulnerability index for U.S. Pacific Coast. Prepared by Kier and Associates, December 2, 2009.
- Thompson, K.E. and J.D. Fortune. 1970. Fish and wildlife resources of the Rogue River basin, Oregon, and their Water requirements. Performed for the Oregon Water Rights Division. ODFW, Aq. Biologists Investigation Section, Portland, OR. 120 p.
- Toft, J., J. Cordell, C. Simenstad, and L. Stamatiou. 2004. Fish distribution, abundance, and behavior at nearshore habitats along the city of Seattle marine shorelines, with an emphasis on juvenile salmonids. Prepared for Seattle Public Utilities. University of Washington, School of Aquatic and Fishery Sciences. Seattle, Washington. SAFS-UW-01401. 44 p.
- Tong, B. 2003. Electrofishing of one coho juvenile in Richardson Creek. August. California Department of Fish and Game.
- Trees Foundation. 2007. Eel River salmon restoration project, 1999-2007. Forest and River News Winter 2007. Available from: <http://treesfoundation.org/publications/article-292>.
- Trianni, M.S. 1996. The influence of commercial oyster culture activities on the benthic infauna of Arcata Bay. Master of Science Thesis, Humboldt State University, Arcata, California. 94 p.
- Trinity County. 1987. Memo to the Board of Supervisors on Hayfork Valley critical water resources overlay zone. August 27. Trinity County Planning Commission, Weaverville, California. 23 p.

- Trinity County. 2000. Trinity River watershed five counties road erosion inventory. Final Report for State Water Resources Control Board Proposition 204 Program. Contract #9-164-250-0.
- Tripp, D. and P. McCart. 1983. Effects of different coho stocking strategies on coho and cutthroat trout production in isolated headwater streams. Canadian Technical Report of Fisheries and Aquatic Sciences 1212. 176 p.
- Tussing, S.P. and S.M. Wingo-Tussing. 2005. North Coast Anadromous Salmonid Conservation Assessment. The Nature Conservancy. 160 p.
- University of California. 1972. George Gibbs' journal of Redick McKee's expedition through Northwestern California in 1851. Department of Anthropology.
- Van Kirk, R.W. and S.W. Naman. 2008. Relative effects of climate and water use on base-flow trends in the Lower Klamath Basin. Journal of the American Water Resources Association 44(4). Available from:
<http://www.fws.gov/arcata/fisheries/reports/technical/Van%20Kirk%20and%20Namen%20Base%20flow%20Trends%20JAWRA.pdf>
- U.S. Army Corps of Engineers (USACE). 2014. Building strong at Elk Creek. Internet page accessed 7/23/14 from:
<http://www.nwp.usace.army.mil/Locations/RogueRiver/ElkCreek.aspx>
- U.S. Bureau of Land Management (BLM). 1995a. Bear Creek Watershed Analysis. Arcata Resource Area, California.
- U.S. Bureau of Land Management (BLM). 1995b. Watershed Analysis for Lower Evans Creek. Medford District, Butte Falls Resource Area. Medford, Oregon. 49 p.
- U.S. Bureau of Land Management (BLM). 1996a. Cheney/Slate Watershed Analysis. Medford District, Butte Falls Resource Area. Medford, Oregon. 155 p.
- U.S. Bureau of Land Management (BLM). 1996c. Honeydew Creek Watershed Analysis., Arcata Resource Area, California. November 1996.
- U.S. Bureau of Land Management (BLM). 1997. Deer Creek Watershed Analysis. Medford District, Grants Pass Resource Area. 134 p.
- U.S. Bureau of Land Management (BLM). 1998a. Applegate-Star/Boaz Watershed Analysis. Medford District, Ashland Resource Area. Medford, Oregon. 204 p.
- U.S. Bureau of Land Management (BLM). 1998b. Jumpoff Joe Watershed Analysis. Medford District Office, Grants Pass Resource Area, Medford, Oregon. 184 p.
- U.S. Bureau of Land Management (BLM). 1998c. Watershed Analysis for Middle Evans Creek. Medford District, Butte Falls Resource Area. Medford, Oregon. 74 p.

- U.S. Bureau of Land Management (BLM). 1999a. Wild Rogue North Watershed Analysis, Version 1.0. Medford District Office, Grants Pass Resource Area, Medford, Oregon.
- U.S. Bureau of Land Management (BLM). 1999b. Lower Big Butte Creek Watershed Analysis. Medford District, Medford, Oregon. 123 p.
- U.S. Bureau of Land Management (BLM). 2000. Wild Rogue South Watershed Analysis, Version 1.0. Grants Pass Resource Area, Medford, Oregon. 159 p.
- U.S. Bureau of Land Management (BLM). 2001a. Mill Creek Watershed Analysis. Arcata Resource Area, California. July.
- U.S. Bureau of Land Management (BLM). 2001b. Lost Coast headlands feasibility study: preliminary findings and recommendations. March.
- United States Bureau of Land Management (BLM). 2002. Biological Assessment for Travis Ranch Grazing Permit.
- U.S. Bureau of Land Management (BLM). 2003. West Fork Illinois River Watershed Analysis. Grants Pass Resource Area. 181 p.
- U.S. Bureau of Land Management (BLM). 2004a. North Fork Silver Creek Watershed Analysis. Medford District. Grants Pass Resource Area Medford, Oregon. 119 p.
- U.S. Bureau of Land Management (BLM). 2004b. West Fork Illinois River Landscape Management Project. Medford District, Grants Pass Resource Area, Medford, Oregon. 99 p.
- U.S. Bureau of Land Management (BLM). 2004c. Environmental Assessment (AR-04-12): Fleener Creek Trailhead Parking Area.
- U.S. Bureau of Land Management (BLM). 2004d. King Range NCA Proposed Resource Management Plan and Final Environmental Impact Statement. November. Arcata Field Office. 357 p. Available from:
www.blm.gov/ca/st/en/fo/arcata/kingrange/planning/king_range_plan.html
- U.S. Bureau of Land Management (BLM). 2005a. Althouse Creek watershed assessment. Medford District, Grants Pass Resource Area, Medford, Oregon. 165p.
- U.S. Bureau of Land Management (BLM). 2005b. Environmental Assessment (AR-04-12): Fleener Creek Trailhead Parking Area.
- U.S. Bureau of Land Management (BLM). 2006. Water Quality Restoration Plan Lower East Fork Illinois River Watershed HUC 171003110103. Medford District, Grants Pass Resource Area, Grants Pass, Oregon. 14 p.

- U.S. Bureau of Land Management (BLM). 2007. Water Quality Restoration Plan West Fork Illinois River Watershed HUC 1710031104. Medford District, Grants Pass Resource Area, Grants Pass, Oregon. 17 p.
- U.S. Bureau of Land Management (BLM) and California Department of Fish and Game (CDFG). 2004. Record of Decision for Headwaters Reserve Resource Management Plan. 17 p.
- U.S. Bureau of Land Management (BLM), Six Rivers National Forest, and U.S. Fish and Wildlife Service. 1996. South Fork Eel River Watershed Analysis. Version 1.0. December.
- U.S. Bureau of Land Management (BLM) and U.S. Forest Service (USFS). 1997. Little Butte Creek Watershed Analysis Version 1.2. Medford District, Ashland Resource Area. Medford, Oregon. 301 p.
- U.S. Bureau of Reclamation (Reclamation). 2009a. Savage Rapids Dam removal and replacement pumping facilities, Grants Pass Project, Oregon Pacific Northwest Region. Final Status Report No. 14 - July 1, 2009 through November 23, 2009. Pacific Northwest Regional Office, Boise, Idaho. 36p.
- U.S. Bureau of Reclamation (Reclamation). 2009b. Biological assessment on the future operation and maintenance of the Rogue River Basin Project. U.S. Department of the Interior, Columbia-Cascades Area Office, Yakima, Washington and Pacific Northwest Regional Office, Boise, Idaho. 194 p.
- U.S. Census Bureau. 2003. Census of population and housing. Population and Housing Unit Counts. PHC-3-39, Oregon. Washington D.C. 60 p.
- U.S. Census Bureau. 2008. Population finder for Trinity County, California. Available from: <http://factfinder.census.gov/>
- U.S. Census Bureau. 2011. Census Bureau, 2010 Census data. Available from: <http://www.census.gov/popest/data/historical/index.html>
- U.S. Department of Agriculture (USDA) and U.S. Department of the Interior (USDI). 1994. Record of Decision for Amendments to Forest Service and Bureau of Land Management Planning Documents Within the Range of the Northern Spotted Owl: Standards and Guidelines for Management of Habitat for Late-Successional and Old-Growth Forest Related Species Within the Range of the Northern Spotted Owl. USDA Forest Service and USDI Bureau of Land Management, Washington, D.C.
- U.S. Department of the Interior (USDOI). 1981. Alternatives for increasing releases to the Trinity. Record of Decision. Washington, D.C. Available from: <http://www.fws.gov/arcata/fisheries/reportsDisplay.html>. Accessed August, 2009.
- U.S. Department of the Interior (USDOI). 2000. Trinity River Mainstem Fishery Restoration Final Environmental Impact Statement/Environmental Impact Report. U.S. Department

- of the Interior Record of Decision. December. Available from:
<http://odp.trrp.net/FileDatabase/Documents/Trinity%20River%20Record%20of%20Decision%2012-19-00.pdf>
- U.S. Department of the Interior (U.S. DOI) and California Department of Fish and Game (CDFG). 2012. Klamath Facilities Removal. Final Environmental Impact Statement/Environmental Impact Report. Siskiyou County, California and Klamath County, Oregon. State Clearinghouse # 2010062060. Sacramento, California. December. <http://klamathrestoration.gov/Draft-EIS-EIR/download-draft-eis-eir>
- U.S. Environmental Protection Agency (EPA). 1998. South Fork Trinity River and Hayfork Creek Sediment Total Maximum Daily Load. Available from:
http://www.waterboards.ca.gov/northcoast/water_issues/programs/tmdls/trinity_river_south_fork/. Accessed October 2008.
- U.S. Environmental Protection Agency (EPA). 1999. South Fork Eel River Total Maximum Daily Loads for Sediment and Temperature. Region IX.
- U.S. Environmental Protection Agency (EPA). 2001. Trinity River Total Maximum Daily Load for Sediment. Region IX.
- U.S. Environmental Protection Agency (EPA). 2002. North Fork Eel River Total Maximum Daily Loads for Temperature and Sediment. U.S. Environmental Protection Agency Region IX. 48 p.
- U.S. Environmental Protection Agency (EPA). 2003. Final Middle Fork Eel River Total Maximum Daily Loads for Temperature and Sediment. Region IX. December.
- U.S. Environmental Protection Agency (EPA). 2004. Final Upper Main Eel River and Tributaries (including Tomki Creek, Outlet Creek, and Lake Pillsbury) Total Maximum Daily Loads for Temperature and Sediment.
- U.S. Environmental Protection Agency (EPA). 2007a. Mad River Total Maximum Daily Loads for Sediment and Turbidity. Region IX.
- U.S. Environmental Protection Agency (EPA). 2007b. Lower Eel River Total Maximum Daily Loads for Temperature and Sediment. Region IX.
- U.S. Environmental Protection Agency (EPA). 2008. Database of EPA superfund sites. Available from: <http://www.epa.gov/superfund/sites/index.htm>.
- U.S. Fish and Wildlife Service (USFWS). 1960. Natural resources of Northwestern California appendix: a preliminary survey of fish and wildlife resources. Pages 7-80.
- U.S. Fish and Wildlife Service (USFWS). 2007. Final report. Humboldt Bay water control structure inventory, assessment, and mapping. 17p.

- U.S. Fish and Wildlife Service (USFWS). 2009a. Report of largemouth bass survey conducted at Maple Creek, Big Lagoon, Humboldt County, California, September 23.
- U.S. Fish and Wildlife Service (USFWS). 2009b. Humboldt Bay National Wildlife Refuge Complex Comprehensive Conservation Plan and Final Environmental Assessment. Region 8. 582 p.
- U.S. Fish and Wildlife Service (USFWS), U.S. Bureau of Reclamation (BOR), Hoopa Valley Tribe, and Trinity County Natural Resources Division. 2000. Trinity River Fishery Restoration. Final Environmental Impact Statement/Environmental Impact Report. October.
- U.S. Fish and Wildlife Service (USFWS) and Hoopa Valley Tribe (HVT). 1999. Trinity River Flow Evaluation Final Report. Report to the Secretary, U.S. Department of the Interior. Washington, D.C. Available from:
<http://www.fws.gov/arcata/fisheries/reportsDisplay.html>.
- U.S. Forest Service (USFS). 1988. Habitat typing report Canyon Creek. Prepared by Shasta-Trinity National Forest under contract to the Bureau of Reclamation.
- U.S. Forest Service (USFS). 1990. South Fork Trinity River Watershed and Fisheries Monitoring Program: 1990 Progress Report. USFS, Shasta-Trinity National Forest, Redding, California. 191 p.
- U.S. Forest Service (USFS). 1991. Evaluation of fish habitat condition and utilization in Salmon, Scott, Shasta, and Mid-Klamath sub-basins 1988/89. Yreka, California.
- U.S. Forest Service (USFS). 1993. Humbug landscape analysis and design. Klamath National Forest. October.
http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5403317.pdf
- U.S. Forest Service (USFS). 1994a. Upper South Fork of the Salmon River Ecosystem Analysis. Klamath National Forest, Salmon River & Scott River Ranger Districts. December.
- U.S. Forest Service (USFS). 1994b. Klamath National Forest Land and Resource Management Plan. Environmental Impact Statement. Klamath National Forest, Yreka, California.
- U.S. Forest Service (USFS). 1994c. Watershed Analysis Report for the Middle Fork Eel River Watershed. Mendocino National Forest, Willows, California.
- U.S. Forest Service (USFS). 1995a. Winchuck River Watershed Analysis Iteration 1.0. Siskiyou National Forest, Gold Beach, Oregon. 10p.
- U.S. Forest Service (USFS). 1995b. Stream Ecosystem Report for the Little Applegate River Pilot Watershed Analysis. Medford, Oregon. 93 p.
- U.S. Forest Service (USFS). 1995c. North Fork [Salmon] Watershed Analysis, Klamath National Forest, California. December.

- U.S. Forest Service (USFS). 1995d. Main Salmon Ecosystem Analysis. Klamath National Forest, Yreka, California. May.
- U.S. Forest Service (USFS). 1996a. Quosatana Watershed Analysis. Siskiyou National Forest, Gold Beach Ranger District, Gold Beach, Oregon.
- U.S. Forest Service (USFS). 1996b. Chetco River Watershed Analysis Version 1.0. Siskiyou National Forest, Gold Beach, Oregon.
- U.S. Forest Service (USFS). 1996c. Lower Hayfork Creek Watershed Analysis. Shasta-Trinity National Forest, Redding, California.
- U.S. Forest Service (USFS). 1996d. Watershed Analysis Report Black Butte River Watershed. Mendocino National Forest, Willows, California.
- U.S. Forest Service (USFS). 1996. Beaver Creek Ecosystem Analysis. Klamath National Forest, Oak Knoll Ranger District. Available from:
http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5402876.pdf
- U.S. Forest Service (USFS). 1997a. Grayback and Sucker Creek Pilot Watershed Analysis. Siskiyou National Forest, Cave Junction, Oregon. 28 p.
- U.S. Forest Service (USFS). 1997b. Callahan Ecosystem Analysis. Klamath National Forest, Scott River Ranger District, 78 p. approx. plus appendices and maps.
- U.S. Forest Service (USFS). 1998a. Elk River Watershed Analysis (Version 2.0). Siskiyou National Forest, Gold Beach, Oregon. 192 p.
- U.S. Forest Service (USFS). 1998b. Pistol River Watershed Analysis, Iteration 1.0. Siskiyou National Forest, Chetco River Ranger District, Brookings, Oregon. 38 p.
- U.S. Forest Service (USFS). 1998c. Siskiyou National Forest Preliminary Assessment Report, Storms of November and December 1996. Flood Team, Medford, Oregon. 39 p plus Appendices.
- U.S. Forest Service (USFS). 1998d. Middle Fork and South Fork of the Upper Rogue River Watershed Analysis. Rogue River National Forest, Prospect and Butte Falls Ranger Districts, 238 p.
- U.S. Forest Service (USFS). 1999a. Middle Illinois River Watershed Analysis Iteration 1.0. Siskiyou National Forest, Cave Junction, Oregon. 260 p.
- U.S. Forest Service (USFS). 1999b. Rogue River Watershed Analysis Marial to Agness Version 1.0. Siskiyou National Forest, Gold Beach Ranger District, Gold Beach, Oregon. 140 p.
- U.S. Forest Service (USFS). 1999c. Upper South Fork Trinity River- Happy Camp Creek Watershed Analysis. Shasta-Trinity National Forest, Hayfork Ranger District, Hayfork, California. 71 p.

- U.S. Forest Service (USFS). 2000a. Rogue River below Agness Watershed Analysis. Siskiyou National Forest, Gold Beach Ranger District, Gold Beach, Oregon.
- U.S. Forest Service (USFS). 2000b. Lower Illinois River below Silver Creek Watershed Analysis. Siskiyou National Forest, Gold Beach Ranger District, Gold Beach, Oregon. 90 p.
- U.S. Forest Service (USFS). 2000c. Rating Watershed Condition: Reconnaissance Level Assessment for the National Forest of the Pacific Southwest Region in California. U.S.D.A. Forest Service, Region 5, San Francisco, CA. 31 p.
- U.S. Forest Service (USFS). 2000d. Lower Scott Ecosystem Analysis. Klamath National Forest, Scott River Ranger District. Yreka District, Yreka, California.
- U.S. Forest Service (USFS). 2000e. Horse Linto, Mill and Tish Tang Creek Watershed Analysis. Six Rivers National Forest. March. 380 p.
- U.S. Forest Service (USFS). 2000f. New River watershed analysis. Shasta-Trinity National Forest. May.
- U.S. Forest Service (USFS). 2001. 2000-01 Chinook and Coho Spawning Report. Six Rivers National Forest, Lower Trinity Ranger District.
- U.S. Forest Service (USFS). 2002. Forestwide Roads Analysis. Klamath National Forest. June.
- U.S. Forest Service (USFS). 2002. Horse Creek Ecosystem Analysis. Klamath National Forest. November. Available from:
http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5402914.pdf
- U. S. Forest Service (USFS). 2002b. North Fork Eel River Mainstem Survey Report & Photo Log. Draft Version 1.0, Six Rivers National Forest, Arcata, California.
- U.S. Forest Service (USFS). 2003a. The South Fork Smith River sediment source assessment. Six Rivers National Forest, Gasquet, California.
- U.S. Forest Service (USFS). 2003b. Mainstem Trinity Watershed Analysis. Six Rivers National Forest, Lower Trinity District. May.
- U.S. Forest Service (USFS). 2005. Smith River National Recreation Area Roads Analysis and Off Highway Vehicle Strategy. Six Rivers National Forest, Gasquet, California.
- U.S. Forest Service (USFS). 2006. 2005 Westside Range Allotment Group Biological Assessment. Klamath National Forest, Scott/Salmon Ranger District. July.
- U.S. Forest Service (USFS). 2007. Aquatic Restoration Plan - Sucker Creek Watershed. Rogue River-Siskiyou National Forest, Wild Rivers Ranger District. August 2007. 46 p.
- U.S. Forest Service (USFS). 2008. Middle Hayfork-Salt Creek Watershed Analysis. 118 p.

- U.S. Forest Service (USFS). 2009a. Unpublished data of juvenile coho in tributaries to the Middle Klamath between 2002 and 2009. Provided by Jon Grunbaum, Biologist, Klamath National Forest, Happy Camp, California.
- U.S. Forest Service (USFS). 2009b. Klamath National Forest (KNF) Comments received on Co-Manager Draft SONCC Coho Salmon Recovery Plan from Klamath National Forest staff.
- U.S. Forest Service (USFS). 2010a. Klamath National Forest Sediment Monitoring Report. Klamath National Forest. March.
- U.S. Forest Service (USFS). 2010b. Hotelling Gulch stream crossing and channel realignment feasibility study. Pacific Watershed Associates. Siskiyou County, California. April.
- U.S. Forest Service (USFS). 2011a. Klamath National Forest road sediment source inventory database. Yreka, California.
- U.S. Forest Service (USFS). 2011b. High Bar placer mine phase 2 project. Klamath National Forest. Yreka, California. June.
- U.S. Forest Service (USFS). 2011c. Klamath National Forest Watershed Condition Framework. June 22. Region 5, Yreka, California. Available from:
<http://www.fs.fed.us/publications/watershed/>
- U.S. Forest Service (USFS). Undated. Briggs Creek Watershed Analysis. Version 1. Galice Ranger District. Siskiyou National Forest. 99 p.
- U.S. Forest Service (USFS). 2012. Mt. Shasta Watershed Analysis. Shasta-McCloud Management Unit. Shasta-Trinity National Forest. May.
- U.S. Forest Service (USFS). 2013. Suction dredge activities on the RRSNF [Rogue River-Siskiyou National Forest]. Received from Susan Maiyo on October 28, 2013.
- U.S. Forest Service (USFS) and Karuk Tribe. 2009. Unpublished data of juvenile coho in tributaries to the Middle Klamath between 2002 and 2009. Provided by Toz Soto, Biologist, Karuk Fisheries Program, Orleans, California.
- U.S. Forest Service (USFS) and U.S. Bureau of Land Management (BLM). 1995a. Final Supplemental Environmental Impact Statement on Management of Habitat for Late-Successional and Old-Growth Forest Related Species Within the Range of the Northern Spotted Owl. Interagency SEIS Team, Portland, Oregon. 557 p. Available from:
<http://www.reo.gov/library/policy>
- U.S. Forest Service (USFS) and U.S. Bureau of Land Management (BLM). 1995b. Watershed Analysis Report for the Upper Main Eel River Watershed. 184 p.
- U.S. Forest Service and U.S. Bureau of Land Management (USFS-BLM). 1996. North Fork Eel River Watershed Analysis. Version 1.0. June 1996. 146 p.

- U.S. Forest Service (USFS) and U.S. Bureau of Land Management (BLM). 2000. East Fork of Illinois River Watershed Analysis, Version 2.0. USFS and BLM, Medford and Cave Junction, Oregon.
- U.S. Forest Service and Bureau of Land Management. 2011. Sufficiency Assessment: Forest Service and Bureau of Land Management programs in support of SONCC coho salmon recovery. September. 11 p.
- U.S. Geologic Survey (USGS). 1966. Topographic map quadrangles. USGS, Menlo Park, California.
- U.S. Geologic Survey (USGS). 1984. Topographic map quadrangles. USGS, Menlo Park, California.
- U.S. Geologic Survey (USGS). 1989. Topographic map quadrangles. USGS, Menlo Park, California.
- U.S. Geologic Survey (USGS). 1999. Upper Klamath Lake basin nutrient-loading study - assessment of historic flows in the Williamson and Sprague Rivers. Water Resources Investigations Report 98-4198. U.S. Geologic Survey, Portland, Oregon. 28 p.
- Upper Rogue Watershed Association (URWA). 2006. Upper Rogue Watershed Assessment. December 2006. 175 p.
- Vajda, A. A. Venäläinen, P. Hänninen and R. Sutinen. 2006. Effect of vegetation on snow cover at the northern timberline: A case study in Finnish Lapland. *Silva Fennica* 40(2).
- VanDyke, D. 2006a. Summary of findings for the Larson Creek Hoop Trap: November 2005-March 2006 (Larson Creek). Oregon Department of Fish and Wildlife. 2 p.
- VanDyke, D. 2006b. Summary of findings for hoop traps from November 2005-May 2006 (Military Slough). Oregon Department of Fish and Wildlife. 2p.
- VanDyke, D. 2006c. Summary of findings for hoop traps from November 2005-May 2006 (Sand Creek). Oregon Department of Fish and Wildlife. 1 p.
- Van Kirk, R. and S. Naman. 2008. Relative effects of climate and water use on base-flow trends in the Lower Klamath Basin. *Journal of American Water Resources Association* 44(4):1034-1052.
- Van Scoyk, A. 2011. Personal Communication. Hatchery Manager. Rowdy Creek Fish Hatchery. Smith River, California.
- Venture Tech Network Oregon, Inc. (VTN). 1982. Potter Valley Project (FERC Project Number 77-110) Fisheries Study. Final report volumes I and II. Prepared for Pacific Gas and Electric Company, San Ramon, California.

- Vicuna, S., E.P. Maurer, B. Joyce, J.A. Dracup, and D. Purkey. 2007. The sensitivity of California water resources to climate change scenarios. *Journal of the American Water Resources Association* 43:482-498.
- Vinson, M., T. Harju, and E. Dinger. 2007. Status of New Zealand mudsnails (*Potamopyrgus antipodarum*) in the Green River downstream from Flaming Gorge Dam: current distribution; habitat preference and invertebrate changes; food web and fish effects; and predicted distributions. Final Report to USFWS, NPS and BLM. 93 p.
- Voight, H.N. and Gale, D. 1998. Distribution of fish species in tributaries of the lower Klamath River: an interim report, FY 1996. Yurok Tribal Fisheries Program. Klamath, California.
- Voight, H.N. and D.R. McCanne. 2002. Regional estimation of juvenile coho abundance in tributaries to the lower Klamath River. Two Year Report, 2000-2001. Yurok Tribal Fisheries Program, Klamath, California.
- Voight, H. and D.R. McCanne. 2004. Regional estimation of juvenile coho abundance in tributaries to the Lower Klamath River, 2002-2004. Yurok Tribal Fisheries Program. Klamath, California. Available from: <http://cahatcheryreview.com/wp-content/uploads/2012/08/Lower-Klamath-estimation-of-juvenile-coho-Voight-and-McCanna-DRAFT.pdf>
- Voight, H.N. and D.R. McCanne. 2006. Regional estimation of juvenile coho abundance in tributaries to the Lower Klamath River. Three year report, 2002-2004. Yurok Tribal Fisheries Program and Humboldt State University.
- Voight, H.N. and J. Waldvogel. 2002. Smith River Anadromous Fish Action Plan (SRAFAP). Smith River Advisory Council - CDFG contract #P9985009. March. 68 p.
- Wahle, R. J., and R. E. Pearson. 1987. A listing of Pacific Coast spawning streams and hatcheries producing chinook and coho salmon. U.S. Department of Commerce NOAA Technical Memorandum NMFS F/NWC-122. 37 p. plus appendices.
- Wallace, M. 1995. The emigration timing of juvenile salmonids through the Klamath River estuary. In T. J. Hassler (Editor). Proceedings of the Klamath Basin Fisheries Symposium. March 23-24, 1994. Eureka, California.
- Wallace, M. 1998. Seasonal water quality monitoring in the Klamath River Estuary, 1991-1994. California Department of Fish and Game Region 1, Inland Fisheries. Administrative Report No. 98-9. 17 p.
- Wallace, M. 2003. Natural vs hatchery proportions of juvenile salmonids migrating through the Klamath River Estuary and monitor natural and hatchery juvenile salmonid emigration from the Klamath River basin. Final Performance Report. Federal Aid in Sport Fish Restoration Act. Project Number: F-51-R-6; Project No. 17; Job No. 1 & 2.

- Wallace, M. 2006. Humboldt Bay juvenile salmonid investigations. Annual project performance report, inland and anadromous sport fish management and research grant number F-51-R-16. 1 p.
- Wallace, M. 2008a. Humboldt Bay juvenile salmonid investigations. Annual project performance report for California and Anadromous Sport Fish Management and Research Grant Number F-122-R. 22 p.
- Wallace, M. 2008b. Martin Slough field note, October 9, 2008. California Department of Fish and Game. 6 p.
- Wallace, M. 2008c. Rocky Gulch field note, August 28, 2008. California Department of Fish and Game. 4 p.
- Wallace, M. 2008d. Wood Creek field note, July 3, 2008. California Department of Fish and Game. 4 p.
- Wallace, M. 2010a. Gannon Slough fish and water quality sampling field note, May 24 and 26, 2010. California Department of Fish and Game. Natural Stock Assessment Project. 6 p.
- Wallace, M. 2010b. Rocky Gulch Fish Sampling Field Note. June 22, 2010. California Department of Fish and Game. 5 p.
- Wallace, M. 2011. Personal Communication. Fisheries Biologist. California Department of Fish and Game. Arcata, California.
- Wallace, M. and S. Allen. 2007. Juvenile salmonid use of tidal portions of selected tributaries to Humboldt Bay, California. Final report for contracts P0310534 and P0410504 to California Department of Fish and Game Fisheries Restoration Grants Program. 14 p.
- Wallace, M., S. Ricker, and M. Gilroy. 2006. Juvenile salmon in the tidal portions of Humboldt Bay tributaries. Power point presentation presented at Humboldt Bay Watershed workshop, July 2006. 82 slides.
- Wallick, J.R., Anderson, S.W., Cannon, Charles, and J.E. O'Connor. 2009. Channel change and bed-material transport in the lower Chetco River, Oregon. U.S. Geological Survey Open-File Report 2009-1163. 83 p.
- Walsh, B. 2008. Scott River adult coho spawning ground surveys 2007-2008 Season. Siskiyou Resource Conservation District, Etna, California. Prepared for: United States Fish and Wildlife Service; Agreement #813337J039. 41 p.
- Wang, L. and R.J. White. 1994. Competition between wild brown trout and hatchery greenback cutthroat trout of largely wild parentage. *North American Journal of Fisheries Management* 14:475-487.

- WATER Institute Occidental Arts and Ecology Center. 2013. The historic distribution of beavers in the north coast of California, a review of the evidence. Occidental Arts and Ecology Center. December.
- Waters, T.F. 1983. Replacement of brook trout by brown trout over 15 years in a Minnesota stream: production and abundance. *Transactions of the American Fisheries Society* 112:137-146.
- Week, L. 1992. Mainstem Eel River. In *Proceedings from Eel River Symposium-workshop held February 6, 1992, Redding, CA*. Sponsored by Cal-Neva Chapter of American Fisheries Society, California Department of Fish and Game, and Pacific Gas and Electric Company.
- Weitkamp, L. A., T. C. Wainwright, G. J. Bryant, G. B. Milner, D. J. Teel, R. G. Kope, and R. S. Waples. 1995. Status review of coho salmon from Washington, Oregon, and California. NOAA Technical Memorandum NMFS-NWFSC-24. U.S. Department of Commerce. Northwest Fisheries Science Center, Seattle, Washington. 258 p.
- Wheeler, C. 2009. Comments on Co-Manager Draft SONCC Coho Salmon Recovery Plan. National Marine Fisheries Service. Roseburg, Oregon.
- Whelan, J. 2006. Personal communication. Associate biologist. California Department of Fish and Game. Yreka, California. June.
- Wilkie, Michael P., and Chris M. Wood. 1995. Recovery from high pH exposure in the rainbow trout: white muscle ammonia storage, ammonia washout, and the restoration of blood chemistry. *Physiological Zoology* 68(3):379-401.
- Williams, T.H., E.P. Bjorkstedt, W.G. Duffy, D. Hillemeier, G. Kautsky, T.E. Lisle, M. McCain, M. Rode, R.G. Szerlong, R.S. Schick, M.N. Goslin, A. Agrawal. 2006. Historical population structure of coho salmon in the Southern Oregon/Northern California Coasts Evolutionarily Significant Unit. NOAA-TM-NMFS-SWFSC-390. National Marine Fisheries Service, Southwest Fisheries Science Center, Santa Cruz, California. 85 p.
- Williams, T.H., B. Spence, W. Duffy, D. Hillemeier, G. Kautsky, T. Lisle, M. McCain, T. Nickelson, E. Mora, and T. Pearson. 2008. Framework for assessing viability of threatened coho salmon in the Southern Oregon/Northern California Coasts Evolutionarily Significant Unit. NOAA Technical Memorandum NMFS-SWFSC-432. National Marine Fisheries Service, Southwest Fisheries Science Center, Santa Cruz, California. 97 p.
- Williamson, K. and D. Hillemeier. 2001. An assessment of pinniped predation upon fall-run Chinook salmon in the Klamath River estuary, California, 1999. Yurok Tribal Fisheries Program Technical Report. 50p.
- Wiseman, E. 2011. Personal Communication. Fisheries Biologist, US Forest Service, Weaverville, California.

- Wisniewski, P. and S. Garinger. 2006. Bear River Watershed Analysis stream channel assessment. Appendix D. 125 p.
- Wolff, L. 2009. Personal communication. Hydrologist. National Marine Fisheries Service, Arcata, California.
- Wood-Smith, R.D, and J.M. Buffington. 1996. Multivariate geomorphic analysis of forest streams: implications for assessment of land use impacts on channel condition. *Earth Surface Processes and Landforms* 21:277-393.
- Yokel, E. 2006. Draft Final Report: Scott River summer habitat utilization study. Siskiyou Resource Conservation District, Etna, California.
- Yokel, E. 2006. Scott River juvenile salmonid habitat assessment. Final Report. Siskiyou Resource Conservation District, Etna, California.
- Yokel, D. 2007-2011. Scott River adult coho spawning grounds surveys. Siskiyou Resource Conservation District, Etna, California.
- Yokel, D. 2011. Scott River adult coho salmon spawning ground surveys, 2010-2011. Siskiyou Resource Conservation District, Etna, California. Prepared for the United States Fish and Wildlife Service; Agreement # 813339G030, 2009-FISHERIES-FP-07. 26 p.
- Yokel, D. 2013. Scott River adult coho salmon spawning ground surveys, 2012-2013. Siskiyou Resource Conservation District, Etna, California. Prepared for: NOAA-National Marine Fisheries Service; Grant # NA08NMF4630659 - Task 2 - Scott River Water Trust And Agreement # WE-133F-12SE-2377. 33 p.
- Yurk, H. and A. W. Trites. 2000. Experimental attempts to reduce predation by harbor seals on out-migrating juvenile salmonids. *Transactions of the American Fisheries Society* 129:1360-1366.
- Yurok Tribal Fisheries Program (YTFFP). 1999. Unpublished data on fish distribution in the Lower Klamath River from 1997-1999. Provided by Sarah Beesley, Biologist, Yurok Tribal Fisheries Program, Klamath, California.
- Yurok Tribal Fisheries Program (YTFFP). 2009a. A complete life history monitoring of salmonids in McGarvey Creek, Lower Klamath River Sub-Basin, 2006-2009. Yurok Tribal Fisheries Program, Klamath, California.
- Yurok Tribal Fisheries Program (YTFFP). 2009b. Unpublished data on water quality in the Lower Klamath River from 1995-2009. Provided by Sarah Beesley, Biologist, Yurok Tribal Fisheries Program, Klamath, California.
- Yurok Tribal Fisheries Program (YTFFP). 2012. Juvenile coho salmon use of constructed off-channel habitats in two Lower Klamath River tributaries: McGarvey Creek & Terwer Creek. Yurok Tribal Fisheries Program, Klamath, California.

Zaitz, L. 2010. Developer lays claim to more than gold in Oregon wilderness. March 13, 2010. The Oregonian, Portland, Oregon.

Zhu, T., M.W. Jenkins, and J.R. Lund. 2005. Estimated Impacts of Climate Warming on California Water Availability Under Twelve Future Climate Scenarios. Journal of the American Water Resources Association (JAWRA) 41(5):1027-1038.

Federal Register Notices:

62 FR 24588, May 6, 1997