

Chapter 5 Consistency with the Groundfish FMP

5.1 Consistency with FMP Goals and Objectives

The Groundfish FMP goals and objectives are listed below. The way in which the measures to minimize adverse effects to Groundfish EFH addresses each objective is briefly described in *italics* below the relevant statement.

Management Goals.

Goal 1 - Conservation. Prevent overfishing and rebuild overfished stocks by managing for appropriate harvest levels and prevent, to the extent practicable, any net loss of the habitat of living marine resources.

Implementation of the final preferred alternative should assist in providing for rebuilding of overfished stocks and will prevent net loss of habitat for groundfish.

Goal 2 - Economics. Maximize the value of the groundfish resource as a whole.

Implementation of the final preferred alternative should, over the long-term, increase numbers of managed fish, improve harvesting opportunities and result in an overall increased value of the groundfish fishery.

Goal 3 - Utilization. Achieve the maximum biological yield of the overall groundfish fishery, promote year-round availability of quality seafood to the consumer, and promote recreational fishing opportunities.

Implementation of the final preferred alternative may over the long-term increase the harvest and recreational opportunities.

Objectives. To accomplish these management goals, a number of objectives will be considered and followed as closely as practicable:

Conservation.

Objective 1. Maintain an information flow on the status of the fishery and the fishery resource which allows for informed management decisions as the fishery occurs.

Implementation of the research and monitoring components of the final preferred alternative will improve the habitat-related information available to decisionmakers. That will allow future conservation efforts to focus on getting the best results.

Objective 2. Adopt harvest specifications and management measures consistent with resource stewardship responsibilities for each groundfish species or species group.

Implementation of the final preferred alternative is not expected to influence or otherwise be inconsistent with this objective.

Objective 3. For species or species groups that are below the level necessary to produce MSY, consider rebuilding the stock to the MSY level and, if necessary, develop a plan to rebuild the stock.

Implementation of the final preferred alternative may be a positive factor in stock productivity and rebuilding.

Objective 4. Where conservation problems have been identified for nongroundfish species, and the best scientific information shows the groundfish fishery has a direct impact on the ability of that species to maintain its long-term reproductive health, the Council may consider establishing management measures to control the impacts of groundfish fishing on those species. Management measures may be imposed on the groundfish fishery to reduce fishing mortality of a nongroundfish species for documented conservation reasons. The action will be designed to minimize disruption of the groundfish fishery, in so far as consistent with the goal to minimize the bycatch of nongroundfish species, and will not preclude achievement of a quota, harvest guideline, or allocation of groundfish, if any, unless such action is required by other applicable law.

Implementation of the final preferred alternative may have positive influence in the productivity of non-groundfish stocks. The final preferred alternative is not expected to have negative consequences on non-groundfish fisheries.

Objective 5. Describe and identify EFH, adverse impacts on EFH, and other actions to conserve and enhance EFH, and adopt management measures that minimize, to the extent practicable, adverse impacts from fishing on EFH.

Implementation of the final preferred alternative would improve the description of EFH and minimize fishing impacts on such EFH.

Economics.

Objective 6. Attempt to achieve the greatest possible net economic benefit to the nation from the managed fisheries.

Implementation of the final preferred alternative should, over the long-term, improve harvesting opportunities and result in an overall increased value of the groundfish fishery.

Objective 7. Identify those sectors of the groundfish fishery for which it is beneficial to promote year-round marketing opportunities and establish management policies that extend those sectors' fishing and marketing opportunities as long as practicable during the fishing year.

Implementation of the final preferred alternative will not influence opportunities for a year round fishery or associated policies.

Objective 8. Gear restrictions to minimize the necessity for other management measures will be used whenever practicable.

Implementation of the final preferred alternative would include gear restrictions to minimize adverse impacts to EFH.

Utilization.

Objective 9. Develop management measures and policies that foster and encourage full utilization (harvesting and processing) of the Pacific Coast groundfish resources by domestic fisheries.

Implementation of the final preferred alternative will not influence, positively or negatively, the utilization of harvested fish.

Objective 10. Recognizing the multispecies nature of the fishery and establish a concept of managing by species and gear or by groups of interrelated species.

Implementation of the final preferred alternative is intended to have a positive impact on the habitat needs of all species and life stages under the FMP.

Objective 11. Strive to reduce the economic incentives and regulatory measures that lead to wastage of fish. Also, develop management measures that minimize bycatch to the extent practicable and, to the extent that bycatch cannot be avoided, minimize the mortality of such bycatch. In addition, promote and support monitoring programs to improve estimates of total fishing-related mortality and bycatch, as well as those to improve other information necessary to determine the extent to which it is practicable to reduce bycatch and bycatch mortality.

Implementation of the final preferred alternative will not influence, positively or negatively, this objective.

Objective 12. Provide for foreign participation in the fishery, consistent with the other goals to take that portion of the OY not utilized by domestic fisheries while minimizing conflict with domestic fisheries.

Groundfish stocks are fully utilized by domestic fishers and implementation of the final preferred alternative is not expected to influence this objective.

Objective 13. When conservation actions are necessary to protect a stock or stock assemblage, attempt to develop management measures that will affect users equitably.

The final preferred alternative is not expected to impact user groups in a significant way. Any socioeconomic impacts are expected to be distributed equitably among groups.

Objective 14. Minimize gear conflicts among resource users.

The final preferred alternative is not expected to create gear conflicts among resource users.

Objective 15. When considering alternative management measures to resolve an issue, choose the measure that best accomplishes the change with the least disruption of current domestic fishing practices, marketing procedures, and the environment.

The final preferred alternative is not expected to significantly disrupt domestic fishing practices or marketing procedures. Environmental effects are expected to be positive.

Objective 16. Avoid unnecessary adverse impacts on small entities.

Implementation of the final preferred alternative is not expected to have a significant adverse impact on small entities.

Objective 17. Consider the importance of groundfish resources to fishing communities, provide for the sustained participation of fishing communities, and minimize adverse economic impacts on fishing communities to the extent practicable.

The implementation of the final preferred alternative is expected to enhance the long-term sustainability of the groundfish fishery and have an overall positive impact on fishing communities.

Objective 18. Promote the safety of human life at sea.

Implementation of the final preferred alternative is not expected to influence safety at sea.

Chapter 6 Cross-Cutting Mandates

6.1 Other Federal Laws

6.1.1 Coastal Zone Management Act

Section 307(c)(1) of the federal Coastal Zone Management Act (CZMA) of 1972 requires all federal activities that directly affect the coastal zone be consistent with approved state coastal zone management programs to the maximum extent practicable. The *preliminary preferred Alternatives* would be implemented in a manner that is consistent to the maximum extent practicable with the enforceable policies of the approved coastal zone management programs of Washington, Oregon, and California. This determination has been submitted to the responsible state agencies for review under Section 307(c)(1) of the CZMA. The relationship of the groundfish FMP with the CZMA is discussed in Section 11.7.3 of the Groundfish FMP. The Groundfish FMP has been found to be consistent with the Washington, Oregon, and California coastal zone management programs. The recommended action is consistent and within the scope of the actions contemplated under the framework FMP.

Under the CZMA, each state develops its own coastal zone management program that is then submitted for federal approval. This has resulted in programs that vary widely from one state to the next. Harvest specifications and management measures for 2005-2006 are not expected to affect any state's coastal management program.

6.1.2 Endangered Species Act

NMFS issued BOs under the ESA on August 10, 1990, November 26, 1991, August 28, 1992, September 27, 1993, May 14, 1996, and December 15, 1999 pertaining to the effects of the groundfish fishery on chinook salmon (Puget Sound, Snake River spring/summer, Snake River fall, upper Columbia River spring, lower Columbia River, upper Willamette River, Sacramento River winter, Central Valley spring, California coastal), coho salmon (Central California coastal, southern Oregon/northern California coastal), chum salmon (Hood Canal summer, Columbia River), sockeye salmon (Snake River, Ozette Lake), and steelhead (upper, middle and lower Columbia River, Snake River Basin, upper Willamette River, central California coast, California Central Valley, south-central California, northern California, southern California). During the 2000 Pacific whiting season, the whiting fisheries exceeded the chinook bycatch amount specified in the Pacific whiting fishery BO (December 15, 1999) incidental take statement estimate of 11,000 fish, by approximately 500 fish. In the 2001 whiting season, however, the whiting fishery's chinook bycatch was about 7,000 fish, which approximates the long-term average. After reviewing data from, and management of, the 2000 and 2001 whiting fisheries (including industry bycatch minimization measures), the status of the affected listed chinook, environmental baseline information, and the incidental take statement from the 1999 whiting BO, NMFS determined in a letter dated April 25, 2002 that a re-initiation of the 1999 whiting BO was not required. NMFS has concluded that implementation of the FMP for the Pacific Coast groundfish fishery is not expected to jeopardize the continued existence of any endangered or threatened species under the jurisdiction of NMFS, or result in the destruction or adverse modification of critical habitat. The proposed action is within the scope of these consultations.

6.1.3 Marine Mammal Protection Act

The MMPA of 1972 is the principle federal legislation that guides marine mammal species protection and conservation policy in the United States. Under the MMPA, NMFS is responsible for the management and conservation of 153 stocks of whales, dolphins, porpoise, as well as seals, sea lions, and fur seals; while the U.S. Fish and Wildlife Service is responsible for walrus, sea otters, and the West Indian manatee.

Off the West Coast, the Steller sea lion (*Eumetopias jubatus*) eastern stock, Guadalupe fur seal (*Arctocephalus townsendi*), and Southern sea otter (*Enhydra lutris*) California stock are listed as threatened under the ESA. The sperm whale (*Physeter macrocephalus*) Washington, Oregon, and California stock, humpback whale (*Megaptera novaeangliae*) Washington, Oregon, and California - Mexico Stock, blue whale (*Balaenoptera musculus*) eastern north Pacific stock, and Fin whale (*Balaenoptera physalus*) Washington, Oregon, and California stock are listed as depleted under the MMPA. Any species listed as endangered or threatened under the ESA is automatically considered depleted under the MMPA.

The West Coast groundfish fisheries are considered a Category III fishery, indicating a remote likelihood of or no known serious injuries or mortalities to marine mammals, in the annual list of fisheries published in the *Federal Register*. Based on its Category III status, the incidental take of marine mammals in the West Coast groundfish fisheries does not significantly impact marine mammal stocks. The proposed action will affect the intensity, duration, and location of groundfish fisheries through implemented management measures. But these changes would not change the effects of the groundfish fisheries on marine mammals.

6.1.4 Migratory Bird Treaty Act

The MBTA of 1918 was designed to end the commercial trade of migratory birds and their feathers that, by the early years of the 20th century, had diminished the populations of many native bird species. The MBTA states that it is unlawful to take, kill, or possess migratory birds and their parts (including eggs, nests, and feathers) and is a shared agreement between the United States, Canada, Japan, Mexico, and Russia to protect a common migratory bird resource. The MBTA prohibits the directed take of seabirds, but the incidental take of seabirds does occur. The proposed action is unlikely to affect the incidental take of seabirds protected by the MBTA.

6.1.5 Paperwork Reduction Act

Alternatives D.2, Expanded Logbook Program, and D.3, Expanded Vessel Monitoring System program, would require collection of information subject to the Paperwork Reduction Act. Clearance of related requirements would be initiated prior to publication of a proposed rule if the either of the alternatives is selected as an FMP amendment.

6.1.6 Regulatory Flexibility Act

The purpose of the RFA is to relieve small businesses, small organizations, and small governmental entities of burdensome regulations and record-keeping requirements. Major goals of the RFA are: (1) to increase agency awareness and understanding of the impact of their regulations on small business, (2) to require agencies communicate and explain their findings to the public, and (3) to encourage agencies to use flexibility and to provide regulatory relief to small entities. The RFA emphasizes predicting impacts on small entities as a group distinct from other entities and the consideration of

alternatives that may minimize the impacts while still achieving the stated objective of the action. An IRFA is conducted unless it is determined that an action will not have a “significant economic impact on a substantial number of small entities.” The RFA requires that an IRFA include elements that are similar to those required by EO 12866 and NEPA. The information and analyses in Chapter 4 of this EIS would be relevant to RFA analyses on future regulations developed from this process. An IRFA for the regulatory components of the final preferred alternative is contained in Appendix J of this document.

6.1.7 EO 12866 (Regulatory Impact Review)

EO 12866, Regulatory Planning and Review was signed on September 30, 1993, and established guidelines for promulgating new regulations and reviewing existing regulations. The EO covers a variety of regulatory policy considerations and establishes procedural requirements for analysis of the benefits and costs of regulatory actions. Section 1 of the EO deals with the regulatory philosophy and principles that are to guide agency development of regulations. It stresses that in deciding whether and how to regulate, agencies should assess all of the costs and benefits across all regulatory alternatives. Based on this analysis, NMFS should choose those approaches that maximize net benefits to society, unless a statute requires another regulatory approach. The information and analyses in Chapter 4 of this EIS would be relevant to a Regulatory Impact Review (RIR) analyses on future regulations developed from this process. An RIR is contained in Appendix J of this document.

6.1.8 EO 12898 (Environmental Justice)

EO 12898 obligates federal agencies to identify and address “disproportionately high adverse human health or environmental effects of their programs, policies, and activities on minority and low-income populations in the United States” as part of any overall environmental impact analysis associated with an action. NOAA guidance, NAO 216-6, at §7.02, states “consideration of EO 12898 should be specifically included in the NEPA documentation for decision-making purposes.” Agencies should also encourage public participation—especially by affected communities—during scoping, as part of a broader strategy to address environmental justice issues.

The environmental justice analysis must first identify minority and low-income groups that live in the project area and may be affected by the action. Typically, census data are used to document the occurrence and distribution of these groups. Agencies should be cognizant of distinct cultural, social, economic, or occupational factors that could amplify the adverse effects of the proposed action. (For example, if a particular kind of fish is an important dietary component, fishery management actions affecting the availability, or price of that fish, could have a disproportionate effect.) In the case of Indian tribes, pertinent treaty or other special rights should be considered. Once communities have been identified and characterized, and potential adverse impacts of the alternatives are identified, the analysis must determine whether these impacts are disproportionate. Because of the context in which environmental justice is developed, health effects are usually considered, and three factors may be used in an evaluation: whether the effects are deemed significant, as the term is employed by NEPA; whether the rate or risk of exposure to the effect appreciably exceeds the rate for the general population or some other comparison group; and whether the group in question may be affected by cumulative or multiple sources of exposure. If disproportionately high adverse effects are identified, mitigation measures should be proposed. Community input into appropriate mitigation is encouraged. Community level impacts are considered in section 4.7.3. It should be noted that fishery participants make up a small proportion of the total population in these communities, and their demographic characteristics may be different from the community as a whole. However, information specific to fishery participants is not available. Furthermore, different segments of the fishery-

involved population may differ demographically. For example, workers in fish processing plants may be more often from a minority population while deckhands may be more frequently low income in comparison to vessel owners.

Participation in decisions about the proposed action by communities that could experience disproportionately high and adverse impacts is another important principle of the EO. The Council offers a range of opportunities for participation by those affected by its actions and disseminates information to affected communities about its proposals and their effects through several channels. In addition to Council membership, which includes representatives from the fishing industries affected by Council action, the GAP, a Council advisory body, draws membership from fishing communities affected by the proposed action. While no special provisions are made for membership to include representatives from low income and minority populations, concerns about disproportionate effects to minority and low-income populations could be voiced through this body or to the Council directly. Although Council meetings are not held in isolated coastal communities for logistical reasons, they are held in different places up and down the West Coast to increase accessibility. In addition, fishery management agencies in Oregon and California sponsored public hearings in coastal communities to gain input on the proposed action. The comments were made available to the Council in advance of their decision to choose a preferred alternative.

The Council disseminates information about issues and actions through several media. Although not specifically targeted at low income and minority populations, these materials are intended for consumption by affected populations. Materials include a newsletter, describing business conducted at Council meetings, notices for meetings of all Council bodies, and fact sheets intended for the general reader. The Council maintains a postal and electronic mailing list to disseminate this information. The Council also maintains a website (<http://www.pcouncil.org>) providing information about the Council, its meetings, and decisions taken. Most of the documents produced by the Council, including NEPA documents, can be downloaded from the website.

6.1.9 EO 13132 (Federalism)

EO 13132, which revoked EO 12612, an earlier federalism EO, enumerates eight “fundamental federalism principles.” The first of these principles states “Federalism is rooted in the belief that issues that are not national in scope or significance are most appropriately addressed by the level of government closest to the people.” In this spirit, the EO directs agencies to consider the implications of policies that may limit the scope of or preempt states’ legal authority. Preemptive action having such “federalism implications” is subject to a consultation process with the states; such actions should not create unfunded mandates for the states; and any final rule published must be accompanied by a “federalism summary impact statement.”

The Council process offers many opportunities for states (through their agencies, Council appointees, consultations, and meetings) to participate in the formulation of management measures. This process encourages states to institute complementary measures to manage fisheries under their jurisdiction that may affect federally managed stocks.

The proposed action does not have federalism implications subject to EO 13132.

6.1.10 EO 13175 (Consultation and Coordination With Indian Tribal Government)

EO 13175 is intended to ensure regular and meaningful consultation and collaboration with tribal officials in the development of federal policies that have tribal implications, to strengthen the United

States government-to-government relationships with Indian tribes, and to reduce the imposition of unfunded mandates upon Indian tribes.

The Secretary recognizes the sovereign status and co-manager role of Indian tribes over shared federal and tribal fishery resources. At Section 302(b)(5), the Magnuson-Stevens Act reserves a seat on the Council for a representative of an Indian tribe with federally-recognized fishing rights from California, Oregon, Washington, or Idaho.

The U.S. government formally recognizes the four Washington coastal tribes (Makah, Quileute, Hoh, and Quinault) have treaty rights to fish for groundfish. In general terms, the quantification of those rights is 50% of the harvestable surplus of groundfish available in the tribes' U and A fishing areas (described at 50 CFR 660.324). Each of the treaty tribes has the discretion to administer their fisheries and to establish their own policies to achieve program objectives.

Accordingly, harvest specifications and management measures for 2005-2006 have been developed in consultation with the affected tribe(s) and, insofar as possible, with tribal consensus.

6.1.11 EO 13186 (Responsibilities of Federal Agencies to Protect Migratory Birds)

EO 13186 supplements the MBTA (above) by requiring federal agencies to work with the USFWS to develop memoranda of agreement to conserve migratory birds. NMFS is in the process of implementing a memorandum of understanding. The protocols developed by this consultation will guide agency regulatory actions and policy decisions in order to address this conservation goal. The EO also directs agencies to evaluate the effects of their actions on migratory birds in environmental documents prepared pursuant to the NEPA.

Chapter 4 in this EIS evaluates impacts to seabirds and concludes that the effects of the proposed action on seabirds is unknown.

Chapter 7 List of Preparers

7.1 List of Preparers

Gretchen Arentzen; NMFS, Northwest Region

Allison Bailey; Sound GIS

Marlene Bellman; Oregon State University

Ann Bull; Minerals Management Service

Merrick Burden; NMFS, Northwest Region

Steve Copps; NMFS, Northwest Region

Kit Dahl; Pacific Fishery Management Council

Shannon Davis; The Research Group

Stephen Freese; NMFS, Northwest Region

Korie Johnson; NMFS, Southwest Region

David MacDuffee; NMFS, Office of Habitat Conservation

Graeme Parkes; Marine Resources Assessment Group

Bill Peterson; NMFS, Northwest Fisheries Science Center

Fran Recht; Pacific States Marine Fisheries Commission

Suzanne Russell; NMFS, Northwest Fisheries Science Center

David Rydene; Marine Resources Assessment Group

Robert Trumble; Marine Resources Assessment Group

Kathryn Quigley; NMFS, Northwest Region

Waldo Wakefield; NMFS, Northwest Fisheries Science Center

Mary Yoklavich; NMFS, Southwest Fisheries Science Center

7.2 Roles of Key Organizations and Committees

This section provides an overview of the roles played by key organizations and committees who have participated in the development of the draft EIS.

Pacific States Marine Fisheries Commission

The Pacific States Marine Fisheries Commission (PSMFC), through a grant from NOAA, is responsible for production of the risk assessment and EIS. In cooperation with NMFS and the Council, they assembled a team of contractors and partners to implement the decisionmaking framework and phased approach described in the preceding sections.

MRAG Americas

MRAG Americas, under contract to PSMFC, is responsible for analytical components of the risk assessment and EIS specific to EFH and with a primary emphasis on statistical modeling and assessment.

TerraLogic GIS

TerraLogic GIS, under contract to PSMFC, is responsible for analytical components of the risk assessment and EIS specific to EFH with a primary emphasis on GIS data consolidation and analysis.

University of New Hampshire

The University of New Hampshire is a partner of MRAG Americas and has provided senior level consultation and analysis of habitat impacts and recovery.

Ecotrust

Ecotrust, under contract to PSMFC, initially had lead in developing a spatial profile of fishing activity off the west coast.

Oregon Sea Grant

Oregon Sea Grant participated in a project with PSMFC, Pacific Cable Commission, and NMFS to profile a subset of spatial patterns of fishing activity off the west coast based on the experience of fishermen.

Oregon Fishermen's Cable Committee

The Oregon Fishermen's Cable Committee participated in a project with PSMFC, Pacific Cable Commission, and NMFS to profile a subset of spatial patterns of fishing activity off the west coast based on the experience of fishermen.

University of Oregon

The University of Oregon, under contract to PSMFC, provided benthic substrate data for the areas off Oregon and Washington.

Moss Landing Marine Laboratory

The Moss Landing Marine Laboratory, under contract to PSMFC, provided benthic substrate data for the areas off California.

NOAA

- NMFS, Northwest Region is the government organization responsible for NEPA compliance for this action and regulation of the groundfish fishery and has provided project management for the risk assessment and EIS.
- NMFS, Southwest Region is a partner in developing the EIS and has EFH consultation responsibilities on non-fishing activities.

- NMFS' Northwest and Southwest Fisheries Science Centers have provided consultation and analytical services in the development of the risk assessment and EIS.
- The NOS Biogeography Program has provided consultation in the development of the risk assessment.
- The NOAA MPA Center has provided spatial data on status quo habitat protection measures.

Council

The Council is the Regional Fishery Management Council that has stewardship responsibilities for the project area and provided guidance and key decisions throughout the project.

- The full Council is structured to incorporate state, tribal, and federal agencies in addition to representatives from commercial and recreational fishing groups. The Council follows a highly public process that fosters input prior to guidance and final decisions.
- The TRC is a Council committee that was created to guide implementation of the data consolidation and assessment phases of the decisionmaking framework. The committee will also provide for validation of model results and technical review of the range of alternatives in the EIS. The membership of the TRC was chosen to reflect the broad range of expertise necessary to follow the decisionmaking framework and includes geologists, fish ecologists, environmentalists, fishermen, and experts in statistical modeling.
- The SSC is a Council committee that serves as the body responsible for determining the scientific adequacy of any analysis on which Council decisions are based. The SSC held public meetings to review the risk assessment and provided comments and caveats for its application to the Council. The membership of the SSC is chosen to reflect an independent, well-qualified academic committee.
- The EIS Oversight Committee is a Council Committee that was created to respond to the risk assessment and develop alternatives for the EIS. Membership of the committee is structured to incorporate senior representatives of the three coastal states, industry representatives, and environmental representatives including a representative of the plaintiff's in *AOC v. Daley*.
- The GMT, GAP, and HC are Council committees that were created to participate in the development and review of fishery management actions. The committees, in public meetings, have reviewed and commented on the risk assessment and EIS as it has developed. Membership on the committees is diverse and ranges from federal representatives, recreational and commercial fishing representatives, and academics.

Chapter 8 Agencies, Organizations, and Persons to Whom Copies of this Statement Were Sent

The Council makes both the DEIS and FEIS available on its website, so anyone with computer access may download an electronic copy. Electronic copies on CD-ROM and paper copies are made available upon request. The Council distributes a notice of availability for the DEIS and FEIS through its electronic mailing list, which include state and federal agencies, tribes, and individuals. Copies of the FEIS are sent to anyone who comments on the DEIS. In addition, NMFS distributes copies of the DEIS to the following agencies:

Department of Interior

Department of State

U.S. Coast Guard, Commander Pacific Area

Marine Mammal Commission

Pacific States Marine Fisheries Commission

Washington Coastal Zone Management Program, Shoreline Environmental Assistance, Department of Ecology, Washington State

Ocean-Coastal Management Program, Department of Land Conservation and Development, State of Oregon

California Coastal Commission

Chapter 9 Acronyms and Glossary

ABC	acceptable biological catch. The ABC is a scientific calculation of the sustainable harvest level of a fishery, and is used to set the upper limit of the annual total allowable catch. It is calculated by applying the estimated (or proxy) harvest rate that produces maximum sustainable yield to the estimated exploitable stock biomass (the portion of the fish population that can be harvested).
AKFSC	Alaska Fisheries Science Center
B_{MSY}	The biomass that allows maximum sustainable yield to be taken.
BO	Biological Opinion
B₀	Unfished biomass; the estimated size of a fish stock in the absence of fishing.
BOD	Biochemical oxygen demand
BRD	Bycatch Reduction Device
CalCOFI	California Cooperative Oceanic Fisheries Investigations
CC	California Current
CCA	Cowcod Conservation Area
CDFG	California Department of Fish and Game
CDP	Census designated places
CEQ	Council on Environmental Quality
CFGC	California Fish and Game Commission
CFR	Code of Federal Regulations. A codification of the regulations published in the <i>Federal Register</i> by the executive departments and agencies of the federal government. The CFR is divided into 50 titles that represent broad areas subject to federal regulation Title 50 contains wildlife and fisheries regulations.

CINMS	Channel Islands National Marine Sanctuary
Council	Pacific Fishery Management Council
CPFV	commercial passenger fishing vessel
CPS	coastal pelagic species. Coastal pelagic species are schooling fish, not associated with the ocean bottom, that migrate in coastal waters. They usually eat plankton and are the main food source for higher level predators such as tuna, salmon, most groundfish, and humans. Examples are herring, squid, anchovy, sardine, and mackerel.
CPUE	Catch per unit effort
CRFS	California Recreational Fisheries Survey
CV	coefficients of variation
CZMA	Coastal Zone Management Act
DBCA	Darkblotched Rockfish Conservation Area
DDT	Dichlorodiphenyltrichloroethane
DEIS	Draft Environmental Impact Statement
DNR	Department of Natural Resources
DPEIS	Draft Programmatic Environmental Impact Statement
DTS	Dover sole, thornyhead(s), and trawl-caught sablefish complex
E+	Environmentally Positive
EA	environmental assessment. As part of the National Environmental Policy Act (NEPA) process, an EA is a concise public document that provides evidence and analysis for determining whether to prepare an Environmental Impact Statement (EIS) or a Finding of No Significant Impact.
ED	Environmental Defense
EEZ	Exclusive Economic Zone. A zone under national jurisdiction (up to 200 nautical miles wide) declared in line with the provisions of the 1982 United Nations Convention of the Law of the Sea, within which the coastal state has the right to explore and exploit, and the responsibility to conserve and manage, the living and non-living resources.
EFH	essential fish habitat. Those waters and substrate necessary to fish

for spawning, breeding, feeding, or growth to maturity.

EFP	exempted fishing permit
EIS	environmental impact statement. As part of the National Environmental Policy Act (NEPA) process, an EIS is an analysis of the expected impacts resulting from the implementation of a fisheries management or development plan (or some other proposed action) on the environment. EISs are required for all fishery management plans as well as significant amendments to existing plans.
EO	Executive Order
EPA	U.S. Environmental Protection Agency
ESA	Endangered Species Act. An act of federal law that provides for the conservation of endangered and threatened species of fish, wildlife, and plants. When preparing fishery management plans, councils are required to consult with the National Marine Fisheries Service and the U.S. Fish and Wildlife Service to determine whether the fishing under a fishery management plan is likely to jeopardize the continued existence of an ESA-listed species, or to result in harm to its critical habitat.
ESI	Environmental Sensitivity Index
F	The instantaneous rate of fishing mortality. The term “fishing mortality rate” is a technical fishery science term that is often misunderstood. It refers to the rate at which animals are removed from the stock by fishing. The fishing mortality rate can be confusing because it is an “instantaneous” rate that is useful in mathematical calculations, but is not easily translated into the more easily understood concept of “percent annual removal.”
FEAM	Fisheries Economic Assessment Model
FEIS	final environmental impact statement
fm	fathom
FMP	Fishery management plan. A plan, and its amendments, that contains measures for conserving and managing specific fisheries and fish stocks.
FMP	Fishery Management Plan
FONSI	Finding of No Significant Impact. As part of the National Environmental Policy Act (NEPA) process, a finding of no significant impact (FONSI) is a document that explains why an action that is not otherwise excluded from the NEPA process, and

for which an environmental impact statement (EIS) will not be prepared, will not have a significant effect on the human environment.

FPEIS	final programmatic environmental impact statement
FRFA	Final Regulatory Flexibility Analysis. the FRFA includes all the information from the initial regulatory flexibility analysis. Additionally, it provides a summary of significant issues raised by the public, a statement of any changes made in the proposed rule as a result of such comments, and a description of steps taken to minimize the significant adverse economic impact on small entities consistent with stated objectives.
FWS	U.S. Fish and Wildlife Service
GAM	General Additive Model
GAP	Groundfish Advisory Subpanel. The Council established the GAP to obtain the input of the people most affected by, or interested in, the management of the groundfish fishery. This advisory body is made up of representatives with recreational, trawl, fixed gear, open access, tribal, environmental, and processor interests. Their advice is solicited when preparing fishery management plans, reviewing plans before sending them to the Secretary, reviewing the effectiveness of plans once they are in operation, and developing annual and inseason management.
GCA	Groundfish Conservation Area
GIPC	Ad Hoc Groundfish Information Policy Committee
GIS	Geographic information system
GMT	Groundfish Management Team. Groundfish management plans and annual and inseason management recommendations are prepared by the Council's GMT, which consists of scientists and managers with specific technical knowledge of the groundfish fishery.
GPS	Global Positioning System
HAPC	Habitat areas of particular concern
HC	Habitat Committee
HMS	highly migratory species
HSP	Habitat suitability probability

IAC	Interagency Committee
IPHC	International Pacific Halibut Commission. A commission responsible for studying Pacific halibut stocks and the halibut fishery. The IPHC makes proposals to the U.S. and Canada concerning the regulation of the halibut fishery.
IRFA	Initial Regulatory Flexibility Analysis. Anytime an agency publishes a notice of proposed rule making and the rule may have a significant impact on a substantial number of small entities, an IRFA is required. It describes the impact of the proposed rule on small entities and includes a description of the action, why it is necessary, the objectives and legal basis for the action, the small entities that will be impacted by the action, and the projected reporting, record-keeping, and other compliance requirements of the proposed rule. Rules that duplicate, overlap, or conflict with the proposed rule are also identified.
ITQ	individual transferable quota
IUCN	International Union for the Conservation of Nature and Natural Resources
kg	kilogram
m	meter
Magnuson-Stevens Act	Magnuson-Stevens Fishery Conservation and Management Act. The MSA, sometimes known as the “Magnuson-Stevens Act,” established the 200-mile fishery conservation zone, the regional fishery management council system, and other provisions of U.S. marine fishery law.
MBTA	Migratory Bird Treaty Act
mean generation time	A measure of the time required for a female to produce a reproductively-active female offspring.
MFMT	maximum fishing mortality threshold. A limit identified in the National Standard Guidelines. A fishing mortality rate above this threshold constitutes overfishing.
MHHW	mean high high water
mixed stock exception	In “mixed-stock complexes,” many species of fish swim together and are caught together. This becomes a problem when some of these stocks are healthy and some are overfished, because even a

sustainable harvest of the healthy stocks can harm the depleted stock. In order to avoid having to shut down all fisheries to protect one particular overfished stock, the national standard guidelines allow a “mixed-stock” exception to the “overfished” definition. This would allow higher catches of some overfished species than ordinarily allowed in order to avoid severe hardship to fishing communities.

MMPA	Marine Mammal Protection Act. The MMPA prohibits the harvest or harassment of marine mammals, although permits for incidental take of marine mammals while commercial fishing may be issued subject to regulation. (See “incidental take” for a definition of “take”.)
MMS	Minerals Management Service
MPA	Marine protected area
MRFSS	Marine Recreational Fisheries Statistical Survey
MRPZ	Marine Resources Protection Zone
MSA	Magnuson-Stevens Fishery Conservation and Management Act (see Magnuson-Stevens Act, above).
MSI	Marine Science Institute
MSST	minimum stock size threshold. A threshold biomass used to determine if a stock is overfished. The Council proxy for MSST is $B_{25\%}$.
MSY	maximum sustainable yield. An estimate of the largest average annual catch or yield that can be continuously taken over a long period from a stock under prevailing ecological and environmental conditions. Since MSY is a long-term average, it need not be specified annually, but may be reassessed periodically based on the best scientific information available.
mt	metric ton. 1,000 kilos or 2,204.62 pounds.
NAO	NOAA Administrative Order
NEPA	National Environmental Protection Act
NETS	NorEastern Trawl Systems

NMFS	National Marine Fisheries Service. A division of the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA). NMFS is responsible for conservation and management of offshore fisheries (and inland salmon). The NMFS Regional Director is a voting member of the Council.
NOAA	National Oceanic and Atmospheric Administration
NOI	Notice of Intent
NOS	National Ocean Service
NPDES	National Pollutant Discharge Elimination System
NPFMC	North Pacific Fisheries Management Council
NPOA	National Plan of Action
NRC	National Research Council
NRDC	Natural Resources Defense Council
NSG	National Standard Guidelines
NWI	National Wetlands Inventory
NWR	Northwest Region
OAL	Office of Administrative Law
OAR	Oregon Administrative Rules
ODFW	Oregon Department of Fish and Wildlife
OFWC	Oregon Fish and Wildlife Commission
ORBS	Ocean Recreational Boat Survey (Oregon Department of Fish and Wildlife)
OSP	Ocean Sampling Program (Washington)
OSU	Oregon State University
overfished	Any stock or stock complex whose size is sufficiently small that a change in management practices is required to achieve an appropriate level and rate of rebuilding. The term generally describes any stock or stock complex determined to be below its overfished/rebuilding threshold. The default proxy is generally 25% of its estimated unfished biomass; however, other scientifically valid values are also authorized.

overfishing	Fishing at a rate or level that jeopardizes the capacity of a stock or stock complex to produce MSY on a continuing basis. More specifically, overfishing is defined as exceeding a maximum allowable fishing mortality rate. For any groundfish stock or stock complex, the maximum allowable mortality rate will be set at a level not to exceed the corresponding MSY rate (B_{MSY}) or its proxy.
OY	optimum yield. The amount of fish that will provide the greatest overall benefit to the Nation, particularly with respect to food production and recreational opportunities, and taking into account the protection of marine ecosystems. The OY is developed on the basis of the MSY from the fishery, taking into account relevant economic, social, and ecological factors. In the case of overfished fisheries, the OY provides for rebuilding to a level that is consistent with producing the MSY for the fishery.
OY	Optimum yield
PacFIN	Pacific Coast Fisheries Information Network
PDO	Pacific Decadal Oscillation
PE	Polyethylene
PEIS	Programmatic Environmental Impact Statement
PFMC	Pacific Fisheries Management Council
P_{MAX}	The estimated probability of reaching T_{MAX} . May not be less than 50%.
POP	Pacific ocean perch
Precautionary principle	The management principle that reduces human impacts to a resource if cause and effect relationships are not fully established and the result of such impacts may foreclose future options.
PSMFC	Pacific States Marine Fisheries Commission
QSM	quota species monitoring
RCA	Rockfish Conservation Area
RCW	Revised Code of Washington
Rebuilding	Implementing management measures that increase a fish stock to its target size.

RecFIN	Recreational Fishery Information Network
RFA	Regulatory Flexibility Act (see IRFA and FRFA above). The Regulatory Flexibility Act (5 U.S.C. 601-612) requires federal agencies to consider the effects of their regulatory actions on small businesses and other small entities and to minimize any undue disproportionate burden.
RIR	Regulatory Impact Review. RIRs are prepared to determine whether a proposed regulatory action is “major.” The RIR examines alternative management measures and their economic impacts.
RLMA	Rockfish/Lingcod Management Area
RMP	Resource Management Plan
ROD	Record of Decision
ROV	Remotely operated vehicle
SAFE	Stock Assessment and Fishery Evaluation. A SAFE document is a document prepared by the Council that provides a summary of the most recent biological condition of species in the fishery management unit, and the social and economic condition of the recreational and commercial fishing industries, including the fish processing sector. It summarizes, on a periodic basis, the best available information concerning the past, present, and possible future condition of the stocks and fisheries managed in the FMP.
SCUBA	Self-contained Underwater Breathing Apparatus
Secretary	U.S. Secretary of Commerce
SEIS	supplemental environmental impact statement
SFA	Sustainable Fisheries Act (see Magnuson-Stevens Act, above).
SFFT	selective flatfish trawl
SSC	Scientific and Statistical Committee. An advisory committee of the Council made up of scientists and economists. The Magnuson-Stevens Act requires that each council maintain an SSC to assist in gathering and analyzing statistical, biological, ecological, economic, social, and other scientific information that is relevant to the management of Council fisheries.
STAR	Stock Assessment Review Panel. A panel set up to review stock assessments for particular fisheries. In the past there have been STAR panels for sablefish, rockfish, squid, and other species.

STAT	Stock Assessment Team. Stock assessment authors from the National Marine Fisheries Service fisheries science centers.
SWOP	Shoreside Whiting Observation Program
TAC	total allowable catch
T_{MAX}	The maximum time period to rebuild an overfished stock, according to National Standard Guidelines. Depends on biological, environmental, and legal/policy factors.
T_{MIN}	The minimum time period to rebuild an overfished stock, according to National Standard Guidelines. Technically, this is the minimum amount of time in which a fish stock will have a 50% chance of rebuilding if no fishing occurs (depends on biological and environmental factors).
TNC	The Nature Conservancy
TRC	Technical Review Committee
T_{TARGET}	The target year, set by policy, for a fish stock to be completely rebuilt.
U and A	usual and accustomed
UCSB	University of California at Santa Barbara
USEPA	United States Environmental Protection Agency
USFWS	U.S. Fish and Wildlife Service
VMS	Vessel monitoring systems
VMSC	Ad Hoc Vessel Monitoring System Committee
WAC	Washington Administrative Code
WCGOP	West Coast Groundfish Observer Program
WDFW	Washington Department of Fish and Wildlife
WDNR	Washington Department of Natural Resources
WFWC	Washington Fish and Wildlife Commission
WOC	Washington/Oregon/California

WWTIT	Western Washington Treaty Indian Tribes
YOY	Young-of-the-year
YRCA	Yelloweye Rockfish Conservation Area

Chapter 10 Literature Cited

- Ad-Hoc Pacific Groundfish Fishery Strategic Plan Development Committee. 2000. Pacific Fishery Management Council groundfish fishery strategic plan "transition to sustainability". Pacific Fishery Management Council, Portland, OR, October 2000.
- Ainley, D. G. 1984a. Cormorants. Seabirds of Eastern North Pacific and Arctic Waters. D. Haley. Seattle, Pacific Search Press: 92-101.
- Ainley, D. G. 1984b. Storm-petrels. Seabirds of Eastern North Pacific and Arctic Waters. D. Haley. Seattle, Pacific Search Press: 58-63.
- Allen Grover. 2002. California Department of Fish and Game. Personal communication.
- American Oceans Campaign et al. v. Daley et al., Civil Action No. 99-982 (GK) D.D.C. September 14, 2000
- American Oceans Campaign v. Evans, Civil Action No. 99-982 (GK) D.D.C. December 5, 2001
- Amos, Duncan. 1985. Letter to Steve Fitz regarding Scottish Seining. University of Rhode Island, Division of Marine Resources, Marine Advisory Service.
- Anderson, O. F. and M. R. Clark. 2003. Analysis of bycatch in the fishery for orange roughy, *Hoplostethus atlanticus*, on the South Tasman Rise. Marine Freshwater Research 54: 643-652.
- Angliss, R. P. and K. L. Lodge. 2002. Draft Alaska Marine Mammal Stock Assessments 2002. Seattle, National Marine Mammal Laboratory, Alaska Fisheries Science Center: 204p.
- Antonelis, G. A., C. H. Fiscus, et al. 1984. Spring and summer prey of California sea lions, *Zalophus californianus*, at San Miguel Island, California, 1978-79. Fishery Bulletin (82): 67-76.
- Antonelis, J., G.A., M. S. Lowry, et al. 1987. Assessing Northern elephant seal feeding habits by stomach lavage. Marine Mammal Science 3(4): 308-322.
- Austin, Susan V. 1984. A Guide to Oregon's Commercial Fishing Vessels, Oregon State University Extension Service, SG 68, Revised May 1984.
- Baird, R. W. 2000. The killer whale - foraging specializations and group hunting. Cetacean Societies: Field Studies of Dolphins and Whales. J. Mann, R. C. R.Connor, P. L. Tyack and H. Whitehead. Chicago, University of Chicago Press: 432.
- Bakun, A. 1996. Patterns in the ocean: ocean processes and marine population dynamics. La Jolla, Calif., California Sea Grant College System National Oceanic and Atmospheric Administration in cooperation with Centro de Investigaciones Biológicas del Noroeste.
- Barlow, A. J. 1988. Harbor porpoise (*Phocoena phocoena*) abundance estimation in California, Oregon and Washington: I. Ship surveys. Fisheries Bulletin (86): 417-432.
- Barlow, J. 1997. Preliminary estimates of cetacean abundance off California, Oregon and Washington based on a 1996 ship survey and comparisons of passing and closing modes. La Jolla, Southwest Fisheries Science Center, National Marine Fisheries Service: 25.

- Barlow, J. and B. L. Taylor. 2001. Estimates of large whale abundance off California, Oregon, Washington, and Baja California based on 1993 and 1996 ship surveys. La Jolla, CA, National Marine Fisheries Service, Southwest Fisheries Science Center: 12p.
- Barlow, J. and D. Hanan. 1995. An assessment of the status of harbor porpoise in central California. Rept. Int. Whal., Special Issue (16): 123-140.
- Bellman, M. A., S. A. Heppell et al. 2004. Evaluation of a US west coast groundfish habitat conservation regulation via analysis of spatial and temporal patterns of trawl fishing effort. Submitted to Canadian Journal of Fisheries and Aquatic Sciences. In review.
- Bigg, M. A. 1981. Harbour seal, *Phoca vitulina*, Linnaeus, 1758 and *Phoca largha*, Pallas, 1811. New York, Academic Press.
- Boersma, P. D. and M. J. Groom. 1993. Conservation of storm-petrels in the North Pacific. The Status, Ecology, and Conservation of Marine Birds in the North Pacific. K. Vermeer, K. T. Briggs, K. H. Morgan and D. Siegel-Causey. Ottawa, Can. Wildl. Serv. Spec. Publ.: 112-121.
- Bond, A. B., J. J. S. Stephens, et al. 1998. A method for estimating marine habitat values based on fish guilds, with comparisons between sites in the Southern California Bight. Presented at 10th Western Groundfish Conference, Asilomar, California.
- Botkin, D., K. Cummins, et al. 1995. Status and Future of salmon of Western Oregon and Northern California: Findings and Options. L. Simpson. Santa Barbara, The Center for the Study of the Environment. Report #8.
- Boyes, M. 2005. Personal communication. Waterways Management Officer, U.S. Coast Guard, District Eleven. IN Steinbach, George. 2005. Comments on the 2005 Draft EIS for Pacific Coast Groundfish Essential Fish Habitat. May 11, 2005.
- Briggs, K. T., W. B. Tyler, et al. 1987. Seabird communities at sea off California: 1975-1983. Studies in Avian Biology 11: 74p.
- Brodeur, R. 2001. Habitat-specific distribution of Pacific ocean perch (*Sebastes alutus*) in Pribilof Canyon, Bering Sea. Continental Shelf Research 21(3): 207-224.
- Brown, R. F. 1988. Assessment of pinniped populations in Oregon, April 1984 to April 1985. Seattle, Alaska Fisheries Science Center, NMFS: 44.
- Brown, Ralph. 2003. Fisherman, Brookings, Oregon. Personal communication.
- Brown, Ralph. August 2004. Personal Communication
- Browning, Robert J. 1980. Fisheries of the North Pacific, Alaska Northwest Publishing Company, Anchorage, AK.
- Burden, Erica. August 25, 2005. Personal communication. Monterey Bay National Marine Sanctuary.
- Cain, Therese. 2003. Washington Department of Fish and Wildlife. Personal communication.
- Calambokidis, J., S. Osmek, et al. 1997. Aerial surveys for marine mammals in Washington and British Columbia inside waters. Olympia, Washington, Cascadia Research Collective.
- Calvis, Peter. 2002. California Department of Fish and Game. Personal communication.

- Cameron, G. and K. A. Forney. 1999. Estimates of cetacean mortality in the California gillnet fisheries for 1997 and 1998, Paper (unpublished) SC/51/O4 presented to the International Whaling Commission: 4.
- CARE (California Artificial Reef Enhancement Program). 2004. Habitat areas of particular concern (HAPC) designations for offshore oil & gas platforms in Southern California. California Artificial Reef Enhancement Program, Sacramento, Agendum E.7.d, November 2004 Council Meeting.
- CARE website. 2005. FAQ's, visited August 4, 2005. <http://www.calreefs.org/qa.tpl#9>
- Carefoot, T. 1977. Pacific Seashores: A guide to intertidal ecology. Vancouver, Canada, J.J. Douglas Ltd.
- Caribbean Fishery Management Council. 1998. Regulatory Impact Review and Initial Regulatory Flexibility analysis for the Draft of Amendment 1 for the Fishery Management Plan for Corals and Reef Associated Plants and Invertebrates of Puerto Rico and the United States Virgin Islands (DRAFT).
- Carr, M. H., M. A. Hixon. 1997. Artificial Reefs: The Importance of Comparisons with Natural Reefs. *Fisheries* 22(4): 28-33.
- Carretta, J. V., J. Barlow, et al. 2001. U.S. Pacific Marine Mammal Stock Assessments: 2001, NOAA, U.S. Department of Commerce: 280.
- Carter, H. R., D. S. Gilmer, et al. 1995. Breeding birds in California, Oregon, and Washington. Our Living Resources: A Report to the Nation on the Distribution, Abundance, and Health of U.S. Plants, Animals, and Ecosystems, U.S. Dept. of Interior, National Biological Service. 2003.
- Cartes, J. E., J. B. Company and F. Maynou. 1994. Deepwater decapod crustacean communities in the Northwestern Mediterranean: influence of submarine canyons and season. *Marine Biology* 120: 221-229.
- CBNMS (Cordell Bank National Marine Sanctuary) and MBNMS (Morro Bay National Marine Sanctuary). 2004. The 304(a)(5) Support Document. Submitted to the Pacific Fishery Management Council, Agenda Item H.2.b & H.3.b. November 2004.
- CDFG (California Department of Fish and Game). 1976. A proposal for sea otter protection and research, and request for return of management to the State of California, California Department of Fish and Game. January 1976.
- CDFG. 2000. California brown pelican. California's Threatened and Endangered Species. California Department of Fish and Game. 2003.
- CDFG. 2001. California Marine Living Resources: A Status Report, December 2001. Sacramento, California. (Available on-line: www.dfg.ca.gov/mrd/status).
- CDGF. 2005. Draft Abalone Recovery and Management Plan. California Department of Fish and Game, Sacramento, California. (Available on-line: www.dfg.ca.gov/mrd/armp/index.html).
- Chabot, Warner. November 22, 2004. Personal communication. Ocean Conservancy.
- Chambers, J. R. 1992. Coastal degradation and fish population losses. Stemming the tide of coastal fish habitat loss. Proceedings of a symposium on conservation of coastal fish habitat. H. Stroud. Savannah, Georgia, National Coalition for Marine Conservation, Inc.: 45-51.

- Charter, Richard. November 22, 2004. Personal communication. Environmental Defense.
- CINMS (Channel Islands National Marine Sanctuary). 2000. Working Draft Environmental Impact Statement for Channel Islands National Marine Sanctuary. Affected Environment Section
- Code of Federal Regulations. Volume 40. 1978. Council for Environmental Quality (CEQ) Regulations: Regulations for implementing the procedural provisions of the National Environmental Policy Act (NEPA).
- Corrigan, Brian P. August 10, 2005. Personal communication. U.S. Coast Guard, District 11.
- Costanza, R., d'Arge, R. and van den Belt, M., 1997. The value of the world's ecosystem services and natural capital. *Nature* 387(6630), 253-260
- Cowardin, L. M., V. Carter, F. Golet, and E. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Fish and Wildlife Service.
- Cross, J. N. and L. G. Allen. 1993. Fishes. Ecology of the Southern California Bight. D. Dailey, D. J. Reish and J. W. Anderson. Berkeley, CA, Univ. Calif. Press: 459-540.
- Culver, Brian. 2002. Washington Department of Fish and Wildlife. Montesano, WA. Personal communication.
- de Forges, B. R., Koslow, J. A. and G.C.B Poore. 2000. Diversity and endemism of the benthic seamount fauna in the southwest Pacific. *Nature* 405(6789): 944-947. 22 June 2000.
- Defran, R. H., D. W. Weller, et al. 1999. Range characteristics of Pacific coast bottlenose dolphins (*Tursiops truncatus*) in the Southern California Bight. *Marine Mammal Science*. 15: 381-393.
- DeVore, John. 2002. Pacific Fishery Management Council. Portland, Oregon. Personal communication.
- Dohl, T. P., R. C. Guess, et al. 1983. Cetaceans of central and northern California, 1980-1983: status, abundance, and distribution. Los Angeles, Pacific OCS Region Minerals Management Service: 284.
- Dower, J.F. and R.I. Perry. 2001. High abundance in larval rockfish over Cobb Seamount, an isolated seamount in the Northeast Pacific. *Fisheries Oceanography*. 10(3), pp. 268-274, September 2001
- Drury, W. H. 1984. Gulls. Seabirds of Eastern North Pacific and Arctic Waters. D. Haley. Seattle, Pacific Search Press: 130-145.
- Ebeling, A. W., R. J. Larson, and W. S. Alevizon. 1980. Annual variability of reef-fish assemblages in kelp forest off Santa Barbara, California. U. S. Natl. Mar. Fish. Serv. Fish. Bull. 78:361-377.
- Eckert, K. L. 1993. The Biology and Population Status of Marine Turtles in the North Pacific Ocean. La Jolla, Southwest Fisheries Science Center, NMFS.
- Eder, Michele Longo. 2002. Newport, Oregon. Personal communication.
- Emmett, R. L., S. L. Stone, S. A. Hinton, and M. E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in West Coast estuaries, Volume II: Species life history summaries. NOAA/NOS Strategic Environmental Assessments Division, Rockville, Maryland, ELMR Rep. No. 8.

- Environmental Protection Agency (EPA) and Food and Drug Administration (FDA). 2004. What You Need to Know About Mercury in Fish and Shellfish: Advice For: Women Who Might Become Pregnant, Women Who are Pregnant, Nursing Mothers, and Young Children. March 2004. www.cfsan.fda.gov/~dms/admehg3.html
- Engel, J. and R. Kvitik. 1998. Effects of Otter Trawling on a Benthic Community in Monterey Bay National Marine Sanctuary. *Conservation Biology*, Vol 12, no 6, pp. 1204-1214.
- Erwins, P. J., H. R. Carter, et al. 1993. The status, distribution, and ecology of inshore fish-feeding alcids (*Cepphus guillemots* and *Brachyramphus murrelets*) in the North Pacific. *The Status, Ecology, and Conservation of Marine Birds in the North Pacific*. K. Vermeer, K. T. Briggs, K. H. Morgan and D. Siegel-Causey. Ottawa, Can. Wildl. Serv. Spec. Publ.: 164-175.
- Eschmeyer, W. N., E. S. Herald, et al. 1983. *A Field Guide to Pacific Coast Fishes of North America*. Boston, Houghton Mifflin.
- Estes, J. A., B. B. Hatfield, et al. (In Press). Causes of mortality in California sea otters during periods of population growth and decline. *Marine Mammal Science*.
- Estes, JA; Danner, EM; Doak, DF; Konar, B; Springer, AM; Steinberg, PD; Tinker, MT; Williams, TM. 2004. Complex Trophic Interactions in Kelp Forest Ecosystems. *Bulletin of Marine Science*. Vol. 74, no. 3, pp. 621-638. 2004.
- Etnoyer, P. and L. Morgan. 2003. Occurrences of habitat-forming deep-sea corals in the northeast Pacific Ocean. *Second International Symposium on Deep Sea Corals*, Erlangen, Germany.
- Fawcett, J. A. and H. S. Marcus. 1991. Are port growth and coastal management compatible? *Coastal Management*. 19: 275-295.
- Feder, H. M., C. H. Turner, and C. Limbaugh. 1974. Observations on fishes associated with kelp beds in southern California. *California Department of Fish and Game, Fish Bull.* 160:1-144.
- Federal Water Pollution Control Act of 1972 (33 U.S.C. 1251 et seq.)
- Fedler, A. J. and S. L. Crookshank. 1992. Measuring the value of coastal fisheries habitat. Stemming the tide of coastal fish habitat loss; Proceedings of a symposium on conservation of coastal fish habitat, Savannah, Georgia, National Coalition for Marine Conservation, Inc.
- Fiscus, C. H. 1978. Northern fur seal. *Marine mammals of Eastern North Pacific and Arctic waters*. D. Haley. Seattle, WA, Pacific Search Press: 152-159.
- Fiscus, C. H. and G. A. Baines. 1966. Food and feeding behavior of Steller and California sea lions. *Journal of Mammalogy* (47): 195-200.
- Fishermen's Marketing Association. November 2004. www.trawl.org Fishermen's News. December 2003
- Fishermen's News. June 2004
- Fishermen's News. October 2004
- Fitz, Steve. 2002. Fisherman, Half Moon Bay, California. Personal communication.
- Fleischer, L. A. 1987. Guadalupe fur seal, *Arctocephalus townsendi*. Status, biology, and ecology of fur seals. Proceedings of an international symposium and workshop. Cambridge, England, 23-27 April 1984, U.S. Dept. of Commerce.

- Foster, M. S. and D. R. Schiel. 1985. The ecology of giant kelp forests in California: A community profile, U. S. Fish and Wildlife Service Biol. Rep. 85(7.2).
- Fox, W. W. J. 1992. Stemming the tide: Challenges for conserving the nation's coastal fish habitat. Stemming the tide of coastal fish habitat loss; Proceedings of a symposium on conservation of coastal fish habitat, Savannah Georgia, National Coalition for Marine Conservation, Inc.
- Freeland, H. and K. Denman. 1982. A topographically controlled upwelling center off Southern Vancouver Island. *Journal of Marine Research* 40: 1069-1093.
- Gallo, J. P. 1994. Factors affecting the population status of Guadalupe fur seal, *Arctocephalus townsendi* (Merriam, 1897), at Isla de Guadalupe, Baja California, Mexico. Santa Cruz, University of California: 199.
- Gaskin, D. E. 1984. The harbour porpoise (*Phocoena phocoena* L.): regional populations, status, and information on direct and indirect catches. Report of the International Whaling Commission (34): 569-586.
- Genin, A., L. Haury, P. Greenblatt. 1988. Interactions of migrating zooplankton with shallow topography: Predation by rockfishes and intensification of patchiness. *Deep-sea Research*. 35(2) pp. 151-175
- Gentner, B., M. Price and S. Steinback 2001. Marine Angler Expenditures in the Pacific Coast Region, 2000. Silver Spring, US Department of Commerce, NOAA, NMFS.
- Gentry, R. L. 1981. Northern fur seal-*Callorhinus ursinus*. Handbook of marine mammals. London, Academic Press. 1: 143-160.
- Gilden, J. 1999. Oregon's Changing Coastal Fishing Communities. Corvallis OR, Oregon Sea Grant, Oregon State University.
- Go2Marine, November 2004. Personal Communication. www.go2marine.com
- Goblirsch, Ginny. 2002. Oregon State University Extension Service, Newport, OR. Personal communication.
- Goen, J. and J. Hastie. 2002. Pacific Coast Groundfish Open Access Fishery Report, Working Draft. May 2002. NOAA Fisheries. Seattle, Washington.
- Goley, P. D. and J. M. Straley. 1994. Attack on gray whales (*Eschrichtius robustus*) in Monterey Bay, California, by killer whales (*Orcinus orca*) previously identified in Glacier Bay, Alaska. *Canadian Journal of Zoology* 72: 1528-1530.
- Good, J. W. 1987. Mitigating estuarine development impacts in the Pacific Northwest: from concept to practice. *Northwest Environmental Journal* 3(1).
- Green, G., J. J. Brueggeman, et al. 1992. Cetacean distribution and abundance off Oregon and Washington. Oregon and Washington Marine Mammal and Seabird Surveys. Los Angeles, Minerals Management Service, U.S. Department of the Interior.
- Grover, A. M., Mohr and M. Palmer-Zwahlen. 2002. Hook and Release Mortality of Chinook Salmon from Drift Mooching with Circle Hooks: Management Implications for California's Ocean Sport Fishery. *American Fisheries Society Symposium* 30:39-56.
- Gulf of Mexico Fishery Management Council. July 2003. Draft Environmental Impact Statement for the Generic Essential Fish Habitat Amendment to the following fishery management plans of the Gulf of Mexico (GOM): SHRIMP FISHERY OF THE GULF OF MEXICO, RED DRUM

- FISHERY OF THE GULF OF MEXICO, REEF FISH FISHERY OF THE GULF OF MEXICO, STONE CRAB FISHERY OF THE GULF OF MEXICO, CORAL AND CORAL REEF FISHERY OF THE GULF OF MEXICO, SPINY LOBSTER FISHERY OF THE GULF OF MEXICO, AND SOUTH ATLANTIC COASTAL MIGRATORY PELAGIC RESOURCES OF THE GULF OF MEXICO AND SOUTH ATLANTIC
- Gunter, G. 1957. Predominance of the young among marine fishes found in freshwater. *Copeia* 1957, pp. 13-16 in Haertel, L. and C. Osterberg. 1967. Ecology of Zooplankton, Benthos and Fishers in the Columbia River Estuary. *Ecology* 48(3), pp. 459-472
- Haedrich, R. L., G. T. Rowe and P. T. Polloni. 1980. The megabenthic fauna in the deep sea south of New England, USA. *Marine Biology* 57:165-179.
- Haertel, L. and C. Osterberg. 1967. Ecology of Zooplankton, Benthos and Fishers in the Columbia River Estuary. *Ecology* 48(3), pp. 459-472
- Hanan, D. A., D. B. Holts, et al. 1993. The California drift gill net fishery for sharks and swordfish, 1981-82 through 1990-91. *California Department of Fish and Game Fishery Bulletin* (175): 95.
- Haney, J. C., Haury, L. R., et al. 1995. Sea-bird aggregation at a deep North Pacific seamount. *Marine Biology* 123(1): 1-9.
- Hannah, R.W. 2003. Spatial changes in trawl fishing effort in response to footrope diameter restrictions in the U.S. West coast bottom trawl fishery. *North American Journal of Fisheries Management* 23:693-702.
- Hannah, R.W. and M. Freeman. 2000. A Preliminary Assessment of the "small footrope" regulation on the spatial distribution of Oregon bottom trawl effort in 2000. Oregon Department of Fish and Wildlife. Marine Resources Program.
- Hannah, R.W. and S. A. Jones. 2002. By-catch Reduction in an Ocean Shrimp Trawl from a Simple Modification to the Trawl Footrope. *Journal of Northwest Atlantic Fishery Science* 27:227-233.
- Hannah, Robert. 2002. Oregon Department of Fish and Wildlife. Newport, OR. Personal communication.
- Hanni, K. D., D. J. Long, et al. 1997. Sightings and strandings of Guadalupe fur seals in central and northern California, 1988- 1995. *J. of Mamm.* (78): 684-690.
- Hansen, L. J. 1990. California coastal bottlenose dolphins. *The Bottlenose Dolphin*. S. Leatherwood and R. R. Reeves. San Diego, Academic Press: 403-420.
- Harrison, P.G., and R.E. Bigley. 1982. The recent introduction of the seagrass (*Zostera japonica* Aschers and Graebn.) to the Pacific coast of North America. *Canadian Journal of Fishery and Aquatic Science* 39: 1642-1648
- Hasegawa, H. 2002. Biology Dept., Yoho University, Japan. Personal communication. C. Nordeen. Seattle, WA,
- Hastie, J. 2001. Evaluation of bycatch and discard in the West Coast groundfish fishery. Portland, OR, Unpublished report prepared for the Pacific Fishery Management Council.
- Hatch, S. A. 1993. Ecology and population status of Northern Fulmars *Fulmarus glacialis* of the North Pacific. *The Status, Ecology, and Conservation of Marine Birds in the North Pacific*.

- K. Vermeer, K. T. Briggs, K. H. Morgan and D. Siegel-Causey. Ottawa, Canadian Wildlife Service Special Publication.: 82-92.
- Haury, L. C. Fey, C. Newland, A. Genin. 2000. Zooplankton Distribution around four eastern North Pacific seamounts. *Progress in Oceanography*. 45(1) pp.69-105, January 2000
- Heifetz, J. 2002. Coral in Alaska: Distribution, abundance, and species associations. *Hydrobiologia* 471: 19-28.
- Heikkila, Paul. 2002. Oregon State University Extension Service, Coquille, OR. Personal communication.
- Herder, M. J. 1986. Seasonal movements and hauling site fidelity of harbor seals (*Phoca vitulina richardsii*) tagged at the Russian River, California. *Biology*. Humbolt State University, California: 52p.
- Herke, W. H. and B. D. Rogers. 1993. Maintenance of the estuarine environment. Pages 263-286 in C. C. Kohler and W. A. Hubert, editors. *Inland fisheries management in North America*. American Fisheries Society, Bethesda, Maryland.
- Hettman, Gary. 2002. Oregon Department of Fish and Wildlife. Personal communication.
- Heyning, J. E. and W. F. Perrin. 1994. Evidence for two species of common dolphins (*Genus Delphinus*) from the eastern North Pacific. Los Angeles, L.A. County Natural History Museum.
- Hinman, K. A. (1992). Stemming the tide of coastal fish habitat loss; Proceedings of a symposium on conservation of coastal fish habitat, Savannah, Georgia, National Coalition for Marine Conservation, Inc.
- Hixon, M.A., B. N. Tissot, and G.W. Percy. 1991. Fish Assemblages of Rocky Banks of the Pacific Northwest. U.S. Department of the Interior, Minerals Management Service, Final Report 91-0052, 410 pp.
- Holbrook, S.J., R.F. Ambrose, L. Botsford, M.H. Carr, P.T. Raimondi, and M.J. Tegner 2000. Ecological issues relating to the decommissioning of California's offshore production platforms. Report to the University of California Marine Council of the Select Scientific Committee on Decommissioning.
- Hoss, D. E. and G. W. Thayer. 1993. The importance of habitat to the early life history of estuarine dependent fishes. *American Fisheries Society Symposium* 14:147-158.
- Hubbs, C. L. and A. N. Wick. 1951. Toxicity of the roe of the cabezon *Scorpaenichthys marmoratus*. *Calif. Dept. Fish and Game* 37: 195-196.
- Husebo, A., L. Nottestad, J. Fossa, D. Furevik and S. Jorgensen. 2002. Distribution and abundance of fish in deep-sea coral habitats. *Hydrobiologia* 471: 91-99.
- Hyland, J., C. Cooksey, E. Bowlby, M.S. Brancato, and S. Intelmann. 2005. A Pilot Survey of Deepwater Coral/Sponge Assemblages and their Susceptibility to Fishing/Harvest Impacts at the Olympic Coast National Marine Sanctuary (OCNMS). Cruise Report for NOAA Ship McARTHUR II Cruise AR-04-04: Leg 2. NOAA Technical Memorandum NOS NCCOS 15. NOAA/NOS Center for Coastal Environmental Health and Biomolecular Research, Charleston, SC. 13 p.

- Jameson, R. J., K. W. Kenyon, et al. 1982. History at status of translocated sea otter populations in North America. *Wildl. Soc. Bull.*(1): 100-107.
- Jeffries, S. J. 1985. Occurrence and distribution patterns of marine mammals in the Columbia River and adjacent coastal waters of northern Oregon and Washington. *Marine Mammals and Adjacent Waters, 1980-1982*. Seattle, National Marine Fisheries Service, Northwest and Alaska Fisheries Center: 41.
- Jennings, Simon, Michel Kaiser, and John Reynolds. 2001. *Marine fisheries ecology*. Blackwell Science Ltd., Malden, MA.
- Johnson, James. 2002. Oregon Department of Fish and Wildlife. Newport, Oregon. Personal communication.
- Johnson, K. A. 2002. A Review of the National and International Literature on the Effects of Fishing on Benthic Habitats. NOAA Technical Memorandum NMFS-F/SPO-57. National Oceanic and Atmospheric Administration, Silver Spring, MD 20910. (Available on line: www.nmfs.noaa.gov/habitat/habitatprotection/essentialfishhabitat10.htm).
- Joner, Steve. January 2004. Makah Tribe pers com .
- Julian, F. 1997. Cetacean mortality in California gill net fisheries: Preliminary estimates for 1996, Paper (unpublished) SC/49/SM02 presented to the International Whaling Commission: 13.
- Julian, F. and M. Beeson 1998. Estimates for marine mammal, turtle, and seabird mortality for two California gillnet fisheries: 1990-1995. *Fishery Bulletin* (96): 271-284.
- Kagan, R. A. 1991. The dredging dilemma: economic development and environmental protection in Oakland Harbor. *Coastal Management* 19: 313-341.
- Kaiser, M. J., F. E. Spence, and P. J. Hart. 2000. Fishing gear restrictions and conservation of benthic habitat complexity. *Conservation Biology*. 14(5): 1512-1525.
- Kajimura, H. 1984. Opportunistic feeding of the northern fur seal, *Callorhinus ursinus*, in the eastern North Pacific Ocean and eastern Bering Sea. Long Beach, NMFS: 49.
- Kajimura, H. 1990. Harbor porpoise interactions with Makah salmon set net fishery in coastal Washington waters, 1988-89. Seattle, WA.
- Karpov KA, Haaker P, Albin D, Taniguchi IK, and Kushner D. 1998. The red abalone, *Haliotis rufescens*, in California: Importance of depth refuge to abalone management. IN CDFG. 2005. Draft Abalone Recovery and Management Plan. California Department of Fish and Game, Sacramento, California.
- Kasprzak, G. 2005. Personal communication. Artificial Reef Coordinator, Louisiana Department of Fish and Wildlife, Baton Rouge, Louisiana. IN Steinbach, George. 2005. Comments on the 2005 Draft EIS for Pacific Coast Groundfish Essential Fish Habitat. May 11, 2005.
- Kato, S. and S.C. Schroeter. 1985. Biology of the red sea urchin, *Strongylocentrotus franciscanis*, and its fishery in California. IN University of California Cooperative Extension. 1995. Sea Urchins. Sea Grant Extension Program Publication
- Kenney, R. D. and H. E. Winn. 1987. Cetacean biomass densities near submarine canyons compared to adjacent shelf/slope areas. *Continental Shelf Research* 7: 107-114.
- Kooyman, G. L., R. L. Gentry, et al. 1976. Northern fur seal diving behavior; a new approach to its study. *Science*. 193: 411-412.

- Koslow, J. A., K. Gowlett-Holmes et al. 2001. Seamount benthic macrofauna off southern Tasmania: Community structure and impacts of trawling. *Marine Ecology Progress Series* 213: 111-125.
- Kramer, S. H., J. S. Sunada, et al. (2001). California Halibut. *California's Living Marine Resources: A Status Report*. W. S. Leet, C. M. Dewees, R. Klingbeil and E. J. Larson. Davis, CA, California Sea Grant Program: 195-198.
- Kreiger, K. J. 2001. Coral impacted by fishing gear in the Gulf of Alaska. Pages 106-117 in Willison, J., Hall, J., Gass, S., Kenchington, E., Butler, M., and Doherty, P. (eds.), *Proceedings of the first international symposium on deep-sea corals*. Proceedings of a Symposium held at Dalhousie University, Halifax, Nova Scotia, Canada, July 30 – August 2, 2000. Ecology Action Centre and Nova Scotia Museum, Halifax, Nova Scotia. Krieger, K. J. and B. L. Wing. 2002. Megafauna associations with deepwater corals (*Primnoa* spp.) in the Gulf of Alaska. *Hydrobiologia* v.471: p.83-90.
- Larkin, M., D. Lowman, et al. 2003. The British Columbia individual vessel quota experience: lessons for the West Coast trawl groundfish fishery, report on June 24, 2003 meeting. Portland, OR, Pacific Fishery Management Council.
- Larson, M. F. 2001. Spot Prawn. *California's Living Marine Resources: A Status Report*. W. S. Leet, C. M. Dewees, R. Klingbeil and E. J. Larson. Davis, CA, California Sea Grant Program: 121-123.
- Lavelle, J.W., E.T. Baker, G.A. Cannon. 2003. Ocean currents at Axial Volcano, a northeastern Pacific seamount. *Journal of Geophysical Research*, Vol. 108, No. C2, 3020. February 6, 2003.
- Lazrus, Heather and Karma Norman. 2004. Personal communication. Northwest Fisheries Science Center. Seattle Washington
- Le Boeuf, B. J., D. Crocker, et al. 1993. Sex differences in diving and foraging behaviour of northern elephant seals. *Marine Mammal: Advances in Behavioural and Population Biology*. I. Boyd, Oxford Univ. Press.
- Leatherwood, S., R. R. Reeves, et al. 1982. Whales, dolphins, and porpoises of the eastern North Pacific and adjacent Arctic waters, NMFS.
- Lee, T. 1993. Summary of cetacean survey data collected between the years of 1974 and 1985, U.S. Department of Commerce: 184.
- Leighton, D.L. 1966. Studies of food preferences in algivorous invertebrates in southern California kelp beds. IN University of California Cooperative Extension. 1995. Sea Urchins. Sea Grant Extension Program Publication
- Link, J. S. and C. Demarest. 2003. Trawl hangs, baby fish, and closed areas: a win-win scenario. *ICES Journal of Marine Science* 60: 930-938.
- Lockwood, J. C. 1990. Seagrass as a consideration in the site selection and construction of marinas. Environmental Management for Marinas Conference, Washington D.C., International Marina Institute.
- Loughlin, T. R. 1997. Using the phylogeographic method to identify Steller sea lion stocks. Molecular genetics of marine mammals, incorporating the proceedings of a workshop on the analysis of genetic data to address problems of stock identity as related to management of marine mammals. S. A. Dizon, J. Chivers and W. Perrin, *Soc. Mar. Mammal. Spec. Publ. Rep. No. 3*: 329-341.

- Loughlin, T. R., D. J. Rugh, et al. 1984. Northern sea lion distribution and abundance, 1956-1980. *Journal Wild. Manage.* 48: 729-740.
- Love, M. 2005 in press. The unexpected utility of offshore marine structures in rebuilding an overfished species. Submitted to the *Canadian Journal of Fisheries and Aquatic Science*.
- Love, M. 2005b in review. Comparing potential larval production of Bocaccio (*Sebastes paucispinis*) and Cowcod (*Sebastes levis*) around oil platforms and natural outcrops off California. Submitted to *Bulletin of Marine Science*.
- Love, M. 2004. Unpublished Data. Project Title: The ecological role of natural reefs and oil and gas platforms on rocky reef fishes in Southern California. Section 2 describes Scientific Research from 2004.
- Love, M. S., D. M. Schroeder, and M. M. Nishimoto. 2003. The ecological role of oil and gas production platforms and natural outcrops on fishes in southern and central California: a synthesis of information. U.S. Geological Survey, Biological Resources Division, Seattle, OCS Study MMS 2003-032.
- Love, M.S., M. Nishimoto, D. Schroeder. 2001. The ecological role of natural reefs and oil and gas platforms on rocky reef fishes in southern California: 1998-1999 Survey Report. U.S. Department of the Interior, U.S. Geological Survey, Biological Resources Division, Seattle, Washington 98104, OCS Study MMS 2001-028, 115p.
- Love, M. J. Caselle, L. Snook. 2000a. Fish assemblages around seven oil platforms in the Santa Barbara Channel area. *Fisheries Bulletin* 98, p. 96-117. 2000.
- Love, M. J. Caselle, L. Snook. 1999a. Fish assemblages on mussel mounds surrounding seven oil platforms in the Santa Barbara Channel and Santa Maria Basin. *Bulletin of Marine Science*, 65(2): p. 497-513, 1999.
- Love, M.S., M. Nishimoto, D. Schroeder, J. Caselle. 1999b. The ecological role of natural reefs and oil and gas platforms on rock reef fishes in southern California. Final Interim Report. U.S. Department of the Interior, U.S. Geological Survey, Biological Resources Division, CR-1999-0007, Seattle, Washington 98104, OCS Study MMS 99-0015
- Lowry, M. S. 1999. Counts of California sea lion (*Zalophus californianus*) pups from aerial color photographs and from the ground: a comparison of two methods. *Marine Mammal Science* (15): 143-158.
- Lowry, M. S., C. W. Oliver, et al. 1990. Food habits of California sea lions *Zalophus californianus* at San Clemente Island, California, 1981-86. *Fishery Bulletin U.S.* 88: 509-521.
- Lowry, M. S., P. Boveng, et al. 1992. Status of the California sea lion (*Zalophus californianus californianus*) population in 1992. La Jolla, Southwest Fisheries Science Center, NMFS: 34.
- Lutz, P. L. and J. A. Musick. 1997. *The Biology of sea turtles*. Boca Raton, Florida.
- MacDonald, D. S., M. Little, et al. 1996. Disturbance of benthic species by fishing activities: A sensitivity index. *Aquatic Conservation: Marine and Freshwater Ecosystems* 6(4): 257-268.
- Macquart-Moulin, C. and G. Patrìti. 1996. Accumulation of migratory micronekton crustaceans over the upper slope and submarine canyons of the northwestern Mediterranean. *Deep-Sea Research* 43: 579-601.

- Maher, W. J. 1984. Skuas and Jaegers. Seabirds of Eastern North Pacific and Arctic Waters. D. Haley. Seattle, Pacific Search Press: 120-129.
- Malecha, P. W. and R. P. Stone. 2003. Sea whip (Order Pennatulacea) resiliency to simulated trawl disturbance. Second International Symposium on Deep Sea Corals, Erlangen, Germany.
- Malecha, P. W., R. J. Stone and J. Heifetz. 2002. Living substrate in Alaska: Distribution, abundance, and species associations. Manuscript submitted at the Symposium on Effects of Fishing Activities on Benthic Habitats, Tampa, Florida, November 12-14, 2002.
- Mangels, K. F. and T. Gerrodette. 1994. Report of cetacean sightings during a marine mammal survey in the eastern Pacific Ocean and Gulf of California aboard the NOAA ships McARTHUR and DAVID STARR JORDAN July 28 - November 6, 1993. La Jolla, NMFS.
- Manuwal, D. A. 1984. Alcids - dovekie, murre, guillemots, murrelets, auklets, and puffins. Seabirds of Eastern North Pacific and Arctic Waters. D. Haley. Seattle, Pacific Search Press: 168-187.
- Maser, C. and J. R. Sedell. 1994. From the forest to the sea: the ecology of wood in streams, estuaries and oceans. Delray Beach, Florida, St. Lucie Press.
- McCauley, J.P. and A.G. Carey Jr. 1967. Echinoidea of Oregon. IN University of California Cooperative Extension. 1995. Sea Urchins. Sea Grant Extension Program Publication
- McCrae, J. 2001. Oregon's sardine fishery, 2000. Newport, Oregon, Oregon Department of Fish and Wildlife: 10.
- McCrae, Jean. 2002. Oregon Department of Fish and Wildlife. Newport, OR. Personal communication.
- McMullen, Scott. 2003. Oregon Fishermen's Undersea Cable Committee, Astoria, Oregon. Personal communication.
- McMullen, Scott. November 2004. Oregon Fishermen's Undersea Cable Committee, Astoria, Oregon. Personal Communication
- Melin, S. R. and R. L. DeLong. 1999. Observations of a Guadalupe fur seal (*Arctocephalus townsendi*) female and pup at San Miguel Island, California. Marine Mammal Science (15): 885-888.
- Miller, D. J., M. J. Herder, et al. 1983. California marine mammal-fishery interaction study, 1979-1981. La Jolla, CA, National Marine Fisheries Service, Southwest Fisheries Science Center: 233.
- Millineaux, L.S., and S.W. Mills. 1997. A test of the larval retention hypothesis in seamount-generated flows. Deep Sea Research. 44(5) pp. 745-770. May 1997
- MMS (Minerals Management Service). 1992. Outer Continental Shelf Natural Gas and Oil Resource Management. Comprehensive Program, 1991 - 1997 Final Environmental Impact Statement. Minerals Management Service, U.S. Department of the Interior.
- Monaco, M. E., D. M. Nelson, et al. 1990. Distribution and Abundance of fishes and invertebrates in west coast estuaries, Volume 1, Data summaries. Rockville, MD, Strategic assessment Branch, NOS/NOAA: 240 pp.
- Monterey Bay National Marine Sanctuary (MBNMS). 2002. Species at Davidson Seamount covered in Pacific Fishery Management Council's Groundfish Fishery Management Plan. May 17-24, 2002. Unpublished data.

- Morejohn, G. V. 1979. The natural history of Dall's porpoise in the North Pacific Ocean. Behavior of Marine Mammals. H. E. Winn and B. L. Olla. New York, Plenum Press: 45-83.
- Mortensen, P. B., L. Buhl-Mortensen, et al. 2003. Evidence of fisheries damage to deep-water gorgonians in the Northeast Channel between Georges and Browns Banks, Nova Scotia. Second International Symposium on Deep Sea Corals, Erlangen, Germany.
- MRAG Americas Inc., TerraLogic GIS Inc., NMFS Northwest Fisheries Science Center FRAM Division, and NMFS Northwest Region. 2004. Identification of Essential Fish Habitat for the Pacific Groundfish FMP. Pacific States Marine Fisheries Commission, Portland, OR, April 2004, Exhibit C.6.b, Attachment 1, April 2004 Council Meeting.
- Mullineaux, L.S. and S.W. Mills. 1997. A test of the larval retention hypothesis in seamount-generated flows. Deep-Sea Research 44: 745-770.
- National Academy of Sciences. 2002. Effects of Trawling and Dredging on Seafloor Habitat. Washington, D.C, National Academy of Sciences, National Research Council.
- Natural Resources Defense Council (NRDC) v. Evans, 168, F. 2d 1149 (N.D. Cal. 2001).
- Naughton, M. 2003. Personal communication. C. Nordeen. Seattle, USFWS.
- NMFS (National Marine Fisheries Service). 1993. Our living oceans. National Marine Fisheries Service.
- NMFS. 1997. Impacts of California Sea Lions and Pacific Harbor Seals on Salmonids and on the Coastal Ecosystems of Washington, Oregon, and California. National Marine Fisheries Service, US Dept. of Commerce, National Marine Fisheries Service: 72.
- NMFS. 2003x. Northwest Fisheries Science Center West Coast Groundfish Observer Program Data Report and Summary Analyses for Sablefish-endorsed Fixed Gear Permits. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA, February 2004.
- NMFS. 2003. Implementation of an observer program for at-sea processing vessels in the Pacific Coast groundfish fishery. National Marine Fisheries Service, Northwest Region, Seattle, June 2003.
- NMFS. 2003. Implementing a monitoring program to provide a full retention opportunity in the shore-based whiting fishery; Preliminary draft environmental assessment. National Marine Fisheries Service, Northwest Region, Seattle, September 2003.
- NMFS. 2003. Environmental assessment/regulatory impact review/initial regulatory flexibility analysis for a program to monitor time-area closures in the Pacific coast groundfish fishery. National Marine Fisheries Service, Seattle, Washington, July 2003.
- NMFS. 2004. The Aftereffects of the Pacific Groundfish Limited Entry Trawl Buyback Program: A Preliminary Analysis (Draft(e)). NMFS Northwest Region, Seattle, March 09, 2004.
- NMFS. 2004. Our Living Oceans – Habitat. Preliminary Draft, November 2004. NMFS Office of Sustainable Fisheries, Silver Spring, MD.
- NMFS. 2004. The Pacific Coast Groundfish Fishery Management Plan Bycatch Mitigation Program: Draft Programmatic Environmental Impact Statement. National Marine Fisheries Service. Seattle, NMFS Northwest Region.

- NMFS 2004. Preliminary Report on Occurrences of Structure-Forming Megafaunal Invertebrates off the West Coast of Washington, Oregon and California. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA, August 2004. (See Appendix B)
- NMFS. 2004. The Pacific Coast Groundfish Fishery Management Plan Bycatch Mitigation Program: Final Programmatic Environmental Impact Statement. NMFS Northwest Region, Seattle, September 2004.
- National Marine Fisheries Service, Northwest Region (NMFS NWR). 2005. Expanded Coverage of the Program to Monitor Time-Area Closures in the Pacific Coast Groundfish Fishery Draft Environmental Assessment. March 2005.
- NMFS and USFWS (United States Fish and Wildlife Service). 1998. Recovery plan for U.S. Pacific populations of the green turtle. Prepared by the Pacific Sea Turtle Recover Team. National Marine Fisheries Service and US Fish and Wildlife Service, Silver Spring, MD.
- NMFS and USFWS. 1998. Recovery plan for Pacific populations of leatherback turtle (*Dermochelys coriacea*). National Marine Fisheries Service and US Fish and Wildlife Service, Silver Spring, MD.
- NMFS and USFWS. 1998. Recovery plan for U.S. Pacific populations of the loggerhead turtle (*Caretta caretta*). National Marine Fisheries Service and US Fish and Wildlife Service, Silver Spring, MD.
- NMFS and USFWS. 1998. Recovery plan for U.S. Pacific populations of the olive ridley turtle. Prepared by the Pacific Sea Turtle Recover Team. National Marine Fisheries Service and US Fish and Wildlife Service, Silver Spring, MD.
- NOAA (National Oceanic and Atmospheric Administration). 2002. NOAA Fisheries, Northwest Region, Seattle, WA. 2002 West Coast Groundfish Limited Entry Permit Count (www.nwr.noaa.gov/1sustfish/permits/prmcount.htm).
- NPFMC (North Pacific Fishery Management Council). 2002. Fisheries Descriptions of Principal Federal FMP Fisheries for the analysis of Essential Fish Habitat April 2, 2002. Anchorage, AK.
- NRC (National Research Council). 2002. Effects of Trawling and Dredging on Seafloor Habitat. National Academy Press, Washington, D.C.
- ODFW (Oregon Department of Fish and Wildlife). 1999. Marine Recreational Fishing in Oregon (brochure). Marine Resources Program, Newport. Oregon.
- ODFW and WDFW (Washington Department of Fish and Wildlife). 2002. Status Report: Columbia River Fish Runs and Fisheries, 1938-2000. Oregon Department of Fish and Wildlife and Washington Department of Fish and Wildlife: 324.
- Oregon Coastal Zone Management Association. 2002. Oregon's Groundfish Fishery: Trends, Implications and Transitioning Plans. Newport OR, Oregon Coastal Zone Management Authority.
- PacFIN (Pacific Fisheries Information Network). 2004. Data queries
- Pacific Fishery Management Council, Scientific and Statistical Committee. June 2004. DRAFT WHITE PAPER - MARINE RESERVES: OBJECTIVES, RATIONALES, MANAGEMENT IMPLICATIONS AND REGULATORY REQUIREMENTS

- Parker, D. and P. Kalvass. 1992 Sea Urchins. IN California's Living Marine Resources and Their Utilization, IN University of California Cooperative Extension. 1995. Sea Urchins. Sea Grant Extension Program Publication.
- Pattison, C. A., M. D. Harris, et al. 1997. Sea otter, *Enhydra lutris*; Mortalities in California, 1968 through 1993, Calif. Fish and Game, Marine Res. Division.
- Perez, M. A. and T. R. Loughlin. 1991. Incidental catch of marine mammals by foreign and joint venture trawl vessels in the U.S. EEZ of the North Pacific, 1973-88, NOAA: 57.
- Perrin, W. F., M. D. Scott, et al. 1985. Review of geographical stocks of tropical dolphins (*Stenella* spp. and *Delphinus delphis*) in the eastern Pacific. La Jolla, NMFS, Southwest Fisheries Science Center: 28.
- Peters, D. S. and F. A. Cross. 1992. What is coastal fish habitat? Stemming the tide of coastal fish habitat loss; Proceedings of a symposium on conservation of coastal fish habitat, Savannah, Georgia, National Coalition for Marine Conservation, Inc.
- Pettinger, Brad. November 2004. Oregon Trawl Commission. Personal Communication
- Pettis, Michael. 2002. Fisherman, Newport, Oregon. Personal communication.
- PFMC (Pacific Fishery Management Council). 1998. Final environmental assessment/regulatory impact review for Amendment 11 to the Pacific Coast Groundfish Fishery Management Plan. Pacific Fishery Management Council, Portland, OR, October 1998.
- PFMC. 2003. Fishery management plan and environmental impact statement for U.S. West Coast highly migratory species [Final environmental impact statement]. Pacific Fishery Management Council, Portland, OR, August 2003.
- PFMC. April 2004. Public Testimony
- PFMC. October 2002. Pacific Fishery Management Council. Draft Environmental Impact Statement for the Proposed Groundfish Acceptable Biological Catch and Optimum Yield Specifications and Management Measures 2003 Pacific Coast Groundfish Fishery.
- PFMC. October 2004. Proposed Acceptable Biological Catch and Optimum Yield Specifications and Management Measures for the 2005-2006 Pacific Coast Groundfish Fishery Final Environmental Impact Statement
- PFMC. October 2004. Proposed Groundfish Acceptable Biological Catch and Optimum Yield Specifications and Management Measures: 2005-2006 Pacific Coast Groundfish Fishery; Final Environmental Impact Statement Including Regulatory Impact Review and Initial Regulatory Flexibility Analysis. Pacific Fishery Management Council, Portland, OR, October 2004.
- Phillips, R. C. 1984. The ecology of eelgrass meadows in the Pacific Northwest: a community profile, U.S. Fish and Wildlife Service.
- Pitman, K. L. 1990. Pelagic distribution and biology of sea turtles in the eastern tropical Pacific. Pages 143-148 Proc. Tenth Annual Workshop on Sea Turtles Biology and Conservation.
- PFMC. 2004. Risk Assessment for the Pacific Groundfish FMP. <http://www.pcouncil.org/habitat/habrisk.html>
- Probert, P. K., McKnight, D. G. and Grove, S. L. 1997. Benthic invertebrate bycatch from a deep-water trawl fishery, Chatham Rise, New Zealand. Aquatic Conservation: Marine and

- Freshwater Ecosystems 7(1): 27-40. PFMC. 2003. Consolidated GIS Data, Volume 1, Physical and Biological Habitat data disk.
- PSMFC (Pacific States Marine Fisheries Commission) 2001. West Coast Charter Boat Survey Summary Report. Pacific States Marine Fisheries Commission Economics Data Program. Portland, OR, January 2004.
- Reeves, R. R., B. S. Stewart, et al. 2002. Guide to marine mammals of the world. New York, Alfred A. Knopf.
- Research Group, The. 2003. Personal Communication.
- Research Group, The. 2004. Fisheries Economic Assessment Model. The Research Group. Corvallis, OR
- Rice, D. W. and A. A. Wolman. 1971. The life history and ecology of the gray whale, *Eschrichtius robustus*. Am. Soc. Mammal. Spec. Publ. 3: 142.
- Richardson, S. and H. Allen. 2000. Draft Washington State Recovery Plan for the Sea Otter: 67.
- Riley, Paul. 2002. California Department of Fish and Game. Monterey, California. Personal communication.
- River and Harbor Act of 1899 (33 U.S.C. 401 et seq.)
- Roberts, S. and M. Hirshfield. 2004. Deep-sea corals: out of sight, but no longer out of mind. *Frontiers in Ecology and the Environment*. 3(2). April 2004.
- Robinson, M. K. 2000. Summary of the 2000 trial purse seine fishery for Pacific sardine (*Sardinops sagax*). Montesano, WA, Washington Department of Fish and Wildlife: 15.
- Rogers-Bennett, L. and D. S. Ono. 2001. Sea Cucumbers. California's Living Marine Resources: A Status Report. W. S. Leet, C. M. Dewees, R. Klingbeil and E. J. Larson. Davis, CA, California Sea Grant Program: 131-134.
- Roppel, A. Y. 1984. Management of northern fur seals on the Pribilof Islands, Alaska, 1786-1981. U.S. Department Commerce, NOAA Technical Report NMFS-4.: 32.
- Rose, C., A. Carr, R. Ferro, R. Fonteyne, and P. MacMullen. 2002. Unpublished manuscript: The characteristics and function of commercial fishing gears: how these relate to their effects on seafloor habitats and the pursuit of ways to minimize effects. Manuscript submitted to the NOAA/USGS Symposium on Effects of Fishing Activities on Benthic Habitats, Tampa, Florida, November 2002.
- Rosel, P. E., A. E. Dizon, et al. 1995. Variability of the mitochondrial control region in populations of the harbour porpoise, *Phocoena phocoena*, on inter-oceanic and regional scales. *Canadian Journal of Fisheries and Aquatic Science* (52): 1210-1219.
- Sainsbury, John C. 1996. Commercial Fishing Methods, Fishing New Books, Cambridge, MA.
- Sanctuary Integrated Monitoring Network (SIMoN) website, September 30, 2004. <http://www.mbnms-simon.org/sections/submarineCanyons/overview.php?sec=sc>.
- Sarda, F., J. E. Cartes and J. B. Company. 1994. Spatio-temporal variations in megabenthos abundance in three different habitats of the Catalan deep-sea (Western Mediterranean). *Marine Biology* 120: 211-219.

- Scheffer, V. B. 1953. Measurements and stomach contents of eleven delphinids from the northeast Pacific. *Murrelet* 34(2): 27-30.
- Schmieder, R. W. 1991. Ecology of an Underwater Island. Cordell Expeditions, Walnut Creek, CA.
- Schoenherr, J. R. 1991. Blue whales feeding on high concentrations of euphausiids around Monterey Submarine Canyon. *Canadian Journal of Zoology* 69: 583-594.
- Seung, Chang and Ed Waters. January 2005. A Review of Regional Economic Models for Alaska Fisheries. AFSC Processed Report 2005-01. National Marine Fisheries Service, Alaska Fisheries Science Center.
- Shallenberger, R. J. 1984. Fulmars, shearwaters, and gadfly petrels. Seabirds of Eastern North Pacific and Arctic Waters. D. Haley. Seattle, Pacific Search Press: 42-57.
- Simenstad, C. A., C. D. Tanner, et al. 1991. The estuarine habitat assessment protocol. *Puget Sound Notes* 25.
- Simenstad, C. A., L. F. Small, et al. 1990. Consumption processes and food web structure in the Columbia River estuary. *Prog. Oceanog.* 25: 271-297.
- Sizemore, Bill. September 2004. Washington Department of Fish and Wildlife. Personal Communication
- Skamser, Sara, Foulweather Trawl. 2002. Trawl Training Class April 9th and 10th, 2002, Newport, Oregon.
- Skamser, Sara. 2003. Personal Communication. Foulweather Trawl, Newport, Oregon.
- Smith, S. E. 2004. A review of U.S. Pacific Coast krill. NFMS Southwest Fisheries Science Center, La Jolla, September 2004, Agendum E.3.a, September 2004 Council Meeting.
- Sogard, S. M. and K. W. Able. 1991. A comparison of eelgrass, sea lettuce macroalgae and marsh creeks as habitats for epibenthic fishes and decapods. *Estuarine, Coastal and Shelf Science* 33: 501-519.
- Sowls, A. L., A. R. DeGrange, et al. 1980. Catalog of California seabird colonies, Biological Services Program, U. S. Fish and Wildlife Service: 371.
- Speich, S. M. and T. R. Wahl. 1989. Catalog of Washington seabird colonies, U.S. Fish and Wildlife Service Biological Report: 510.
- Spencer, G.J. 1932. The commercial crab, *Cancer magister* Dana, in Clayoquot Sound, Vancouver Island. in Harrison, P.G., and R.E. Bigley. 1982. The recent introduction of the seagrass (*Zostera japonica* Aschers and Graebn.) to the Pacific coast of North America. *Canadian Journal of Fisheries and Aquatic Science* 39: 1642-1648
- Spendelow, J. A. and S. R. Patton. 1988. National Atlas of Coastal Waterbird Colonies in the Contiguous United States: 1976-82, U.S. Fish and Wildlife Service Biological Report: 326.
- Springer, A. M., A. Y. Kondratyev, et al. 1993. Status, ecology, and conservation of *Synthliboramphus* murrelets and auklets. The Status, Ecology, and Conservation of Marine Birds in the North Pacific. K. Vermeer, K. T. Briggs, K. H. Morgan and D. Siegel-Causey. Ottawa, Can. Wildl. Spec. Publ.: 187-201.
- Spurgeon. 1992. IN CFMC (Caribbean Fishery Management Council. 1994. Draft regulatory impact review and initial regulatory flexibility analysis for the draft fishery management plan for

- corals and reef associated plants and invertebrates of Puerto Rico and the U.S. Virgin Islands. San Juan, Puerto Rico. July 1994.
- SSC Economic Subcommittee. 2000. Report on overcapitalization in the West Coast groundfish fishery. Scientific and Statistical Committee Economic Subcommittee. Portland, OR, Pacific Fishery Management Council.
- Starbird, C. H., A. Baldrige, et al. 1993. Seasonal occurrence of leatherback sea turtles (*Dermochelys coriacea*) in the Monterey Bay region, with notes on other sea turtles, 1986-1991. California Fish and Game 79(2): 54-62.
- START. 2002. Personal communication. C. Nordeen. Seattle, WA, Short-tailed Albatross Recovery Team.
- Stefanescu, C., B. Morales-Nin and E. Massuti. 1994. Fish assemblages on the slope in the Catalan Sea (Western Mediterranean): Influence of a submarine canyon. Journal of the Marine Biological Association of the UK 74(499-512).
- Steinbach, George. 2005. Personal communication with G. Arentzen. August 4, 2005. Executive Director, California Artificial Reef Enhancement Program
- Steneck, RS; Graham, MH; Bourque, BJ; Corbett, D; Erlandson, JM; Estes, JA; Tegner, MJ. 2002. Kelp forest ecosystems: biodiversity, stability, resilience and future. Environmental Conservation. Vol. 29, no. 4, pp. 436-459. Dec 2002.
- Stewart, B. S. and H. R. Huber. 1993. "*Mirounga angustirostris*." Mammalian Species 449: 1-10.
- Stewart, B. S., B. J. L. Boeuf, et al. 1994. History and present status of the northern elephant seal population. Elephant Seals. B. J. L. Boeuf and R. M. Laws. Los Angeles., Univ. Calif. Press.
- Stewart, B. S., P. K. Yochem, et al. 1987. Interactions between Guadalupe fur seals and California sea lions ant San Nicolas and San Miguel islands, California. Status, biology, and ecology of fur seals. Proceedings of an international symposium and workshop, Cambridge, England.
- Stocks, K. 2004. Seamount invertebrates: composition and vulnerability to fishing. In T. Morato and D. Pauly (eds.) Seamounts: Biodiversity and Fisheries, pp. 17-25.
- Sunada, J. S., J. B. Richards, et al. 2001. Ridgeback Prawn. California's Living Marine Resources: A Status Report. W. S. Leet, C. M. Dewees, R. Klingbeil and E. J. Larson. Davis, CA, California Sea Grant Program: 124-126.
- SWFSC. November 2004. Coastal Marine Mammal Program. <http://swfsc.nmfs.noaa.gov/prd/PROGRAMS/CMMP/Mortality/mortality.htm>
- Taylor, C. M., H. G. Davis, J. C. Civille, F. S. Grevstad, A. Hastings. 2004: Consequences of an Allee effect in the invasion of a Pacific estuary by *Spartina alterniflora*. Ecology: Vol. 85, No. 12, pp. 3254–3266.
- Taylor, F.H.C. 1964. Life history and present status of British Columbia herring stocks. in Harrison, P.G., and R.E. Bigley. 1982. The recent introduction of the seagrass (*Zostera japonica* Aschers and Graebn.) to the Pacific coast of North America. Canadian Journal of Fishery and Aquatic Science 39: 1642-1648
- Thayer, G. W., W. J. Kenworthy, et al. 1984. The ecology of eelgrass meadows of the Atlantic coast: a community profile: 147.
- Thompson, Terry. 2003. Fisherman. Newport, Oregon. Personal communication

- Tracy, Charles. 2002. Personal Communication. Pacific Fishery Management Council. Portland, Oregon.
- Trefry, John H., Robert P. Trocine, Michelle L. McElvaine, Robert D. Rember. 2002. Concentrations of Total Mercury and Methylmercury in Sediment Adjacent to Offshore Drilling Sites in the Gulf of Mexico. Final Report to the Synthetic Based Muds Research Group. October 25, 2002.
- Tyler, W. B., K. T. Briggs, et al. 1993. Seabird distribution and abundance in relation to oceanographic processes in the California Current System. The Status, Ecology, and Conservation of Marine Birds of the North Pacific. K. Vermeer, K. T. Briggs, K. H. Morgan and D. Siegel-Causey. Ottawa, Can. Wildl. Serv. Spec. Publ.: 48-60.
- U.S. Federal Register. Volume 66 No. 69. April 10, 2001. NOAA/NMFS published a notice of intent to prepare an EIS; request for written comments. 18586-18587.
- U.S. Federal Register. Volume 67 No. 27. February 8, 2002. NOAA/NMFS notice of availability and request for comments on public scoping report. 5962-5963.
- U.S. Federal Register. Volume 68 No. 17. January 27, 2003. NOAA/NMFS final rule to implement Amendment 10 to the Coastal Pelagic Species (CPS) Fishery Management Plan (FMP). 3819-3823.
- U.S. Federal Register. Volume 68 No. 213. November 4, 2003. Final rule governing vessel monitoring systems and incidental catch measures. 62374-62385.
- USGS (United States Geological Survey). 2002. California Sea Otter Surveys, B. Hatfield and J. Estes. Western Ecological Research Center. 2002.
- van Santbrink, J. W. and M. J. N. Bergman. 1994. Direct effects of beam trawling on macrofauna in a soft bottom area in the southern North Sea. Environmental impact of bottom gear on benthic fauna in relation to natural resources management and protection of the North Sea. NIOZ Rapport 1994-11. S. J. a. L. Pages 147-178 in de Groot, H.J. (eds.). Texel, The Netherlands.
- VanBlaricom, G. R. and J. A. Ames. 2001. Sea Otter. California's living marine resources: a status report. W. S. Leet et al., California Department of Fish and Game: 536-540.
- Vermeer, K., D. B. Irons, et al. 1993. Status, conservation, and management of nesting *Larus* gulls in the North Pacific. The Status, Ecology, and Conservation of Marine Birds in the North Pacific. K. Vermeer, K. T. Briggs, K. H. Morgan and D. Siegel-Causey. Ottawa, Can. Wildl. Serv. Spec. Publ.: 131-139.
- Vetter, E. and P. Dayton. 1999. Organic enrichment by macrophyte detritus, and abundance patterns of megafaunal populations in submarine canyons. Marine Ecology Progress Series 186: 137-148.
- Vetter, E. W. 1995. Detritus based patches of high secondary production in the nearshore benthos. Mar. Ecol. Prog. Ser. 120: 251-262.
- Vojkovich, M. and S. Crooke. 2001. White Seabass. California's Living Marine Resources: A Status Report. W. S. Leet, C. M. Dewees, R. Klingbeil and E. J. Larson. Davis, CA, California Sea Grant Program: 206-208.
- WDF (Washington Department of Fisheries). 1993. Marine Fish and Shellfish Gears for Washington Fisheries. Olympia, WA.

- WDF. 1993. Commercial Salmon Fishing Gears for Washington Fisheries. Olympia, WA.
- WDFW (Washington Department of Fish and Wildlife). 2002. Fishing in Washington Sportfishing Regulations. Olympia, WA.
- WDNR (Washington Department of Natural Resources) 2004. Washington's Wildstock Geoduck Fishery Website. <http://www.dnr.wa.gov/htdocs/aqr/shellfish/wildstock.htm>
- Wendell, F. E., R. A. Hardy, et al. 1986. Assessment of the accidental take of sea otters, *Enhydra lutris*, in gill and trammel nets, Cal. Dep. Fish Game: 31.
- West, Tony. 2003. Personal communication. Director, Federation of Independent Seafood Harvesters, San Pedro, California.
- Whale Museum, The. 2003. <http://www.whale-museum.org/>
- Williams, E.H. and S. Ralson. 2002. Distribution and co-occurrence of rockfishes (family: Sebastidae) over trawlable shelf and slope habitats of California and Southern Oregon. Fishery Bulletin. 100(4) pp. 836-855. October 2002.
- Williams, R. N., L. D. Calvin, et al. 1996. Return to the river: restoration of salmonid fishes in the Columbia River ecosystem. Portland, Oregon, Northwest Power Planning Council.
- Wilson, D. E., M. A. Bogan, et al. 1991. Geographic variation in sea otters, *Enhydra lutris*. J. Mammal 72(1): 22-36.
- Wyllie-Echeverria, S. and R. C. Phillips. 1994. Seagrass science and policy in the Pacific Northwest. Proceedings of a seminar series (SMA 94-1) EPA 910/R-94-004. S. Wyllie-Echeverria, A. M. Olson and M. J. Hershman: 1-4.
- Wyllie-Echeverria, S. W. and J. D. Ackerman. 2003. The seagrasses of the Pacific Coast of North America. Pages 199 – 206 in E. P. Green and F. T. Short, editors. World Atlas of Seagrasses. University of California Press, Berkeley.
- Zedler, J. B., C. S. Nordby, et al. 1992. The ecology of the Tijuana Estuary, California: A National Estuarine and Research Reserve. Washington, D.C., NOAA Office of Coastal Resource Management, Sanctuaries and Reserves Division.
- Zimmerman, M. 2003. Calculation of untrawlable areas within the boundaries of a bottom trawl survey. Canadian Journal of Fisheries and Aquatic Sciences 60: 657-669