

---

# TABLE OF CONTENTS

EXECUTIVE SUMMARY .....	xi
Status of South-Central California Coast Steelhead .....	xi
Recovery Planning .....	xi
Environmental Setting .....	xii
Recovery Goals and Viability Criteria.....	xiii
Recovery Strategy.....	xiv
Recovery Actions.....	xiv
Implementation and Recovery Cost Estimates .....	xvi
Recovery Partners.....	xvii
Estimated Time to Recovery and Delisting .....	xviii
1. INTRODUCTION .....	1-1
1.1 South-Central California Coast Steelhead at Risk .....	1-1
1.2 South-Central California Coast Steelhead Listing History.....	1-3
1.3 Designated Critical Habitat .....	1-4
1.4 The Recovery Planning Process.....	1-5
1.4.1 South-Central California Coast Steelhead Technical Recovery Team.....	1-8
1.4.2 Public Participation .....	1-8
2. STEELHEAD BIOLOGY AND ECOLOGY .....	2-1
2.1 Species Taxonomy and Life History.....	2-1
2.2 Species Freshwater Distribution and Population Structure.....	2-5
2.3 Species Abundance.....	2-11
2.4 Species Genetic Structure and Diversity .....	2-13
2.5 Habitat Characteristics of the South-Central California Coast Steelhead Recovery Planning Area .....	2-14
2.6 South-Central California Coast Steelhead Freshwater Life Cycle Habitat Use.....	2-16
3. FACTORS CONTRIBUTING TO DECLINE AND FEDERAL LISTING .....	3-1
3.0 Introduction .....	3-1
3.1 Factor 1: Present or Threatened Destruction, Modification or Curtailment of Habitat or Range.....	3-2

3.2 Factor 2: Over-Utilization for Commercial, Recreational, Scientific, or Educational Purposes.....	3-3
3.3 Factor 3: Disease and Predation.....	3-4
3.4 Factor 4: Inadequacy of Existing Regulatory Mechanisms.....	3-5
3.4.1 Federal Mechanisms.....	3-5
3.4.2 Non-Federal Mechanisms.....	3-6
3.5 Factor 5: Other Natural or Human-Made Factors Affecting Continued Existence.....	3-7
3.5.1 Environmental Variability.....	3-7
3.5.2 Stocking Programs.....	3-8
4. CURRENT DPS-LEVEL THREATS ASSESSMENT.....	4-1
4.0 Introduction.....	4-1
4.1 Threats Assessment Process.....	4-2
4.2 Current DPS-Wide Threats Assessment Summary.....	4-3
4.2.1 Dams, Surface Water Diversions and Groundwater Extraction.....	4-4
4.2.2 Agricultural and Urban Development, Roads, and Other Passage Impediments.....	4-5
4.2.3 Flood Control, Levees and Channelization.....	4-5
4.2.4 Non-Native Species.....	4-6
4.2.5 Estuarine Loss.....	4-7
4.2.6 Marine Environment Threats.....	4-10
4.2.7 Natural Environmental Variability.....	4-11
4.2.8 Pesticide Use.....	4-12
5. South-Central California Coast Steelhead and Climate Change.....	5-1
5.0 Introduction.....	5-1
5.1 Projected Climate Changes.....	5-2
5.1.1 Terrestrial and Freshwater Environment.....	5-2
5.1.2 Marine Environment.....	5-5
5.2 Climate Influences on Steelhead.....	5-10
5.2.1 Steelhead Life History and Habitats.....	5-10
5.2.2 Life History Pathways.....	5-11
5.2.3 Environmental Opportunities and Habitat Diversity.....	5-11

5.2.4	Freshwater Habitat Forming Processes.....	5-12
5.2.5	Spatial Connectivity and Timing.....	5-13
5.3	Recovery Planning for South-Central California Climate Change.....	5-13
5.3.1	Core Principles.....	5-13
6.	STEELHEAD RECOVERY GOALS, OBJECTIVES & CRITERIA.....	6-1
6.1	DPS Recovery Goal.....	6-1
6.2	DPS Recovery Objectives.....	6-1
6.3	Recovery Criteria.....	6-2
6.3.1	Biological Recovery Criteria.....	6-3
6.3.1.1	Discussion of Population-Level Recovery Criteria.....	6-5
6.3.1.2	DPS-Level Recovery Criteria.....	6-8
6.4	Threats Abatement Criteria.....	6-10
7.	STEELHEAD RECOVERY STRATEGY.....	7-1
7.0	Introduction.....	7-1
7.1	Achieving Recovery.....	7-2
7.1.1	Funding Recovery Actions.....	7-3
7.2	Core Populations.....	7-5
7.3	Critical Recovery Actions.....	7-8
7.4	Restoring Steelhead Access to Historical Habitats that are Currently Inaccessible and Unoccupied by the Species.....	7-15
7.5	Restoring Flows to Historical Habitats that are Currently impacted by Dams, Diversion, and Groundwater Extraction.....	7-19
7.6	Recovery Strategies to Address Climate Change and Marine Environment Variability.....	7-25
7.7	Critical Research Needs for Recovery.....	7-25
8.	SUMMARY OF DPS-WIDE RECOVERY ACTIONS.....	8-1
8.0	Introduction.....	8-1
8.1	DPS-Wide Recovery Actions.....	8-2
8.2	Recovery Action Narratives.....	8-4
8.3	Conservation Hatcheries.....	8-12
8.3.1	Recovery Role of Conservation Hatcheries.....	8-12
8.3.2	Basic Elements of a Conservation Hatchery Program.....	8-13

8.3.3 Considerations for Establishing a Conservation Hatchery Program	8-14
8.4. Estimated Time to Recovery and Delisting	8-15
9. INTERIOR COAST RANGE BIOGEOGRAPHIC POPULATION GROUP	9-1
9.1 Location and Physical Characteristics	9-1
9.2 Land Use	9-4
9.3 Current Watershed Conditions	9-9
9.4 Threats and Threat Sources	9-12
9.5 Summary	9-16
10. CARMEL RIVER BASIN BIOGEOGRAPHIC POPULATION GROUP	10-1
10.1 Location and Physical Characteristics	10-1
10.2 Land Use	10-4
10.3 Current Watershed Conditions	10-7
10.4 Threats and Threat Sources	10-10
10.5 Summary	10-16
11. BIG SUR COAST BIOGEOGRAPHIC POPULATION GROUP	11-1
11.1 Location and Physical Characteristics	11-1
11.2 Land Use	11-2
11.3 Current Watershed Conditions	11-6
11.4 Threats and Threat Sources	11-8
11.5 Summary	11-12
12. SAN LUIS OBISPO TERRACE BIOGEOGRAPHIC POPULATION GROUP	12-1
12.1 Location and Physical Characteristics	12-1
12.2 Land Use	12-4
12.3 Current Watershed Conditions	12-10
12.4 Threats and Threat Sources	12-12
12.5 Summary	12-18
13. SOUTH-CENTRAL CALIFORNIA COAST STEELHEAD RESEARCH, MONITORING AND ADAPTIVE MANAGEMENT	13-1
13.1 Introduction	13-1
13.1.1 South-Central California Coast Steelhead Research	13-1

13.2 Viability Criteria .....	13-2
13.2.1 Population-Level Criteria.....	13-2
13.2.2 ESU/DPS-Level Criteria .....	13-4
13.3 Research Focus: Anadromy, Population Structure, and Climate Change ..	13-5
13.3.1 Identify Ecological Factors that Promote Anadromy .....	13-5
13.3.2 Reliability of Migration Corridors .....	13-7
13.3.3 Steelhead-Promoting Nursery Habitats .....	13-7
13.3.4 Comparative Evaluation of Seasonal Lagoons.....	13-10
13.3.5 Potential Nursery Role of Mainstem Habitats.....	13-10
13.3.6 Potential Positive Roles of Intermittent Creeks.....	13-11
13.3.7 Spawner Density as an Indicator of Viability.....	13-12
13.3.8 Clarify Population Structure.....	13-12
13.3.9 Partial Migration and Life History Crossovers.....	13-13
13.3.10 Rates of Dispersal Between Watersheds.....	13-15
13.3.11 Revision of Population Viability Targets.....	13-16
13.4 Monitoring Progress Toward Recovery Goals.....	13-17
13.4.1 Strategy for Monitoring Steelhead in South-Central California Coast.....	13-17
13.4.2 Monitoring Protocols.....	13-20
13.4.2.1 Counting at Fish Ladders.....	13-20
13.4.2.2 Redd Counts.....	13-20
13.4.2.3 Monitoring runs using the DIDSON Acoustic Camera ..	13-21
13.4.2.4 Tagging Juveniles and Monitoring Migrants (T-JAMM 4design) .....	13-21
13.4.2.5 Sampling Young-of-the-Year Otoliths (YOYO design) ...	13-22
13.5 Adaptive Management: Learning From Recovery Efforts .....	13-22
13.5.1 Elements of an Adaptive Management Program.....	13-23
14. IMPLEMENTATION BY NMFS.....	14-1
14.1 Integration of Recovery into NMFS Actions .....	14-1
14.1.1 Work with Constituents and Partners.....	14-2
14.1.2 Funding Implementation of Recovery Plans.....	14-3
14.2 Ongoing Regulatory Practices .....	14-3
14.2.1 ESA Section 4.....	14-4

14.2.2 ESA Section 5.....	14-4
14.2.3 ESA Section 7.....	14-4
14.2.3.1 Section 7(a)(1).....	14-4
14.2.3.2 Section 7(a)(2).....	14-5
14.2.4 ESA Section 9.....	14-6
14.2.5 ESA Section 10.....	14-7
14.2.5.1 Section 10(a)(1)(A) Research Permits.....	14-7
14.2.5.2 Section 10(a)(1)(B) Habitat Conservation Plans.....	14-7

## List of Figures

Figure 1-1. South-Central California Coast Steelhead Recovery Planning Area..	1-7
Figure 2-1. Summary of the various life history strategies exhibited by South-Central California Coast <i>O. mykiss</i> and the life stage specific terminology.....	2-4
Figure 2-2. Adult female anadromous <i>O. mykiss</i> (c. 75 cm), San Carpoforo Creek .....	2-5
Figure 2-3. Juvenile <i>O. mykiss</i> (c. 10 cm), Trout Creek, Salinas River....	2-5
Figure 2-4. Steelhead smolt (c. 19 cm) confluence Carmel River Lagoon.....	2-5
Figure 2-5. Biogeographic Population Groups (BPGs) in the South-Central California Coast Steelhead Recovery Planning Area (after Boughton <i>et al.</i> 2007.....	2-10
Figure 2-6. South-Central California Coast <i>O. mykiss</i> Life Cycle Habitat Linkages.....	2-17
Figure 5-1. Principle Ocean Currents in the North-East Pacific Ocean Affecting Coastal Waters of California.....	5-6
Figure 5-2. Seasonal Coastal Upwelling Pattern Along the California Coast.....	5-8
Figure 5-3. Shift in Cold and Warm-Water Faunal Assembles During Pacific Decadal Oscillations and El Niño/La Niña/Southern Oscillations. ....	5-9
Figure 7-1. South-Central California Coast Steelhead DPS Known and Potential Fish Passage Impediments.....	7-24
Figure 9-1. The Interior Coast Range BGP.....	9-3
Figure 9-2. Federal and Non-Federal Land within the Pajaro River Watershed.....	9-7
Figure 9-3. Federal and Non-Federal Land within the Salinas River Watershed. ....	9-8
Figure 9-4. Major Fish Passage Impediments, Interior Coast Range BPG.....	9-14
Figure 10-1. The Carmel River BPG.....	10-3
Figure 10-2. Federal and Non-Federal Land Ownership within the Carmel River Watershed.....	10-6

Figure 10-3. Steelhead Counts at San Clemente Dam: 1965-2011.....10-9

Figure 10-4. Steelhead Counts at Los Padres Dam: 1949-2011.....10-9

Figure 10-5. Major Fish Passage Impediments, Carmel River Basin BPG.....10-13

Figure 11-1. The Big Sur Coast BPG.....11-4

Figure 11-2. Federal and Non Federal Land within the Big Sur and Little Sur River  
Watersheds..... 11-5

Figure 11-3. Major Fish Passage Impediments, Sur Coast BPG.....11-10

Figure 12-1. The San Luis Obispo Terrace BPG.....12-3

Figure 12-2. Federal and Non-Federal Land Within the San Carpoforo and  
Arroyo de la Cruz Creek Watersheds.....12-6

Figure 12-3. Federal and Non-Federal Land within the Oak Knoll Creek through  
Santa Rosa Creek Watersheds.....12-7

Figure 12-4. Federal and Non-Federal Land within the Villa Creek through  
Hartford Canyon Watersheds.....12-8

Figure 12-5. Federal and Non-Federal Land within the San Luis Obispo through  
Arroyo Grande Creek Watersheds.....12-9

Figure 12-6. Major Fish Passage Impediments, San Luis Obispo Terrace BPG.....12-16

Figure 13-1. Fecundity as a function of body size for female steelhead  
sampled from Scott Creek in Santa Cruz County.....13-6

Figure 13-2. Marine survival of steelhead as a function of body size at ocean entry  
in the Keogh River steelhead population described by Ward et al. (1989)..13-9

Note: Unless otherwise indicated, all photographs were taken by Mark H. Capelli, South-Central/Southern California Steelhead Recovery Coordinator, National Marine Fisheries Service, or are from the Mark H. Capelli Southern California Steelhead Watershed Archive, Donald E. Davidson Library, University of California, Santa Barbara.

## List of Tables

Table 2-1. South-Central California Coast Watersheds Historically Occupied by Populations of Steelhead (listed from north to south).....	2-7
Table 2-2. Ecological characteristics of BPGs in the South-Central California Coast Steelhead DPS(originally Table 4 in Boughton <i>et al.</i> , 2007b). .....	2-8
Table 4-1. Percentage of watershed within the BPGs with High or Very High Threat Sources.....	4-3
Table 4-2. Estuarine habitat loss in component watersheds of the South-Central California Coast Recovery Planning Area, grouped by BPG.....	4-9
Table 4-3. South-Central California Coast Steelhead Marine Environment Threats Assessment. ....	4-10
Table 6-1. Biological Recovery Criteria for the South-Central California Coast Steelhead DPS.....	6-4
Table 6-2. Example application of threats abatement criteria.....	6-11
Table 7-1. Core 1, 2, and 3 <i>O. mykiss</i> populations within the South-Central California Coast Steelhead DPS.....	7-7
Table 7-2. Critical recovery actions for Core 1 <i>O. mykiss</i> populations within the South-Central California Coast Steelhead DPS.....	7-12
Table 8-1. Recovery Actions Glossary .....	8-6
Table 9-1. Physical and land use characteristics of watersheds in the Interior Coast Range BPG. ....	9-6
Table 9-2. Threat source rankings in each watershed in the Interior Coast Range BPG .....	9-15
Table 9-3. Critical Recovery Actions for Core 1 Populations Within the Interior Coast Range BPG. ....	9-18
Table 9-4. South-Central California Coast Steelhead DPS Recovery Action Table for Parajo River and Sub-Watersheds (Interior Coast Range BPG). ....	9-21
Table 9-5. South-Central California Coast Steelhead DPS Recovery Action Table for Lower Salinas River and Sub-Watersheds (Interior Coast Range BPG).....	9-31
Table 9-6. South-Central California Coast Steelhead DPS Recovery Action Table for Upper Salina River and Sub-Watersheds (Interior Coast Range BPG).....	9-45
Table 10-1. Physical and land use characteristics in the Carmel River Basin BPG.....	10-5
Table 10-2. Threat source rankings in component watersheds in the Carmel River Basin BPG.....	10-14
Table 10-3. Critical Recovery Actions for Core 1 Populations Within the Carmel River Basin BPG. ....	10-17



Table 10-4. South-Central California Coast Steelhead DPS Recovery Action Table for the Carmel River Watershed (Carmel River Basin BPG).....	10-20
Table 11-1. Physical and land-Use characteristics of watersheds in the Big Sur Coast BPG.....	11-3
Table 11-2. Threat Source rankings in the component watersheds of the Big Sur Coast BPG.....	11-11
Table 11-3. Critical recovery actions for Core 1 populations within the Big Sur Coast BPG.....	11-13
Table 11-4. South-Central California Coast Steelhead DPS Recovery Action Table for the San Jose Creek Watershed (Big Sur Coast BPG).....	11-16
Table 11-5. South-Central California Coast Steelhead DPS Recovery Action Table for The Garrapata Creek Watershed (Big Sur Coast BPG).....	11-19
Table 11-6. South-Central California Coast Steelhead DPS Recovery Action Table for The Bixby Creek Watershed (Big Sur Coast BPG).....	11-22
Table 11-7. South-Central California Coast Steelhead DPS Recovery Action Table for The LittleSur River Watershed (Big Sur Coast BPG).....	11-24
Table 11-8. South-Central California Coast Steelhead DPS Recovery Action Table for The Big Sur River Watershed (Big Sur Coast BPG).....	11-27
Table 11-9. South-Central California Coast Steelhead DPS Recovery Action Table for the Willow Creek Watershed (Big Sur Coast BPG).....	11-30
Table 11-10. South-Central California Coast Steelhead DPS Recovery Action Table for the Salmon Creek Watershed (Big Sur Coast BPG).....	11-32
Table 12-1. Physical and land use characteristics of watersheds in the San Luis Obispo Terrace BPG.....	12-5
Table 12-2. Threat Source Rankings in the San Luis Obispo Terrace BPG (see CAP Workbooks for individual watersheds for details).....	12-17
Table 12-3. Critical Recovery Actions for Core 1 populations Within the San Luis ObispoTerrace BPG.....	12-19
Table 12-4. South-Central California Coast Steelhead DPS Recovery Action Table for the San Carporforo Creek Watershed (San Luis Obispo Terrace BPG).....	12-23
Table 12-5. South-Central California Coast Steelhead DPS Recovery Action Table for the Arroyo de la Cruz Watershed (San Luis Obispo Terrace BPG).....	12-26
Table 12-6. South-Central California Coast Steelhead DPS Recovery Action Table for the Little Pico Creek Watershed (San Luis Obispo Terrace BPG).....	12-29
Table 12-7. South-Central California Coast Steelhead DPS Recovery Action Table for the Pico Creek Watershed (San Luis Obispo Terrace BPG).....	12-32
Table 12-8. South-Central California Coast Steelhead DPS Recovery Action Table for the San Simeon Creek Watershed (San Luis Obispo Terrace BPG).....	12-35

Table 12-9. South-Central California Coast Steelhead DPS Recovery Action Table for the Santa Rosa Creek Watershed (San Luis Obispo Terrace BPG). .....12-40

Table 12-10. South-Central California Coast Steelhead DPS Recovery Action Table for the Morro Creek Watershed (San Luis Obispo Terrace BPG). .....12-45

Table 12-11. South-Central California Coast Steelhead DPS Recovery Action Table for the Moro Bay Estuary +Watershed (San Luis Obispo Terrace BPG). .....12-49

Table 12-12. South-Central California Coast Steelhead DPS Recovery Action Table for the San Luis Obispo Creek Watershed (San Luis Obispo Terrace BPG). .....12-57

Table 12-13. South-Central California Coast Steelhead DPS Recovery Action Table for the Pismo Creek Watershed (San Luis Obispo Terrace BPG). .....12-62

Table 12-14. South-Central California Coast Steelhead DPS Recovery Action Table for the Arroyo Grande Creek Watershed (San Luis Obispo Terrace BPG). .....12-67

Table 13-1. Potential South-Central California Coast Steelhead Life Cycle Monitoring Stations(alternative populations are listed in parentheses).....13-19

## Appendices

**Appendix A** – Glossary and Abbreviations

**Appendix B** – Watershed Intrinsic Potential Rankings

**Appendix C** – Composition of South-Central California Coast Steelhead Recovery Planning Area BPGs

**Appendix D** – South-Central California Coast Steelhead Recovery Planning Area Threats Assessment (Cap Workbook) Method

**Appendix E** – Recovery Action Cost Estimates for Steelhead Recovery Planning

**Appendix F** – Pesticide Application Best Management Practices

**Appendix G** – Literature and References Cited